# T Cloud Public

Service Specifications & Additional Terms and Conditions

T Cloud Public

Last revised: 09.10.2026

Connecting your world.

# Publication details

Published by

Telekom Deutschland GmbH

Landgrabenweg 149

53227 Bonn

Amtsgericht Bonn HRB 5919

WEEE reg. no.: DE60800328

hereinafter referred to as "Telekom"

Compulsory statement: https://www.telekom.de/pflichtangaben

Copyright

© 2026 All rights reserved, including those of partial reproduction, electronic or photomechanical reproduction and evaluation by data processing methods.

Last revised: 09.10.2026

# Contents


Publication details 2
1 Introduction 8
2 Services provided by Telekom 9
2.1 Place of service provision 9
2.2 Provision of the service 9
2.3 Virtualization – Tenant 9
2.4 T Cloud Public self-service-portal (console) 9
2.5 Service quotas 10
2.6 T Cloud Public API 10
2.7 Disaster recovery capability 10
2.8 Invoice Processing - Access to Invoice Data 10
2.9 Service adjustment by Telekom 11
3 Services 12
3.1 Computing 12
3.1.1 Elastic Cloud Server 12
3.1.1.1 Virtual ECS instance types and flavors 12
3.1.1.2 Physical ECS instance types and flavors 13
3.1.2 Dedicated host 13
3.1.3 Auto Scaling 13
3.1.4 Image Management Service 14
3.1.4.1 Public images 14
3.1.4.2 Private images 14
3.1.5 FunctionGraph 14
3.2 Databases 15
3.2.1 Relational Database Service 15
3.2.2 Distributed Cache Service 15
3.2.3 Document Database Service 16
3.2.4 Cloud Search Service 17
3.2.5 Data Replication Service 18
3.2.6 TaurusDB 18
3.2.7 GeminiDB 18
3.2.8 Distributed Database Middleware 19
3.2.9 Oracle-optimized 19
3.2.9.1 High availability 19
3.2.9.2 License terms 20
3.3 Storage 20
3.3.1 Object Storage Service 20
3.3.2 Elastic Volume Service 20
3.3.3 Volume Backup Service 21
3.3.4 Cloud Server Backup Service 21
3.3.5 Scalable File Service 21
3.3.6 Storage Disaster Recovery Service 22
3.3.7 Cloud Backup and Recovery 22
3.4 Network 22
3.4.1 Virtual Private Cloud 22
3.4.1.1 VPC Flow log 22
3.4.2 Elastic IP 23
3.4.3 Elastic Load Balancer 23
3.4.4 Domain Name Service 23
3.4.5 Direct Connect 23
3.4.6 Secure Mail Gateway 24
3.4.7 NAT Gateway 24
3.4.7.1 Public NAT Gateway 24
3.4.7.2 Private NAT Gateway 24
3.4.8 VPC Endpoint 24
3.4.9 Enterprise Router 24
3.4.10 Enterprise VPN 25
3.5 Application 25
3.5.1 Distributed Message Service 25
3.5.2 API Gateway (dedicated) 26

3.5.3 Simple Message Notification 26
3.5.4 Application Operations Management 26
3.5.5 Application Performance Management 26
3.6 Management & Deployment 27
3.6.1 Cloud Eye 27
3.6.2 Cloud Trace Service 27
3.6.3 Tag Management Service 27
3.6.4 Config (former Resource Management Service) 27
3.6.5 Identity and Access Management 27
3.6.6 Log Tank Service 28
3.6.7 Resource Formation Service 28
3.6.8 OpenStack projects 28
3.6.9 Enterprise Project Management Service 28
3.7 Container 28
3.7.1 Cloud Container Engine and Cloud Container Engine Turbo 28
3.7.2 Software Repository for Containers 29
3.7.3 Application Service Mesh 29
3.7.4 Ubiquitous Cloud Native Service 29
3.8 Data analysis 29
3.8.1 MapReduce Service 29
3.8.2 Data Warehouse Service 30
3.8.3 ModelArts 30
3.8.4 Data Lake Insight 31
3.8.5 DataArts Studio 31
3.8.6 Optical Character Recognition 31
3.9 Security 32
3.9.1 Anti-DDoS 32
3.9.2 Key Management Service 32
3.9.3 Web Application Firewall (Classic Mode) 32
3.9.4 Web Application Firewall (Cloud Mode) 33
3.9.5 Web Application Firewall (Dedicated) 33
3.9.6 Web Application Firewall - Modes and Metrics 33
3.9.7 Database Security Service 33
3.9.8 Host Security Service 33
3.9.9 Cloud Secret Management Service 34
3.9.10 Cloud Firewall 34
3.10 Rights of use, licenses 34
3.10.1 General provisions 34
3.10.2 Individual licensing provisions 34
3.11 Optional services 36
3.11.1 Enterprise Agreement 1.0 36
3.11.2 Enterprise Support Agreement 2.0 36
3.11.3 EthernetConnect & IntraSelect & Equinix Cloud Exchange 37
3.11.4 Financial Dashboard (former Enterprise Dashboard) 37
3.11.5 Consulting Services 37
3.11.5.1 Additional support services for certifications and test reports 37
3.11.6 Cloud Create (former Cloud Topology Designer) 38
3.11.7 Managed Services 38
3.11.8 Marketplace 38
3.11.8.1 Marketplace Seller Center 38
3.11.8.2 Marketplace (for Customers) 39
3.12 Preview and beta versions 39
3.12.1 Special conditions for preview and beta versions 39
3.12.2 Cloud Container Instance 40
3.12.3 Alert Service 40
3.12.4 Data Admin Service 40
3.12.5 Enterprise Switch 40
3.12.6 Cloud Connect 41
3.12.7 Savings plans 41
4 Service levels 42
4.1 Service transfer point 42
4.2 Platform (IaaS level) availability 42
4.3 Excused events 42
4.4 Customer support (T Cloud Support Center) 43

4.5 Maintenance work 44
5 The customer's duties to cooperate 45
6 Prices 47
6.1 Method for calculating charges 47
6.1.1 Computing 47
6.1.2 Storage 48
6.1.3 Dedicated Elastic Load Balancer 48
6.2 Computing 48
6.2.1 Elastic Cloud Server 48
6.2.1.1 General purpose – s2 48
6.2.1.2 General purpose – s3 51
6.2.1.3 General purpose – s7n 53
6.2.1.4 General purpose – s9 53
6.2.1.5 Dedicated general purpose – c3 55
6.2.1.6 Dedicated general purpose – c4 57
6.2.1.7 Dedicated General purpose – c7n 60
6.2.1.8 Dedicated general purpose – c9 62
6.2.1.9 Memory optimized m3 & m3n 63
6.2.1.10 Memory optimized m4 64
6.2.1.11 Memory optimized m7n 65
6.2.1.12 Memory optimized m9 66
6.2.1.13 GPU accelerated (NVIDIA T4, V100, A100, A40, H100) 67
6.2.1.14 Large memory III + VI 69
6.2.1.15 Disk intensive II 70
6.2.1.16 Ultra-High I/O 70
6.2.1.17 Flexible purpose - x1 72
6.2.1.18 Flexible purpose - x2 75
6.2.1.19 Physical Elastic Cloud Server 79
6.2.2 Dedicated Host 80
6.2.3 Auto Scaling 80
6.2.4 Image Management Service 81
6.2.5 FunctionGraph 81
6.3 Databases 81
6.3.1 Relational Database Service 81
6.3.1.1 MySQL 81
6.3.1.2 PostgreSQL 83
6.3.1.3 Microsoft SQL Server 84
6.3.1.4 Relational Database Service – Storage & Backup 86
6.3.2 Distributed Cache Service 86
6.3.2.1 Distributed Cache Service basierend auf Redis 3.x 86
6.3.2.2 Distributed Cache Service based on Redis 4.x, 5.x, 6.x and 7.x 87
6.3.3 Document Database Service 89
6.3.4 Cloud Search Service 90
6.3.5 Data Replication Service 90
6.3.6 TaurusDB 90
6.3.7 GeminiDB 91
6.3.7.1 CassandraDB 91
6.3.7.2 InfluxDB 91
6.3.7.3 DynamoDB 91
6.3.8 Distributed Database Middleware 92
6.3.9 Oracle-optimized 92
6.4 Storage 92
6.4.1 Object Storage Service 92
6.4.2 Object Storage Service - 1AZ HPC Storage 93
6.4.3 Elastic Volume Service 93
6.4.4 Scalable File Service 94
6.4.5 Storage Disaster Recovery Service 94
6.4.6 Backup Services 94
6.5 Network 94
6.5.1 Virtual Private Cloud 94
6.5.2 Elastic IP 95
6.5.3 Load Balancer 95
6.5.4 Domain Name Service 96
6.5.5 Direct Connect 96
6.5.6 Secure Mailgateway 96
6.5.7 NAT Gateway 96

6.5.7.1 Public NAT Gateway 96
6.5.7.2 Private NAT Gateway 97
6.5.8 VPC Endpoint 97
6.5.9 Enterprise Router 97
6.5.10 Enterprise VPN 98
6.6 Application 98
6.6.1 Distributed Message Service 98
6.6.2 API Gateway 98
6.6.3 Simple Message Notification 98
6.6.4 Application Operations Management 99
6.6.5 Application Performance Management 99
6.7 Management & Deployment 99
6.7.1 Cloud Eye 99
6.7.2 Cloud Trace Service 99
6.7.3 Tag Management Service 100
6.7.4 Config (former Resource Management Service) 100
6.7.5 Identity and Access Management 100
6.7.6 Log Tank Service 100
6.7.7 Resource Formation Service 100
6.7.8 OpenStack Projects 100
6.7.9 Enterprise Project Management Service 101
6.8 Container 101
6.8.1 Cloud Container Engine 101
6.8.2 Cloud Container Instance 101
6.8.3 Software Repository for Container 101
6.8.4 Application Service Mesh 101
6.8.5 Ubiquitous Cloud Native Service 101
6.9 Data analysis 102
6.9.1 MapReduce Service 102
6.9.2 Data Warehouse Service 102
6.9.3 ModelArts 103
6.9.4 Data Lake Insight 103
6.9.5 DataArts Studio 103
6.9.6 Optical Character Recognition 104
6.10 Security 104
6.10.1 Anti-DDoS 104
6.10.2 Key Management Service 104
6.10.3 Web Application Firewall (Classic Mode) 105
6.10.4 Web Application Firewall (Cloud Mode) 105
6.10.5 Web Application Firewall (Dedicated) 105
6.10.6 Database Security Service 105
6.10.7 Host Security Service (HSS) 105
6.10.8 Cloud Secret Management Service 106
6.10.9 Cloud Firewall 106
6.11 Optional services 106
6.11.1 Financial Dashboard (former Enterprise Dashboard) 106
6.11.2 Consulting Services 106
6.11.3 Cloud Create (former Cloud Topology Designer) 106
6.12 Preview- und Beta-Versions 106
6.12.1 Alert Service 107
6.12.2 Data Admin Service 107
6.12.3 Cloud Connect 107
6.12.4 Enterprise Switch 107
7 Termination/minimum lease periods 108
7.1 Termination of individual services 108
7.2 Special conditions for migration under the Data Act 108
7.2.1 Exportable data 108
7.2.2 Announcing a migration 108
7.2.3 Transition time period 109
7.2.4 Special support services during an announced migration 109
7.2.5 Due diligence obligations 109
7.2.6 Migration costs 110
7.2.6.1 Data traffic to the internet – “Internet traffic outbound” 110
7.2.6.2 Reserved packages & continuing obligations 110

7.2.7 Contract cancellation upon notification of a migration 110
7.2.8 Customer's duty to cooperate 110
7.2.9 Security 111
7.2.10 Risks during a migration 111
7.2.11 Measures against government access to data 111
7.3 Termination of the Tenant, Grace Period 111
7.4 Suspending of Services 112
7.5 Data backup upon termination 112
List of abbreviations/glossary 113

# 1 Introduction

The T Cloud Public is an infrastructure- as- a- service service based on OpenStack technology. Telekom provides customers with access to the T Cloud Public. The T Cloud Public is provided as a public cloud variant.

# 2 Services provided by Telekom

## 2.1 Place of service provision

The T Cloud Public platform for the EU-DE region is provided from data centers located in Germany. The EU-NL region is covered by data centers located in the Netherlands.

## 2.2 Provision of the service

After commissioning, a Tenant with a dedicated logically isolated virtual private cloud will be set up for the customer, for which the customer will receive its own administrator account. Telekom will provide an automatically generated initial password. During initial setup, the customer will be emailed the access data and the URL to the self-service-portal (console) if they do not yet have access to this portal. The customer will also receive an email about setting up the service (Ready-for-Service email). Upon transmission of this e-mail, but at the latest upon start of use, the service will be set up. Changes to the configurations under the standard described below can be ordered via Telekom Sales.

## 2.3 Virtualization – Tenant

Each customer contract is assigned to its own separate customer area. This customer area is called tenant. It represents the highest level of network segmentation and ensures the separation of customers. A customer can use multiple tenants. A tenant allows access to the services described in this document. These services are available in the respective regions. Regions consist of two physical data centers and comprise up to three availability zones. Services are allocated via the T Cloud Public Self-Service Console or the T Cloud Public API.

## 2.4 T Cloud Public self-service-portal (console)

The self-service-portal (console), as a web application, is only accessible via HTTPS. The customer requires its access data to log in. As soon as the session is authenticated, the customer can call up the available functions. The T Cloud Public self-service-portal (console) enables customers to manage its services and allocate available resources within the assigned Tenants. The T Cloud Public self-service portal (console) is available in English and offers the following functions:

- Computing
  - Control functions for virtual machines (VM) – create, start, stop, restart, delete, prepare image, and connect to a console (VNC for the remote log-in)
- Storage/Backup
  - Display, create, edit, monitor, and delete storage volume and backups
  - Create and manage containers and objects
- Access and security
  - Display, prepare, edit, and delete users and user groups

    - Display, prepare, edit, and delete security groups and rules
    - Observe, create, edit, and delete key pairs
    - Activate, manage, and delete multi-factor authentication (MFA)
- Network
    - Display the network topology; create, edit, and delete the public networks
    - Create and manage subnets Map and delete IP addresses to/from virtual machines
    - Create, edit, and delete VPN tunnels
- Help Center

Further information on the T Cloud Public and its services is available at https://public.t-cloud.com/docs/.

## 2.5 Service quotas

The services of the T Cloud Public are limited by quotas, the default quotas can be viewed in the self-service-portal (console) under “My Quotas” and adjusted via the Support Center.

## 2.6 T Cloud Public API

In addition to access to the T Cloud Public Self-Service Portal, APIs and OpenStack APIs are also available, enabling fully automated provisioning and management of resources. Standard OpenStack command-line tools can also be used to provision and manage resources. Further information on the T Cloud Public API is available in the T Cloud Public self service portal (console) under "Help Center." The APIs are standardized and can always be retrieved in the latest version at https://public.t-cloud.com/docs/

## 2.7 Disaster recovery capability

T Cloud Public has redundant components that allow implementation of D/R concepts by allocating resources across multiple availability zones. This can be done via the self-service portal (console) or through the API interfaces. D/R concepts can be implemented by customers at the application level, by allocating resources in different Availability Zones and configured using application-specific D/R mechanisms. In addition, the customer is provided with Elastic Load Balancers in the T Cloud Public, in order to map D/R tolerance over multiple Elastic Cloud Servers in different availability zones.

## 2.8 Invoice Processing - Access to Invoice Data

Telekom will send the customer a monthly invoice for each contract (tenant) by email or post to the invoice email or address given by the customer. The customer will get an individual connection overview in CSV format in MyWorkplace, which contains the daily use of the T Cloud Public resources in machine-readable form.

## 2.9 Service adjustment by Telekom

If Telekom intends to amend the legal terms and conditions, service specifications, or prices, the customer will be informed of these amendments in text form (e.g., by letter or email) at least six weeks before they become effective. The amendments will be constituent parts of the agreement from the date of coming into effect subject to the following conditions set out below in Items 1) to 2):

1. Telekom has the right to make unilateral amendments to legal terms and conditions, service specifications, and prices which are in favor of the customer.

2. In the event of price increases, amendments to legal terms and conditions that are to the detriment of the customer, and amendments to service specifications that are not merely of little importance, the customer has the right to terminate the Agreement without notice on the date when the amendments announced in text form take effect. The customer's right of termination will be expressly referred to in the notification about the amendments.

In the event of discontinuation/modification of essential functionalities or services, Telekom will inform the customer regularly three months in advance.

# 3 Services

All quantity specifications mentioned in this service description for the services described below are subject to their respective availability. There is no entitlement to the provision of specific or maximum quantities. The actual provision of resources (such as computing power, storage capacity, or platform services) is made exclusively within the scope of the capacities available at the respective time.

## 3.1 Computing

### 3.1.1 Elastic Cloud Server

The Elastic Cloud Server (ECS) provides virtual & physical computing instances, which include:

- Processing units (CPUs / vCPUs)
- Memory (RAM)
- Block storage through Elastic Volume Service (EVS)
- Operating system image (public or private)

Customers can choose from pre-configured Elastic Cloud Server types, referred to as flavors.

#### 3.1.1.1 Virtual ECS instance types and flavors

| Flavor group | Flavor family | CPU | RAM (GiB) | Ratio | Pricing | Remarks | Announcement |
|---|---|---|---|---|---|---|---|
| General purpose 's*' | s2 | 1 - 32 | 1 - 256 | 1:1 / 1:2 / 1:4 / 1:8 | 6.2.1.1 | Only in EU-DE | |
| | s3 | | | | 6.2.1.2 | | |
| | s7n | 1 - 8 | 1 - 32 | 1:1/ 1:2 / 1:4 | 6.2.1.3 | | |
| | s9 | 1 - 64 | 1 - 256 | | 6.2.1.4 | | |
| Dedicated general purpose 'c*' | c3 1) | 2 - 60 | 4 - 256 | 1:2 / 1:4 | 6.2.1.5 | | expected to be no longer bookable from 31.12.2026 |
| | c3n 1) | 2 - 64 | | | | Only for CCE Turbo | expected to be no longer bookable from 31.12.2026 |
| | c4 | | | | 6.2.1.6 | | |
| | c4ne | | | | | Only for CCE Turbo | |
| | c7n | 2 - 96 | 4 - 384 | | 6.2.1.7 | | |
| | c9 | 2 - 192 | 4 - 752 | | 6.2.1.8 | | |
| Memory optimized 'm*' | m3 1) | 2 - 60 | 16 - 512 | 1:8 | 6.2.1.9 | | expected to be no longer bookable from 31.12.2026 |
| | m3n 1) | | | | | Only for CCE Turbo | expected to be no longer bookable from 31.12.2026 |
| | m4 | 2 - 64 | | 1:8 / 1:16 / 1:32 | 6.2.1.10 | | |
| | m7n | 2 - 96 | 16 - 768 | 1:8 | 6.2.1.11 | | |
| | m9 | 2 - 192 | 16 - 1504 | | 6.2.1.12 | | |
| Large memory 'e*' | e3 1) | 28 - 208 | 348 - 2932 | 1:12 / 1:14 | 6.2.1.14 | Only in EU-DE | expected to be no longer available from 31.12.2026 |
| Storage optimized 'd* + i*' | d2 | 4 - 60 | 32 - 540 | 1:8 / 1:9 | 6.2.1.15 | | |
| | i3 | 8 - 64 | 64 - 512 | 1:4 / 1:8 | 6.2.1.16 | Only in EU-NL | |
| | i3m | | | 1:8 | | | |
| Flexible purpose 'x*' | x1 1)2) | 2 - 12 | 4 - 48 | 1:2 / 1:3 / 1:4 / 1:8 | 6.2.1.17 | Only in EU-DE | |
| | x1e 1)2) | | | | | | |
| | x1m 1)2) | | 16 - 96 | 1:8 | | | |
| | x2 1)2) | | 4 - 48 | 1:2 / 1:3 / 1:4 | 6.2.1.18 | | |
| | x2e 1)2) | | | | | | |
| | x2m 1)2) | | 16 - 96 | 1:8 | | | |
| | x2ne 1)2) | | 4 - 48 | 1:2 / 1:3 / 1:4 | | | |

Additional conditions:

- 1) No capacity guaranteed; Availability in a specific AZ not guaranteed
- 2) Commercial limit applies of usage of max 50.000 EUR / month for each business partner

### 3.1.1.2 Physical ECS instance types and flavors

| Flavor group | Flavor family | CPU | RAM (GiB) | Ratio | Pricing | Remarks | Announcement |
|---|---|---|---|---|---|---|---|
| Physical | c7t * | 112 | 512 | 1:4,5 | 6.2.1.19 | Only in EU-DE | |
| | c9 | 384 | 578 | 1:2 | | | expected to be available from 01.10.2026 |
| | | | 1536 | 1:4 | | | expected to be available from 01.10.2026 |
| | m9 | | 3072 | 1:8 | | | expected to be available from 01.10.2026 |

* Provides INTEL Software Guard Extensions (SGX) for secure enclave

| Flavor family | CPU | RAM (GiB) | Ratio | GPU | GPUs | Pricing | Remarks | Announcement |
|---|---|---|---|---|---|---|---|---|
| pi2 | 8 - 64 | 32 - 256 | 1:4 | Nvidia T4 | 1 - 8 | 6.2.1.13 | | expected to be no longer available from 31.12.2026 |
| pi5e | 8 - 96 | 32 - 384 | | Nvidia L4 | 1 - 6 | | | |
| g6 | 16 - 96 | 280 - 560 | 1:4 / 1:7 | Nvidia T4 | 1 - 2 | | Only in EU-DE | |
| g7 | 48 - 96 | 384 - 768 | 1:8 | Nvidia A40 | | | | |
| g7v | 8 - 24 | 64 - 192 | | | 1/6 - 1/2 | | Virtualized | |
| p2v | 8 - 64 | 64 - 512 | | Nvidia V100 | 1 - 4 | | With NVLink | expected to be no longer available from 31.12.2026 |
| p2s | 2 - 64 | | | | 1 - 8 | | | expected to be no longer available from 31.12.2026 |
| p3 | | | | Nvidia A100 | | | | |
| p5s | 20 - 160 | 240 - 1920 | 1:12 | Nvidia H100 | | | Only in EU-DE | |
| p5e | 40 - 160 | 480 - 1920 | | Nvidia H100 NVL | 2 - 8 | | | |

A compatibility matrix of supported operating systems can be found here
https://imagefactory.otc.t-systems.com/flavor-images

## 3.1.2 Dedicated host

With the Dedicated Host, the T Cloud Public provides isolated and dedicated physical servers (known as dedicated hosts). Provision, monitoring, and resource management are undertaken via the T Cloud Public self- service- portal (console). The following dedicated hosts are available to the customer for selection in the T Cloud Public self-service-portal (console):

| Dedicated Host (type) | Sockets | vCPUs | RAM in GiB | Supported Elastic Cloud Servers | local disk | Announcement |
|---|---|---|---|---|---|---|
| General purpose- s2-medium | 2 | 72 | 328 | General purpose(s2) | - | |
| General purpose- s2 | | 144 | 704 | | | |
| General purpose - s3 | | 264 | | General purpose(s3) | | |
| General purpose - s7n | | 276 | 912 | General purpose(s7n) | | |
| Dedicated general purpose- c3 | | 60 | 256 | Dedicated general purpose(c3) | | expected to be no longer bookable from 31.12.2026 |
| Dedicated general purpose - c4 | | 74 | 296 | Dedicated general purpose (c4) | | |
| Dedicated general purpose- c7n | | 98 | 392 | Dedicated general purpose(c7n) | | |
| Dedicated general purpose- c9 | | 376 | 752 | Dedicated general purpose (c9) | | |
| Dedicated general purpose - c9 Pro | | | 1504 | | | |
| Memory optimized - m3 | | 60 | 512 | Memory optimized (m3) | | expected to be no longer bookable from 31.12.2026 |
| Memory optimized - m4 | | 74 | 608 | Memory optimized (m4) | | |
| Memory optimized - m7n | | 98 | 784 | Memory optimized (m7n) | | |
| Memory optimized - m9 | | 376 | 3008 | Memory optimized (m9) | | |
| Ultra High I/O - i3 | | 80 | 324 | Ultra High I/O (i3) | 10x 3,2 TiB NVMe | |
| Ultra High I/O - i3 Pro | | | 640 | | | |
| Ultra High I/O - i3m | | 64 | 512 | Ultra High I/O (i3m) | 8x 1,6 TiB NVMe | |

Price Table at
6.2.2

## 3.1.3 Auto Scaling

When activated by the customer, auto-scaling uses the customer's specified conditions for the automatic adjustment (scale in and scale out) of its resources. In the process, auto-scaling interacts with the Elastic Cloud Server, Cloud Eye, Elastic Load Balancer, Elastic Volume Service, and Elastic IP.

Price Table at 6.2.3

## 3.1.4 Image Management Service

The Image Management Service enables Telekom to manage pre-configured operating system images (public images) as well as customer-specific images. Every Elastic Cloud Server must be assigned an image by the customer.

Price Table at 6.2.4

### 3.1.4.1 Public images

The following public images are provided by Telekom. The full list of available and supported public images, including a compatibility matrix, can be viewed at https://imagefactory.otc.t-systems.com/flavor-images.

1. SUSE Enterprise Linux (SLES)
2. Oracle Linux
3. Red Hat Enterprise Linux
4. Microsoft Windows Server

### 3.1.4.2 Private images

The customer can upload its own "private images" to the Image Management Service or to create them on the basis of an Elastic Cloud Server. As an alternative to Telekom's licenses, customers can also use their own licenses in their own images or with Telekom's public images, if this is permitted under the respective software manufacturer's license conditions (Bring Your Own License). However, the customer's use of Microsoft Windows Server and Microsoft SQL Server Licenses is limited to Physical and Dedicated Hosts.

## 3.1.5 FunctionGraph

FunctionGraph is a managed service that hosts and computes event-driven functions in a serverless environment. It provides users an environment to write code without having to compile a program and set conditions when the function should be triggered. The service manages the necessary compute resources fully automatically.

You will be billed based on the number of function requests and execution duration. Reserved instances can be created to initialize functions to eliminate the impact of cold start on your services. Reserved instances are always alive in the execution environment.

For the use of reserved instances, you will be billed based on the number of requests and the running duration of reserved instances. The minimum running duration is 60s.

If "Idle Mode" in Reserved instances is active, you will be billed based on the number of requests and the spare execution duration of reserved instances.

Price Table at 6.2.5

# 3.2 Databases

## 3.2.1 Relational Database Service

The service enables customers to create a relational database. Tools are available for the automated deployment, maintenance, monitoring, backup, and recovery of the database. Each database type is available as a single instance or as a synchronous primary/standby (HA) database. In the case of primary/standby, read replicas are also available, which are billed as single instances. For MySQL and PostgreSQL databases, General Purpose and Dedicated flavors are offered. General Purpose shares CPU resources with other instances from the same General Purpose pool on the same physical machine. This optimizes utilization and costs. Dedicated variants are fully and exclusively allocated CPU and memory. Therefore, performance is not affected by other instances on the same physical host.

- MySQL (Price Table at 6.3.1.1)
- PostgreSQL (Price Table at 6.3.1.2)
- Microsoft SQL Server Standard and Enterprise Edition (MSSQL Server) (Price Table at 6.3.1.3)

The available pre-assembled Flavors for the Relational Database Service can be found in the price tables. The Elastic Volume Service to be used with the Flavors has the following characteristics:

- Hard disc size: 40 GiB to 4 TiB
- Extreme SSD, Ultra-High I/O (also called Cloud SSD) and GP SSD v2 (approx. available from 01.08.2026)

No longer available from 01.10.2026:
RDS EVS Common I/O and RDS EVS Common I/O HA hard drives will reach their end-of-life on October 1, 2026. At the end of their life, not only will the disks no longer be supported, but also the entire database instance connected to the disks.

Prices for storage and backup can be found under 6.3.1.4
The following RDS MySQL proxies are available:

| Relational Database Service Flavor (type) | vCPU (quantity) | RAM | MySQL |
|---|---|---|---|
| RDS Proxy large | 2 | 4 GiB | X |
| RDS Proxy xlarge | 4 | 8 GiB | |
| RDS Proxy 2xlarge | 8 | 16 GiB | |

## 3.2.2 Distributed Cache Service

Price Table for Distributed Cache Service basierend auf Redis 3.x at 6.3.2.1

New Redis 3.x instances can no longer be booked. The existing instances can still be used as usual.

Price Table for Distributed Cache Service based on Redis 4.x, 5.x, 6.x and 7.x at 6.3.2.2

Distributed Cache Service allows the customer to create a NoSQL in-memory database based on Redis. The customer is provided with operational tools for automatic provisioning, maintenance, monitoring, backup, and recovery of the database. The following pre-assembled Flavors are available to customers via the T Cloud Public self-service-portal (Console) for using the Distributed Cache Service; there are tree different variants:

- Single: each DCS instance only runs on one cache node (primary)
- Primary / Standby: the DCS instances run in Master / Standby mode. With 2-5 Replicas
- Clusters: Base on distributed architecture and data is evenly sharded and stored on three cluster nodes, providing higher performance. Each cluster node support 2-5 replicas to ensure reliability

Two additional DCS instance types:

- Read/Write splitting: DCS Operations are automatically routed to the correct instances
- Proxy cluster: Based on DCS Cluster - hiding clustering and fail-over mechanisms from clients

| Distributed Cache Service Flavor (type) | Total Memory | Max. Connections (Default/Limit) | Maximum Bandwidth |
|---|---|---|---|
| Single Node and Master Standby Node | 0.125 GiB | 10,000/10,000 | 40 Mbit/s |
| | 0.25 GiB | | 80 Mbit/s |
| | 0.5 GiB | | |
| | 1 GiB | 10,000/50,000 | |
| | 2 GiB | | 128 Mbit/s |
| | 4 GiB | | 192 Mbit/s |
| | 8 GiB | | |
| | 16 GiB | | 256 Mbit/s |
| | 24 GiB | | |
| | 32 GiB | | |
| | 48 GiB | | |
| | 64 GiB | | 384 Mbit/s |

Cluster node: the Distributed Cache instances run in "Cluster" mode.

| Distributed Cache Service Flavor (type) | Total Memory | Shards (Master Nodes) | Max. Connections (Default/Limit) | Maximum Bandwidth |
|---|---|---|---|---|
| Cluster-Node | 4 GiB | 3 | 30,000/150,000 | 2304 Mbit/s |
| | 8 GiB | | | |
| | 16 GiB | | | |
| | 24 GiB | | | |
| | 32 GiB | | | |
| | 48 GiB | 6 | 60,000/300,000 | 4608Mbit/s |
| | 64 GiB | 8 | 80,000/400,000 | 6144Mbit/s |
| | 96 GiB | 12 | 120,000/600,000 | 9216Mbit/s |
| | 128 GiB | 16 | 160,000/800,000 | 12,288Mbit/s |
| | 192 GiB | 24 | 240,000/1,200,000 | 18,432Mbit/s |
| | 256 GiB | 32 | 320,000/1,600,000 | 24,576Mbit/s |
| | 384 GiB | 48 | 480,000/2,400,000 | 36,864Mbit/s |
| | 512 GiB | 64 | 640,000/3,200,000 | 49,152Mbit/s |
| | 768 GiB | 96 | 960,000/4,800,000 | 73,728Mbit/s |
| | 1024 GiB | 128 | 1,280,000/6,400,000 | 98,304Mbit/s |

## 3.2.3 Document Database Service

Document Database Service (DDS) is a cloud computing-based NoSQL database featuring high performance storage, high availability architecture, and disaster recovery failover, along with online scaling, backup, and restoration capabilities. The Single Node, Cluster and Replica Set modes with the following pre-assembled Flavors are available to the customer via the T Cloud Public self-service portal (console) for using the Document Database Service: Single Node Deployment

| Document Database Service (type) | vCPU (quantity) | RAM | EVS hard disk size | EVS hard disk types |
|---|---|---|---|---|
| Node | 1 | 4 GiB | 10 GiB to 2 TiB | Ultra-High I/O |
| | 2 | 8 GiB | | |
| | 4 | 16 GiB | | |
| | 8 | 32 GiB | | |
| | 16 | 64 GiB | | |

Cluster Modus

| Document Database Service (type) | vCPU (quantity) | RAM | EVS hard disk size | EVS hard disk types |
|---|---|---|---|---|
| Mongos Node | 1 | 4 GiB | - | - |
| | 2 | 8 GiB | | |
| | 4 | 16 GiB | | |
| | 8 | 32 GiB | | |
| | 16 | 64 GiB | | |
| Shard Node | 1 | 4 GiB | 10 GiB to 1 TiB | Ultra-High I/O |
| | 2 | 8 GiB | | |
| | 4 | 16 GiB | | |
| | 8 | 32 GiB | | |
| | 16 | 64 GiB | | |
| Config Node | 2 | 4 GiB | 20 GiB | |

The minimum configuration of a Document Database instance in Cluster mode consists of 2x Mongo nodes, 2x Shard nodes and 1x Config node. Replica set (consisting of three nodes: Primary, Secondary and Hidden)

| Document Database Service (Typ) | vCPU (Anzahl) | RAM | EVS Festplatten-größe | EVS Festplatten-typen |
|---|---|---|---|---|
| Node | 1 | 4 GiB | 10 GiB bis 2 TiB | Ultra-High I/O |
| | 2 | 8 GiB | | |
| | 4 | 16 GiB | | |
| | 8 | 32 GiB | | |
| | 16 | 64 GiB | | |

Price Table at
6.3.3

## 3.2.4 Cloud Search Service

The Cloud Search Service enables the customer to create a NoSQL database. The service supports the Elastic Search protocol. The customer is provided with operational tools for automatic provisioning, scaling, maintenance, monitoring, backup, and recovery of the database. A Cloud Search Service instance can be deployed as standalone or cluster mode. A cluster consists of at least 3 and up to 32 nodes. The following pre-assembled Flavors are available to the customer via the T Cloud Public self-service portal (console) for using the Cloud Search Service:

| Cloud Search Service (type) | vCPU (amount) | RAM in GiB | EVS disk size in GiB |
|---|---|---|---|
| css.medium.8 | 1 | 8 | 40 – 640 |
| css.large.4* | 2 | | 40–800 |
| css.large.8* | | 16 | 40 – 1,280 |
| css.xlarge.2 | 4 | 8 | 40 – 800 |
| css.xlarge.4 | | 16 | 40 – 1,600 |
| css.xlarge.8 | | 32 | 40 – 2,560 |
| css.2xlarge.2 | 8 | 16 | 80 – 1,600 |
| css.2xlarge.4 | | 32 | 80 – 3,200 |
| css.2xlarge.8 | | 64 | 80 – 5,120 |
| css.4xlarge.2 | 16 | 32 | 100 – 3,200 |
| css.4xlarge.4 | | 64 | 100 – 6,400 |
| css.4xlarge.8 | | 128 | 160 – 10,240 |
| css.8xlarge.2 | 32 | 64 | 320 – 10,240 |
| css.8xlarge.4 | | 128 | 160 – 10,240 |
| css.8xlarge.8 | | 256 | 320 -20,480 |

No longer available from 01.01.2026:
Node Storage Type Common I/O disk will reach the end of their service life (end-of-life) and Common I/O will be switched off for all customers.

Price Table at 6.3.4 *The service can only be booked on a limited basis.

## 3.2.5 Data Replication Service

The Data Replication Service allows users to do online migration and synchronization of databases in real time. It simplifies the data migration processes and reduces migration efforts. The customer is provided with operational tools for querying the migration progress, checking migration logs, and comparing migration items. Price Table at 6.3.5

## 3.2.6 TaurusDB

TaurusDB is a distributed database for enterprise requirements. It uses a decoupled compute and storage architecture, thus offering high scalability and storage capacity. It supports MySQL databases. The following x86 Flavors are available to the customer:

| vCPU (quantity) | RAM | Max. number of connections |
|---|---|---|
| 2 | 8 GiB | 10,000 |
| 4 | 32 GiB | |
| 8 | 64 GiB | |
| 16 | 128 GiB | 18,000 |
| 32 | 256 GiB | 30,000 |
| 64 | 512 GiB | 60,000 |

Price Table at
6.3.6

## 3.2.7 GeminiDB

GeminiDB is a cloud- native and highly scalable NoSQL database that is Cassandra, InfluxDB and DynamoDB compatible. Gemini DB for Cassandra supports the Cassandra Query Language (CQL), which offers an SQL-like syntax. GeminiDB decouples compute and storage resources, thus supporting large datasets and offering high scalability. The following x86 Flavors are available for corresponding types:

| GeminiDB NoSQL (type) | vCPU (quantity) | RAM | Max. Storage Space (GiB) |
|---|---|---|---|
| geminidb.cassandra.xlarge.8 | 4 | 32 GiB | 96,000 |
| geminidb.cassandra.2xlarge.8 | 8 | 64 GiB | |
| geminidb.cassandra.4xlarge.8 | 16 | 128 GiB | |
| geminidb.cassandra.8xlarge.8 | 32 | 256 GiB | 192,000 |
| geminidb.cassandra.15xlarge.8 | 60 | 480 GiB | 360,000 |

| GeminiDB (Influx) | vCPU (Amount) | RAM |
|---|---|---|
| geminidb.influxdb-geminifs.large.4 | 2 | 8 |
| geminidb.influxdb-geminifs.xlarge.4 | 4 | 16 |
| geminidb.influxdb-geminifs.2xlarge.4 | 8 | 32 |
| geminidb.influxdb-geminifs.4xlarge.4 | 16 | 64 |
| geminidb.influxdb-geminifs.8xlarge.4 | 32 | 128 |

| GeminiDB (DynamoDB) | vCPU (Anzahl) | RAM | Announcement |
|---|---|---|---|
| geminidb.cassandra-geminifs.large.4 | 2 | 8 GiB | expected to be available from 01.11.2026 |
| geminidb.cassandra-geminifs.xlarge.4 | 4 | 16 GiB | expected to be available from 01.11.2026 |
| geminidb.cassandra-geminifs.2xlarge.4 | 8 | 32 GiB | expected to be available from 01.11.2026 |
| geminidb.cassandra-geminifs.4xlarge.4 | 16 | 64 GiB | expected to be available from 01.11.2026 |
| geminidb.cassandra-geminifs.8xlarge.4 | 32 | 128 GiB | expected to be available from 01.11.2026 |

Price Table at
6.3.7

## 3.2.8 Distributed Database Middleware

Distributed Database Middleware (DDM) is a MySQL- compatible, distributed middleware service designed for relational databases. DDM solves scaling problems and can overcome capacity and performance bottlenecks of the Relational Database Service (RDS), handling massive amounts of data at high access rates. Price Table at 6.3.8

## 3.2.9 Oracle-optimized

Oracle-optimized instances are virtual servers consisting of a processor (vCPU), memory (RAM), an OS image (Oracle-optimized operating system), and storage classes (ZFS) specifically optimized for Oracle databases. Initial deployment of an Oracle- optimized service requires manual configuration within the customer tenant's network environment. Customer involvement is mandatory for this process. A one- time setup fee applies. This fee covers the necessary configuration of all network components between Oracle-optimized Flavors and the T Cloud Public tenant's VPCs.

A Direct Connect connection is a must have and will be additional charged separately.

Oracle-optimized service supports only Bring your own License (BYOL).

Oracle-optimized service only supports Oracle Enterprise Edition.

The following Oracle-optimized Server types are offered:

| Oracle-optimized Server Flavor (Typ) | Hypervisor | vCPU (quantity) | RAM | ZVS - hard disk size | Announcement |
|---|---|---|---|---|---|
| oo.xlarge.4 | KVM | 4 | 16 GiB | up to zu 16 TiB | |
| oo.2xlarge.4 | | 8 | 32 GiB | | |
| oo.2xlarge.8 | | | 64 GiB | | |
| oo.2xlarge.16* | | | 128 GiB | | |
| oo.2xlarge.32* | | | 256 GiB | | expected to be no longer available from 01.10.2025 |
| oo.3xlarge.5 | | 12 | 64 GiB | | |
| oo.3xlarge.10* | | | 128 GiB | | |
| oo.3xlarge.20* | | | 256 GiB | | expected to be no longer available from 01.10.2025 |
| oo.4xlarge.4 | | 16 | 64 GiB | | |
| oo.4xlarge.8 | | | 128 GiB | | |
| oo.4xlarge.16* | | | 256 GiB | | expected to be no longer available from 01.10.2025 |
| oo.6xlarge.10 | | 24 | | | |
| oo.6xlarge.20* | | | 512 GiB | | expected to be no longer available from 01.10.2025 |
| oo.8xlarge.8 | | 32 | 256 GiB | | expected to be no longer available from 01.10.2025 |
| oo.8xlarge.16* | | | 512 GiB | | expected to be no longer available from 01.10.2025 |

Price Table at 6.3.9

Other sizes are available upon request. Please contact our customer support (Support Center). The above Oracle-optimized server types are available in 2 Availability Zones within the EU-DE region. Oracle-optimized Servers can only be booked in conjunction with Oracle-based Storage (ZFS).

*These flavors are only available in limited quantities. Please contact our customer support if you are interested. After consultation, they will activate the flavor in your tenant if available.

### 3.2.9.1 High availability

Can be achieved by setting up multiple Oracle- optimized instances in different Availability Zones. The necessary database replications must be set up by the customer themselves.

### 3.2.9.2 License terms

License terms for the usage of Oracle Linux operating system can be found in Chapter 3.10.2 Individual license terms. For further information regarding licensing, please contact our customer support (Support Center).

No longer available from 31.12.2026:
null

## 3.3 Storage

### 3.3.1 Object Storage Service

The Object Storage Service is an object-based, cloud-native data storage service. It is offered in Standard, Warm, and Cold tiers. The data storage can be accessed via the console, API, or the S3 protocol. Object Storage Service allows you to create buckets and populate them with objects. Objects can be managed within Object Storage Service. It stores data redundantly across three availability zones. Price Tables at 6.4.1

### 3.3.2 Elastic Volume Service

The Elastic Volume Service is provided in block-level storage capacities. A volume can be adjusted online if supported by the operating system.

Up to 32 block storages of the following block storage types may be assigned to each Elastic Cloud Server:

| | Common I/O***** | High I/O | GP SSD | GP SSD V2 | Ultra-High I/O | Extreme SSD |
|---|---|---|---|---|---|---|
| Max. IOPS per disk | 1,000 | 3,000 | 20,000 | Configurable from 3,000 - 128,000*** | 20,000 | 128,000 |
| Max. data throughput per disk | 90 MB/s | 150 MB/s | 250 MB/s | Configurable from 125 MB/s - 1,000 MB/s**** | 350 MB/s | 1 GiB/s |
| Average response time | 10–15 ms | 6–10 ms | 1 ms | 1ms | 1–3 ms | Submillis econds |

expected to be available from 01.12.2026:
The General Purpose SSD V2 (GP SSD V2) will also be available in the EU-NL region.

The General Purpose SSD (GP SSD) will be also available in the EU-NL region as of August 1, 2026.

The previous quantity limit for Extreme SSD will be lifted in the EU-NL region as of August 1, 2026.

*** The maximum IOPS for a disk equals 500 multiplied by the size of the EVS disk in GiB. For example, a 30 GiB disk can be configured for up to 15,000 IOPS (500 × 30 GiB = 15,000 IOPS).

**** The maximum throughput for a disk is at most equal to the IOPS divided by 4. A disk with 3,000 IOPS can therefore achieve a maximum throughput of 750 MB/s.

***** Common I/O disks have reached their End-of-Life (EOL). No technical support will be provided for existing Common I/O disks or ECS instances connected to them. The Common I/O storage pool will be decommissioned no later than December 31, 2026 (End-of-Life). Please migrate immediately to another storage type.

Price Table at 6.4.3

No longer available from 01.01.2026:

## 3.3.3 Volume Backup Service

The Volume Backup Service offers the option of a full backup to restore local system and storage data using the Object Storage Service. A backup is a "snapshot copy" of an Elastic Volume Service. The data backup can be scheduled and carried out across all availability zones.

The Volume Backup Service has reached the end of its life since 01.01.26 and you will no longer receive support for this service. The service will be shut down shortly. You will then lose access to your backups and the data will be deleted. Please migrate your backups immediately to the Cloud Backup & Recovery Service (CBR). A migration function is available in the Cloud Backup & Recovery Service (CBR) for this purpose. Price table at 6.4.6.

No longer available from 01.01.2026:

## 3.3.4 Cloud Server Backup Service

The Cloud Server Backup Service provides the customer with a backup/restore solution for Elastic Cloud Service. All Elastic Volumes of the Elastic Cloud Service are backed up. The customer is able to configure the execution time of the automated backup as well as the backup's retention period.

The Cloud Server Backup Service has reached the end of its life since 01.01.26 and you will no longer receive support for the service. The service will be shut down shortly. You will then lose access to your backups and the data will be deleted. Please migrate your backups immediately to the Cloud Backup & Recovery Service (CBR). A migration function is available in the Cloud Backup & Recovery Service (CBR) for this purpose. Price table at 6.4.6.

## 3.3.5 Scalable File Service

The Scalable File Service (SFS) provides the customer with scalable data storage based on NFSv3 within its Tenant. The customer can select from upcoming file-services:

| | SFS Common I/O* | SFS General Purpose | SFS Turbo Standard | SFS Turbo Standard Enhanced** | SFS Turbo Performance | SFS Turbo Performance Enhanced** | SFS Turbo HPC 20 | SFS Turbo HPC 40 | SFS Turbo HPC 125 | SFS Turbo HPC 250 | SFS Turbo HPC 500 | SFS Turbo HPC 1000 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Volume size | up to 4 PB | up to 4 PB | 500 GiB - 32 TiB | 10 TiB - 320 TiB | 500 GiB - 32 TiB | 10 TiB - 320 TiB | 3.6 TiB to 1 PB | 1.2 TiB to 1 PB | 1.2 TiB to 1 PB | 1.2 TiB to 1 PB | 1.2 TiB to 1 PB | 1.2 TiB to 1 PB |

* The product entered End-of-Service status on January 1, 2026. Technical support and service offerings have been discontinued. Full decommissioning of the product is scheduled for no later than December 31, 2026 (End-of-Life). Migration to an alternative storage type is required without delay.

** It is expected that the service for the two products "SFS Turbo Standard Enhanced" and "SFS Turbo Performance Enhanced" will be discontinued (End-of-Life) from 1st of December 2026 onwards. A dedicated Release Note will inform about more details. No further support or service will be provided for these products. Simultaneously, these products will be replaced by the technologically updated "SFS Turbo Standard" and "SFS Turbo Performance" products.

expected to be available from 01.01.2027:
SFS Turbo HPC 20, 40, 125, 250, 500 and 1000 are also available in region EU-NL.

Price Table at 6.4.4

### 3.3.6 Storage Disaster Recovery Service

The Storage Disaster Recovery Service (SDRS) replicates your block storage data to another Availability Zone (AZ) of the T Cloud Public. This means that in the event of an AZ outage, you can start the corresponding servers with the current data in another AZ. With the DR drill function, it is possible to test the disaster recovery function at any time. Price Table at 6.4.5

### 3.3.7 Cloud Backup and Recovery

The Cloud Backup and Recovery Service provides a backup/ restore solution for the Elastic Cloud Service, Elastic Volume Service & SFS Turbo. The customer can choose whether all or individual Elastic Volumes of an Elastic Cloud Server or SFS Turbo Shares are backed up. The customer has the option to configure the execution time of the automated backup and its retention period. The backup of SFS Turbo shares can be used to create new Scalable File Service Turbo shares. A direct restore of SFS Turbo shares is not available. The replication function can be used to transfer Elastic Cloud Service backups from one region of the T Cloud Public to another.
Price table at 6.4.6.

## 3.4 Network

### 3.4.1 Virtual Private Cloud

One or more Virtual Private Clouds are available to the customer. Communication takes place only within the respective Tenant. A Virtual Private Cloud is a virtual network environment, including the IP address areas, partial networks, virtual routers, security groups, and firewall access authorization lists (ACL policy).

The customer is provided with a Classic VPN gateway on an IP-Sec basis for the connection with its corporate network.

A final end of live of the Classic VPN in EU-DE is scheduled for 01.06.2025. Existing customers will have to migrate to our Enterprise VPN service by 01.06.2025.

Customers in the EU-NL region are not affected by the above changes.

No longer available from 01.05.2025:
The NAT64 service, provided that the IPv6 functionality has left the public beta phase.

Price Table at 6.5.1

#### 3.4.1.1 VPC Flow log

The VPC Flow Log feature enables network traffic to and from the virtual network interfaces of ECS instances to be captured and forwarded to the Log Tank Service (LTS). Within LTS, log data can be centrally stored, filtered, analyzed, and retained according to configurable retention policies. The feature is supported by the Generation 7 and Generation 9 ECS flavor families, including c7n, m7n, s7n, as well as c9, m9, and s9.

## 3.4.2 Elastic IP

Elastic IP provides public IP addresses for an instance (e.g., ECS or ELB). Via a virtual network map, the static public IP address enables a connection between the customer resources in the T Cloud Public and the internet. Elastic IP supports any data traffic via the UDP, TCP, and ICMP protocols for both inbound and outbound internet connections. The Mail BGP elastic IP type can be used for outbound SMTP connections via port 25. For security reasons (protection against SPAM blacklists), outbound SMTP connections are activated via ports 465 and 587 on the central firewall exclusively to the Secure Mail Gateway Service of the T Cloud Public.

Price Table at 6.5.2

## 3.4.3 Elastic Load Balancer

The Elastic Load Balancer distributes the network load to several Elastic Cloud Servers. The service can interact with the Auto Scaling function. The following Elastic Load Balancer variants are available:

1. Shared Elastic Load Balancer
2. Dedicated Elastic Load Balancer
    1. Application load balancing (layer 7)
    2. Network load balancing (layer 4)

The resources of the Dedicated Elastic Load Balancer are provided dedicatedly per instance. The customer has the possibility to distribute a Dedicated Elastic Load Balancer across up to three Availability Zones.

For Dedicated Elastic Load Balancer, both flavors with fixed performance and a scaling elastic flavor are available.

Price Table at 6.5.3

## 3.4.4 Domain Name Service

The Domain Name Service resolves a domain name to an elastic IP address. The customer can configure DNS zones and DNS zone records for internal as well as external communications. Price Table at 6.5.4

## 3.4.5 Direct Connect

Direct Connect enables the connection of a your local network to the T Cloud Public. On the T Cloud Public side, you require a virtual infrastructure consisting of virtual routers in your VPC. To connect your locations, you need to engage a network provider for the T Cloud Public data center connection. There are dedicated Ports and hosted ports available for Direct Connect, make sure to inquire about the available connection options from the helpdesk beforehand. For various use cases (such as termination on a crypto box or physical firewall), it is also possible to rent a co-location environment to connect your systems in- house to the T Cloud Public. Direct Connect can also be setup in a redundant 2 port configuration.

Price Table at 6.5.5

## 3.4.6 Secure Mail Gateway

The Secure Mail Gateway Service enables customers to send emails through applications hosted in the T Cloud Public. Telekom reserves the right to limit the number of emails to 100 emails/minute. Price Table at 6.5.6

## 3.4.7 NAT Gateway

### 3.4.7.1 Public NAT Gateway

The NAT Gateway Service offers the possibility of establishing connections between instances of a subnet and the internet via a shared Elastic IP, without, conversely, access from the internet to the respective instances being possible. The following NAT gateway types are available to the customer for selection:

| NAT gateway (type) | Maximum number of SNAT connections | Maximum number of SNAT connections per second |
|---|---|---|
| Micro | 1,000 | 100 |
| Small | 10,000 | 1,000 |
| Medium | 50,000 | 5,000 |
| Large | 200,000 | 10,000 |
| Extra-Large | 1,000,000 | 30,000 |

Price Table at
6.5.7.1

### 3.4.7.2 Private NAT Gateway

The Private NAT Gateway Service offers the posibillity of establishing connections between instances of a subnet and an on.premise data center or other subnets. There are the following types of Private NAT Gateway:

| NAT Gateway Type | Maximum SNAT Connections |
|---|---|
| Small | 2000 |
| Medium | 5000 |
| Large | 20000 |
| Extra-Large | 50000 |

Price Table at 6.5.7.2

## 3.4.8 VPC Endpoint

The VPC Endpoint enables a private connection to be established between the Virtual Private Cloud and VPC Endpoint services, without an elastic IP, NAT gateway or VPN connection being required. An overview of the supported services can be viewed in the Help Center at https://public.t-cloud.com/docs/ . Price Table at 6.5.8

## 3.4.9 Enterprise Router

Enterprise Router allows to connect different Virtual Private Clouds and on-premise Networks via Direct Connect with each other. Using Border Gateway Control (BGP) Enterprise Router is able to learn routes and dynamically select or switch between connections.

Pricetable in 6.5.9

### 3.4.10 Enterprise VPN

The Enterprise VPN service establishes a secure and reliable IPsec based encrypted communication tunnel between a customer network and a VPC of the T Cloud Public (site-to-site VPN). This allows for the VPC to communicate securely with an on-premise data center. Enterprise VPN gateways are exclusive to a tenant and support multiple connection modes.

Pricetable in 6.5.10

## 3.5 Application

### 3.5.1 Distributed Message Service

Using Kafka, the customer can create queues in which messages are held for further processing. Kafka instances are fully compatible with open-source Kafka. Kafka instances and topics can be accessed using open-source Kafka clients. The number of partitions and replicas for Kafka instances can be customized.

New Kafka 1.1.0 instances are no longer bookable. The existing instances can still be used as usual.

The previously available kafka instances (before 07/2024) supported the following flavors:

| Kafka (type) | Bandwidth | Transactions per second |
|---|---|---|
| Mini | 100 MB/s | up to 100,000 |
| Small | 300 MB/s | up to 300,000 |
| Medium | 600 MB/s | up to 600,000 |
| High | 1,200 MB/s | up to 1,000,000 |

The new billing model (valid since 7/2024) is applicable for all DMS instances created after the launch of the new version. The previous created instances will be billed according to the previous pricing model.

| DMS Single flavors | Number of cores per Broker | Number of Brokers | Maximum Traffic (MB/s) |
|---|---|---|---|
| kafka.2u4g.single.small | 5 | 1 | 40 |
| kafka.2u4g.single | 7 | | 100 |

| DMS Cluster flavors | Number of cores per Broker | Number of Brokers | Total number of cores |
|---|---|---|---|
| kafka.2u4g.cluster.small | 5 | 3 -30 | 15 - 150 |
| kafka.2u4g.cluster | 7 | | 21 - 210 |
| kafka.4u8g.cluster | 14 | | 42 - 420 |
| kafka.8u16g.cluster | 27 | 3 -50 | 81 - 1350 |
| kafka.12u24g.cluster | 41 | | 123 - 2050 |
| kafka.16u32g.cluster | 50 | | 150 - 2500 |

| Broker details / flavor | Maximum TPS per Broker | Maximum Partitions per Broker | Traffic per Broker (MB/s) |
|---|---|---|---|
| kafka.2u4g.cluster.small | 20,000 | 100 | 40 |
| kafka.2u4g.cluster | 30,000 | 250 | 100 |
| kafka.4u8g.cluster | 100,000 | 500 | 200 |
| kafka.8u16g.cluster | 150,000 | 1000 | 250 |
| kafka.12u24g.cluster | 200,000 | 1500 | 375 |
| kafka.16u32g.cluster | 250,000 | 2000 | 500 |

The price is calculated based on the number of brokers included in DMS flavor multiplied with cores per broker.

Examples:

- A kafka.2u4g.cluster with 3 brokers will use 21 cores and can consume up to 300 MB/s traffic
- A kafka.4u8g.cluster with 4 brokers will use 56 cores and can handle up to 300,000 TPS

The DMS Service "Rocket MQ" is since May 2026 with the following flavors available.

| Flavor | Number of cores | Storage Space (GB) | TPS | Max. Topics | Max. Consumer Groups |
|---|---|---|---|---|---|
| rocketmq.b1.large.1 (single instance) | 1 | 100 - 30000 | 500 | 50 | 500 |
| rocketmq.b2.large.4 (cluster) | 13 | 200 - 60000 | 2000 | 100 | 1000 |
| rocketmq.b2.large.8 (cluster) | 22 | | 4000 | | |
| rocketmq.b2.large.12 (cluster) | 31 | | 6000 | | |

The hourly price is calculated by multiplying the number of cores included in the respective DMS RocketMQ flavor by the unit price "DMS rocketmq cores" (see price table).

Examples:

- A "DMS rocketmq.b1.large.1" has 1 core, so the hourly cost is: 1 × unit price for "DMS rocketmq cores" = 1 × €0.03/hour = €0.03/hour.
- A "DMS rocketmq.b2.large.8" has 22 cores, so the hourly cost is: 22 × unit price for "DMS rocketmq cores" = 22 × €0.03/hour = €0.66/hour.

Price Table at 6.6.1

## 3.5.2 API Gateway (dedicated)

The API Gateway (APIG) is a dedicated service for API publishing on resources deployed exclusively in your tenant. The dedicated API Gateway (APIG) allows you manage the entire life cycle from creation, debugging, publishing, and taking offline your API's. Several features like request throttling, authentication, managing environments and signatures can be configured as per your needs. Price Table at 6.6.2

## 3.5.3 Simple Message Notification

Simple Message Notification is a scalable and event-driven notification service that can be used independently but also in combination with the Cloud Eye, Cloud Trace Service, and AntiDDoS features. With Simple Message Notification, the customer can define topics, using self-defined guidelines and send these topics manually or automatically via email, text message, or HTTP/HTTPS to a pre-defined group, known as subscribers. Price Table at 6.6.3

## 3.5.4 Application Operations Management

Application Operations Management offers the customer a resource monitoring and logging function for Cloud Container Engine clusters. A search/display function presents the logs. The logs created are saved in the Object Storage Service. In addition, the service offers event-driven alerts and a visual display of resource capacity utilization. Price Table at 6.6.4

## 3.5.5 Application Performance Management

The Application Performance Management (APM) monitors and manages the performance of cloud applications in real time. APM provides performance analysis of distributed applications, helping O&M personnel quickly locate and resolve faults and performance bottlenecks.

| Type | Max Number of Agents | Max Storage duration (days) | Collection limit |
|---|---|---|---|
| APM Free | 10 | 7 | 15 days after activation |
| APM Enterprise | unlimited | 30 | unlimited |

# 3.6 Management & Deployment

## 3.6.1 Cloud Eye

Cloud Eye analyzes the status of customer resources in real time and has monitoring and alert functions. The customer can collect, store, and evaluate performance data on its resources by using guidelines. A dashboard enables the customer to display the number of indicators. Price Table at 6.7.1

## 3.6.2 Cloud Trace Service

The Cloud Trace Service offers the customer monitoring functions via tracker of resources selected by the customer. A search/display function presents the results of the trackers. Tracker results are saved in the Object Storage Service. The results of the last seven days can be viewed in the self-service portal (console) or all saved results can be downloaded as a report. Price Table at 6.7.2

## 3.6.3 Tag Management Service

The customer can use the Tag Management Service to add metadata to its resources. Tags can be created manually or pre-defined in CSV format. Costs can be assigned to individual tags in the documents accompanying invoices and in the Financial Dashboard. An overview of the supported services can be viewed in the Help Center at https://public.t-cloud.com/docs/.

Price table at 6.7.3

## 3.6.4 Config (former Resource Management Service)

With the Config you can centrally manage your cloud resources. It allows to view all tenant resources, their corresponding resource details and relationships. Price table at 6.7.4

## 3.6.5 Identity and Access Management

The Identity and Access Management (IAM) service is a central service that lets you securely manage users, groups, and their permissions to access T Cloud Public resources and services.

It controls who (users, groups, or federated identities) can access which cloud services and resources (like OBS, ECS, KMS, etc.) and under what conditions (e.g., time, IP address, MFA).

Price table at 6.7.5

### 3.6.6 Log Tank Service

The Log Tank Service offers a centralized Cloud logging function to store log data from various sources at one single place. Log data can be forwarded to OBS or DMS for further processing or archiving.

Price table at 6.7.6

### 3.6.7 Resource Formation Service

Resource Formation Service (RFS) is a final-state resource formation engine for cloud services. It can manage the physical or logical system and service resources, such as databases, VPCs, and pipelines.

Price table at 6.7.7

### 3.6.8 OpenStack projects

Projects are used to group and isolate OpenStack resources (computing resources, storage resources, and network resources) under one Tenant. A project can be assigned to users as well as to user groups.

### 3.6.9 Enterprise Project Management Service

Enterprise Project Management Service (EPS) allows an enterprise to group cloud resources (like ECS, OBS, VPC, etc.) into logical “enterprise projects” that correspond to departments, business units, or environments (e.g., production, test). It provides a unified view for resource management and access control across multiple services and regions.

Price table at 6.7.9

## 3.7 Container

### 3.7.1 Cloud Container Engine and Cloud Container Engine Turbo

The Cloud Container Engine Service offers the possibility of using Docker containers in the T Cloud Public or setting up personal containers. The customer can manage and monitor the containers. When using the Cloud Container Engine, the T Cloud Public reserves the required computing, storage, and network resources.

Improved handling of computing, passthrough networking, security, reliability, and intelligent scheduling are provided by Cloud Container Engine Turbo compared to the standard Cloud Container Engine Service.

The following pre-assembled clusters are available to the customer:

| Cloud Container Engine (type) | Maximum number of nodes | High availability |
|---|---|---|
| cce.s1.small | 50 | |
| cce.s1.medium | 200 | |
| cce.s2.small | 50 | X |
| cce.s2.medium | 200 | |
| cce.s2.large | 1,000 | |
| cce.s2.xlarge | 2,000 | |

Price Table at
6.8.1

### 3.7.2 Software Repository for Containers

The Software Repository for Containers offers the customer container image management so container services can be provided. Container images can be managed via the GUI or Docker CLI. The supported operations include upload, download, and removal of container images. Price Table at 6.8.3

### 3.7.3 Application Service Mesh

Application Service Mesh (ASM) is a non-intrusive solution for you to manage microservice lifecycle and traffic. It is compatible with the Kubernetes and Istio ecosystems and hosts a wide range of features such as load balancing, outlier detection, and fault injection. It also provides diversified built-in grayscale releases, including canary release and blue-green deployment, for one-stop, automated release.

Price Table at 6.8.4

expected to be available from 01.09.2026:

### 3.7.4 Ubiquitous Cloud Native Service

Ubiquitous Cloud Native Service (UCS) is a platform for centrally managing distributed clusters. It enables users can run cloud native applications across clouds and regions, no matter whether they are running on T Cloud Public (CCE and CCE Turbo clusters) or other clouds (other cloud vendors' Kubernetes clusters).

UCS delivers a seamless experience throughout the deployment, management and ecosystems. This enables cloud-native applications to operate across multi-cloud environments and regions while supporting intelligent traffic distribution.

Price table at 6.8.5

## 3.8 Data analysis

### 3.8.1 MapReduce Service

The MapReduce Service enables Big Data analyses. The tools included comprise storage capacities and methods as well as analysis functions. The core nodes process data and store process data in HDFS. Task nodes can be used for data processing, they can automatically add or remove rules using auto scaling. The following pre-assembled Flavors are available to the customer as a master node:

| Elastic Cloud Server Flavor (Type) | Hypervisor | vCPU (quantity) | RAM | Local Hard Disks | Master Node | Core Node | Task Node |
|---|---|---|---|---|---|---|---|
| c3.xlarge.4.linux.mrs | KVM | 4 | 16 GiB | - | X | X | X |
| c3.2xlarge.2.linux.mrs | | 8 | | | | | |
| c3.2xlarge.4.linux.mrs | | | 32 GiB | | | | |
| c3.4xlarge.2.linux.mrs | | 16 | | | | | |
| c3.4xlarge.4.linux.mrs | | | 64 GiB | | | | |
| c3.8xlarge.4.linux.mrs | | 32 | 128 GiB | | | | |
| c3.15xlarge.4.linux.mrs | | 60 | 256 GiB | | | | |
| d2.xlarge.8.linux.mrs | | 4 | 32 GiB | 2 x 1.675 TiB SAS | - | | - |
| d2.2xlarge.8.linux.mrs | | 8 | 64 GiB | 4 x 1.675 TiB SAS | | | |
| d2.4xlarge.8.linux.mrs | | 16 | 128 GiB | 8 x 1.675 TiB SAS | | | |
| d2.8xlarge.8.linux.mrs | | 32 | 256 GiB | 16 x 1.675 TiB SAS | | | |
| m3.2xlarge.8.linux.mrs | | 8 | 64 GiB | - | X | | X |
| m3.4xlarge.8.linux.mrs | | 16 | 128 GiB | | | | |
| m3.8xlarge.8.linux.mrs | | 32 | 256 GiB | | | | |
| m3.15xlarge.8.linux.mrs | | 60 | 512 GiB | | | | |
| c4.xlarge.4.linux.mrs | | 4 | 16 GiB | | | | |
| c4.2xlarge.2.linux.mrs | | 8 | | | | | |
| c4.2xlarge.4.linux.mrs | | | 32 GiB | | | | |
| c4.4xlarge.2.linux.mrs | | 16 | | | | | |
| c4.4xlarge.4.linux.mrs | | | 64 GiB | | | | |
| c4.8xlarge.2.linux.mrs | | 32 | | | | | |
| c4.8xlarge.4.linux.mrs | | | 128 GiB | | | | |
| c4.16xlarge.4.linux.mrs | | 64 | 256 GiB | | | | |
| m4.2xlarge.8.linux.mrs | | 8 | 64 GiB | | | | |
| m4.4xlarge.8.linux.mrs | | 16 | 128 GiB | | | | |
| m4.8xlarge.8.linux.mrs | | 32 | 256 GiB | | | | |
| m4.16xlarge.8.linux.mrs | | 64 | 512 GiB | | | | |
| m7n.2xlarge.8.mrs | | 8 | 64 GiB | | | | |
| m7n.4xlarge.8.mrs | | 16 | 128 GiB | | | | |
| m7n.8xlarge.8.mrs | | 32 | 256 GiB | | | | |
| m7n.16xlarge.8.mrs | | 64 | 512 GiB | | | | |

The following characteristics apply to the above-mentioned Flavors:

- Hard disk size (system): 40 GiB
- Hard disk size (data): Up to 32 TiB, except Flavors with local hard disks

No longer available from 01.01.2026:
System Disk and Data Disk of Storage Type Common I/O will reach the end of their service life (end-of-life) and Common I/O will be switched off for all customers.

Price Table at 6.9.1

## 3.8.2 Data Warehouse Service

The Data Warehouse Service is an online database and optimized to search and analyze large data sets due to the hyperscale architecture. The following pre-assembled Flavors are available to the customer:

| Data Warehouse Flavor (type) | Hypervisor | vCPU (quantity) | RAM | EVS hard disk size |
|---|---|---|---|---|
| dws.m3.xlarge | KVM | 4 | 32 GiB | 160 GiB SSD |
| dws2.m6.4xlarge.8 | | 16 | 128 GiB | 2 TiB SSD |
| dws2.m6.8xlarge.8 | | 32 | 256 GiB | 4 TiB SSD |
| dws2.m6.16xlarge.8 | | 64 | 512 GiB | 8 TiB SSD |
| dws.m7n.xlarge.8 | | 4 | 32 GiB | - |
| dws.m7n.2xlarge.8 | | 8 | 64 GiB | |
| dws.m7n.4xlarge.8 | | 16 | 128 GiB | |
| dws.m7n.8xlarge.8 | | 32 | 256 GiB | |
| dws.m7n.16xlarge.8 | | 64 | 512 GiB | |

Price Table at
6.9.2

## 3.8.3 ModelArts

ModelArts is an end-to-end development platform for AI developers. The service offers data pre-processing, semi-automatic data identification, distributed training, automated model creation, and model provision in the T Cloud Public.

Price Table at 6.9.3

## 3.8.4 Data Lake Insight

Data Lake Insight (DLI) is a serverless big data query and analysis service fully compatible with Apache Spark and Apache Flink ecosystems. DLI supports SQL statements and Spark applications for heterogeneous data sources.

Creating a non-dedicated queue means it's on-demand. It will only book resources when it run a job on it. Once the job is done it releases the resource and it is only billed for the period while the job was running. On the other hand a dedicated queue means booking and running for 24/7 and billing is charged until the queue has been deleted.

Price Table at 6.9.4

## 3.8.5 DataArts Studio

DataArts Studio is an integrated data lifecycle management platform for data management, data integration, and data governance. The platform helps organizations centrally manage and automate the entire data lifecycle — from data ingestion through development, governance, and analysis to the delivery of data services.

DataArts Studio can be booked in two different versions, the DataArts Studio Starter and the DataArts Studio Enterprise version. The DataArts Studio Starter version is intended for the initial setup of data lake projects and the handling of ETL tasks. This does not include any data governance features. The DataArts Studio Enterprise version also includes Data Architecture, Data Governance (Data Quality and Data Catalog), Data Security, and Data Service features.

The following Cluster Management Flavor types are available to the customer for DataArts Migration:

| Cluster Management Flavor (type) | vCPUs/ storage | Assured/ Max. bandwidth | Concurrent Jobs |
|---|---|---|---|
| cdm.large | 8 vCPUs \| 16 GiB | 0.8/3 Gbit/s | 16 |
| cdm.xlarge | 16 vCPUs \| 32 GiB | 4/10 Gbit/s | 32 |
| cdm.4xlarge | 64 vCPUs \| 128 GiB | 36/40 Gbit/s | 128 |

The following Cluster Management Flavor types are available to the customer for DataArts DataStudio:

| Cluster Management Flavor (type) | vCPUs/ Storage | API Calls | max. Delay (ms) |
|---|---|---|---|
| dlm.basic | 8 vCPUs / 16 GiB | 500 | 20 |
| dlm.advanced | 16 vCPUs / 32 GiB | 1000 | 15 |
| dlm.professional | 64 vCPUs / 128 GiB | 2000 | 10 |

Price Table at 6.9.5

## 3.8.6 Optical Character Recognition

Optical Character Recognition (OCR) is a service that automatically recognizes printed and handwritten characters, and converts them into editable text. OCR has the AIC4 Type 1 certification for it's overall security management system and standard machine learning methods.

Price Table at 6.9.6

# 3.9 Security

## 3.9.1 Anti-DDoS

The Anti-DDoS function helps to protect the IP addresses of the Elastic IP Service. Attacks on the customer's network are restricted as soon as a number of connections that it has defined as the threshold value are exceeded.

Price Table at 6.10.1

## 3.9.2 Key Management Service

The Key Management Service (KMS) is a cloud service for the centralized generation, management and backup of cryptographic keys, which are used for data encryption. KMS uses hardware security modules (HSM) that meet the requirements of FIPS 140-2 Level 3 to protect and manage these keys and enables the use of both generated keys and your own keys ("Bring Your Own Key"). KMS is seamlessly integrated into other services such as Object Storage, Elastic Volume Service or Relational Database Service and supports functions such as encryption/ decryption, signing/ verification and granular access controls.

KMS provides keys for symmetric data encryption and decryption (AES-256) for other services. Services like OBS (in GCM-AES 256 mode) and EVS (in XTS-AES 256 mode) use these keys.

Price Table at 6.10.2

No longer bookable from 01.06.2026:

## 3.9.3 Web Application Firewall (Classic Mode)

The Web Application Firewall monitors, filters, and blocks HTTP and HTTPS-based network traffic to a web server. The customer can create, manage, configure, and monitor the Web Application Firewall as well as configure/ activate different policies and log their activities.

The Classic Mode will be replaced by the Cloud Mode strategically.

As of October 1, 2026, Classic Mode will reach End-of-Maintenance & Support (EOM) status.

Effective the EOM date (End-of-Maintenance & Support), T Cloud Public will no longer provide regular updates, patches, or bug fixes for this product version. Technical support will continue on a best-effort basis, without any obligation to provide bug fixes or security patches. Customers are advised to migrate to a supported version (Cloud Mode or Dedicated Mode). Continued operation of the service is at the customer's own risk.

Price Table at 6.10.3

## 3.9.4 Web Application Firewall (Cloud Mode)

The Web Application Firewall monitors, filters, and blocks HTTP and HTTPS-based network traffic to a web server. The customer can create, manage, configure, and monitor the Web Application Firewall as well as configure/ activate different policies and log their activities.

Price Table at 6.10.4

## 3.9.5 Web Application Firewall (Dedicated)

The Web Application Firewall monitors, filters, and blocks HTTP and HTTPS-based network traffic to a web server. The customer can create, manage, configure, and monitor the Web Application Firewall as well as configure/ activate different policies and log their activities. The resources of the Dedicated Web Application Firewall are provided dedicatedly per instance. The customer has the possibility to distribute a Dedicated Web Application Firewall across up to three Availability Zones.

Price Table at 6.10.5

## 3.9.6 Web Application Firewall - Modes and Metrics

| Mode | Access Mode | Metrics |
|---|---|---|
| Classic / Shared | via CNAME DNS record change | 300 Mbit/s - 10.000 QPS (Queries per Second) - 6.000 WAF-to-server-connections per domain name |
| Dedicated | via internet-facing ELB | Professional (WI-100) 100 Mbit/s - 2.000 QPS - 60.000 WAF-to-server-connections |
| | | Enterprise (WI-500) 500 Mbit/s - 10.000 QPS - 60.000 WAF-to-server-connections |
| Cloud | | 300 Mbit/s - 10.000 QPS - 6.000 WAF-to-server-connections per domain name |

## 3.9.7 Database Security Service

Database Security Service (DBSS) is an intelligent security service for databases. Based on machine learning and big data analysis technologies, the service scans databases for SQL injection attacks and identifies high-risk operations. The service records user access to the database in real-time, generates detailed audit reports, and sends real-time alerts for high-risk operations and attacks. In addition, the database audit creates compliance reports that comply with data security standards (such as Sarbanes-Oxley) to locate internal violations and improper operations, thus ensuring the security of data assets. Price Table at 6.10.6

## 3.9.8 Host Security Service

Host Security Service (HSS) helps identifing and managing the assets on servers, eliminate risks, and defend against intrusions and web page tampering. There are also advanced protection and security operations functions available to help you easily detect and handle threats. HSS includes Container Guard Service (CGS), and Web Tamper Protection (WTP). Container Guard Service (CGS) scans vulnerabilities and configuration information in images. Web Tamper Protection (WTP) monitors website directories in real time and restores tampered files and directories using their backups.

Price Table at 6.10.7

expected to be available from 01.04.2027:

### 3.9.9 Cloud Secret Management Service

Cloud Secret Management Service (CSMS) is a secure, reliable, and user-friendly service for managing credentials (secrets). It enables users and applications to uniformly create, retrieve, update, and delete secrets throughout their lifecycle.

Price Table at 6.10.8

### 3.9.10 Cloud Firewall

Cloud Firewall (CFW) is a next-generation cloud-native firewall. It protects Internet and VPC borders on the cloud by real-time intrusion detection and prevention, global unified access control, full traffic analysis, log audit, and tracing.

Price Table at 6.10.9

## 3.10 Rights of use, licenses

The provisions of this chapter are subordinate to the license conditions and the terms of use.

### 3.10.1 General provisions

Telekom provides public images, GPU drivers and other Software for sole/exclusive use on the T Cloud Public platform to the customer. Therefore the customer ist particulary prohibited from downloading, copying or storing/using public images, GPU drivers in other environments than the T Cloud Public. The public images and GPU drivers are billed on a monthly basis for each server based on usage.

### 3.10.2 Individual licensing provisions

By using the public images and GPU drivers, the customer accepts the license conditions of the respective manufacturer that are in effect during the contract, as a result of which an agreement will enter into force between the customer and the software manufacturer in question.

1. Community Linux Derivate basierend auf:
    1. Alma Linux https://almalinux.org/p/terms-of-service/
    2. CentOS https://www.centos.org/legal/ https://www.centos.org/legal/trademarks/
    3. Debian https://www.debian.org/legal/licenses/ https://www.debian.org/trademark
    4. EulerOS https://developer.huaweicloud.com/intl/en-us/euleros/privacy-policy.html
    5. Fedora https://fedoraproject.org/wiki/Legal:Licenses/LicenseAgreement https://fedoraproject.org/wiki/Legal:Trademark_guidelines?rd=Legal/TrademarkGuidelines
    6. OpenSUSE https://en.opensuse.org/openSUSE:License https://en.opensuse.org/

openSUSE:Trademark_guidelines

7. Rocky Linux https://git.rockylinux.org/original/rpms/rocky-release/-/blob/r8/SOURCES/EULA

2. Ubuntu http:// www.ubuntu.com/ legal/ http:// www.ubuntu.com/ legal/ terms- and- policies/ intellectual-property-policy

3. Oracle Linux

   - Version 7.x: https://oss.oracle.com/ol7/EULA
   - Version 8.x: https://oss.oracle.com/ol8/EULA
   - Version 9.x: https://oss.oracle.com/ol9/EULA

4. SUSE Enterprise Linux https:// www.suse.com/ licensing/ eula/ The customer acknowledges that Telekom is obliged to pass on the name of the customer's organization to the manufacturer with sales exceeding EUR 1,000.00.

5. Red Hat

   - Red Hat Enterprise Linux
     - http://www.redhat.com/licenses/cloud_cssa/Cloud_Software_Subscription_Agreement.pdf
     - The customer acknowledges that Telekom is obliged to pass on the name of the customer's organization to the manufacturer with sales exceeding EUR 1,000.00.
   - Red Hat OpenShift
     T Cloud Public is a Red Hat third- party component. Red Hat OpenShift subscriptions are purchased and managed by the customer. For a precise definition of the support provided by Red Hat, see

     https://access.redhat.com/third-party-software-support

     Support requests relating to the T Cloud Public are processed by T Cloud Public Support.

6. Microsoft Windows Server 2016, 2019 and 2022: The customer will be granted the time- limited, non-exclusive global right to use the software for its own purposes. Time- limited, non- exclusive, worldwide sublicensing to third parties is only permissible directly with end customers. If the customer provides Software- as- a- Service services (SaaS services) and thus considerably extends the scope of functions, a reseller may also be interposed. In this case, the reseller absolutely must deal with end customers. The right of sublicensing will expire with the ending of this agreement or the termination of the relevant services from this agreement. In the event of sublicensing, the customer is obligated to pass on these license conditions to its end customers. The customer will also grant Microsoft a right to audit in order to check that sublicensing conforms to the agreement. On request, the customer shall explicitly name possible resellers to Telekom and Microsoft. Microsoft refuses any warranty and liability by Microsoft or its suppliers to the extent that is legally permissible for any damage (regardless of direct, indirect, or consequential damage) resulting from the services. The customer is expressly prohibited from:

   1. Removing, changing, and deleting copyrights, logos, or other trademarks that appear in or on the

products

2. Reverse engineering, decompiling, or breaking down the products unless this is expressly permitted in accordance with applicable law

3. Contacting Microsoft directly in a support case

4. Downloading and copying the software and storing or using it locally or in a different environment

5. Using the software in "high-risk environments." This comprises, for example, using the software in an application for controlling aircraft and other mass transportation means (for humans), nuclear and chemical plants, or life-sustaining systems.

7. Document Database Service https://console.otc.t-systems.com/static/newdds/25.10.10.0/copyrights.html

8. GPU Flavor (NVIDIA vGPU) https://docs.nvidia.com/vgpu/latest/grid-licensing-user-guide/index.html

9. Cloud Create (former Cloud Topology Designer) https://www.apache.org/licenses/LICENSE-2.0

## 3.11 Optional services

The following optional services will be provided, so far described, for an additional charge and must be ordered separately. Upon request, Telekom will submit a proposal to the customer and provide more detailed descriptions of the following services.

### 3.11.1 Enterprise Agreement 1.0

Telekom will provide extended services in Enterprise Agreement 1.0 in the following service classes:

| Service | Silver | Gold | Platinum |
|---|---|---|---|
| Faster response times | x | x | x |
| Consulting and administration service | x | x | x |
| IT architectural consulting | | x | x |
| Availability report | | x | x |
| Service meetings | | x | x |
| Service credits for availability | | x | x |
| Dedicated service and delivery management | | | x |
| Improved resolution times | | | x |
| Manager on Duty Service | | | x |

### 3.11.2 Enterprise Support Agreement 2.0

Telekom will provide extended services in Enterprise Agreement 2.0 in the following service classes:

| Service package | Enterprise Support Agreement Basic | Optional Components |
|---|---|---|
| Financial Dashboard | x | |
| Improved response times | x | |
| Consulting and administration service | x | |
| Service credits | | x |
| Dedicated Service Delivery Management | | x |
| Service Delivery Manager on Duty | | x |
| Improved resolution times | | x |

## 3.11.3 EthernetConnect & IntraSelect & Equinix Cloud Exchange

Telekom will provide the customer with a Telekom EthernetConnect (layer 2), IntraSelect Cloud Connect (layer 3), and/or Equinix Cloud Exchange connection for the Direct Connect. An order can be placed via the T Cloud Support Center Team (4.4).

## 3.11.4 Financial Dashboard (former Enterprise Dashboard)

With the Financial Dashboard, the customer receives an overview of the technical resources used by it and their costs in a separate portal. Based on the threshold values, which can be configured by the customer, a notification can be made by email when these thresholds are reached or exceeded. The Financial Dashboard Small is automatically included in the scope of services and does not need to be ordered separately. The self- service portal is reachable via MyWorkplacce and offers pre-defined diagrams as well as diagrams that can be defined by the customer. An export can be produced in CSV format and via API. The minimum period of use is three months. An upgrade is possible at any time.

Three versions of the Financial Dashboard are available:

| Feature / Variant | Small | Medium | Large |
|---|---|---|---|
| Daily Consumption | x | x | x |
| Pre-configured Dashboard Views | x | x | x |
| Custom Dashboard | x | x | x |
| API Access | x | x | x |
| Alerts | x | x | x |
| API Calls Free of Charge | | x | x |
| Support of multiple T Cloud Public tenants | | x | x |
| Organization Management | | | x |

Price Table at
6.11.1

## 3.11.5 Consulting Services

Telekom provides extendable consulting services in the T Cloud Public environment when commissioned separately via the T Cloud Public Support Center, which go beyond support services in accordance with section 4.4 of this service description. The fee is calculated on a time basis.

Price table at 6.11.2

### 3.11.5.1 Additional support services for certifications and test reports

The T Cloud Public is equipped with a number of certifications and test reports. The certificates and test reports that are valid in each case can be viewed at https://public.t-cloud.com/en/products-services/core-services/certifications. Unless otherwise agreed in the contract, the customer can usually obtain the certifications and test reports required for him free of charge after requesting the customer support (Support Center) and signing the necessary agreements.

Deutsche Telekom provides additional support services for customers who wish to take advantage of additional consulting services. These services include individual advice in connection with the existing certifications and test

reports. The remuneration for these consulting services is calculated on the basis of the actual effort. It is expressly pointed out that Deutsche Telekom is under no obligation to proactively inform the customer about updates to the certificates and test reports.

## 3.11.6 Cloud Create (former Cloud Topology Designer)

Cloud Create allows you to design & deploy desired T Cloud Public infrastructure and associated applications. Cloud Create stores designs and configuration data directly in the T Cloud Public. It can be accessed via https://designer.otc-service.com/.

Price Table at 6.11.3

## 3.11.7 Managed Services

Telekom provides managed services based on the T Cloud Public. Three packages are optionally available.

| Category | Portfolio catalogue | Managed Services Basic | Managed Services Standard | Managed Services Advanced |
|---|---|---|---|---|
| Application | Nginx / Tomcat / Apache / Firewall / VPN / Gitlab | | X | X |
| Database | RDS - MSSQL / MySQL / PostgreSQL | X | | |
| | MSSQL / MySQL / Oracle/ MariaDB / PostgreSQL | | | |
| Operating System and Container | Managed Linux: Red Hat / Ubuntu / Oracle Linux / CentOS / Rocky Linux | X | | |
| | Managed Windows: Windows Server 2016 / 2019 / 2022 / 2025 | | | |
| | Managed Container | | | |
| Basic Services | Maximum number of services (incl. operating system, databases and applications) | 20 | 50 | 150 |
| | 24/7 Support via T Cloud Public Support Center | X | X | X |
| | Consultancy, architecture and design support | | | |
| | Backup and Restore / Upgrade and Migration / user-defined maintenance periods / Private Image Management | X | | |
| Basis Dienste | Tenantmanagement / Storagemanagement / Networkmanagement / Usermanagement / Root-Cause-Analysis | | | |
| | Grafana Dashboard | | Standard | customer-defined |
| | High-availability | | x | x |

Custom pricing is available in case of

- the number of total services is more than 150 and/or
- request to operate custom applications and/or
- request services that are not documented in our service description.

Please contact T Cloud Public Support Center for a customized offer.

## 3.11.8 Marketplace

Marketplace is an optional service.

### 3.11.8.1 Marketplace Seller Center

The Marketplace is available on request for Sellers to publish offers via the Marketplace Seller Center. The Marketplace Seller Center is the seller's interface and enables the integration and publication of third-party and Telekom services (software or services) on the T Cloud Public Marketplace.

Seller can publish his or her Software in the Marketplace by creating a Product Offering. Product Offering is the seller's published software on the Marketplace and is the combination of service type, license type and seller's software.

- Service Type: is the type of IaaS provided by T Cloud Public to publish the Product Offering.

- License Type: is the license option of seller's software provided by T Cloud Public to publish the product Offering.

- Price: Fee to offer the product offering via Marketplace Seller Center on the Marketplace

| Service Type | License Type | Price in EUR |
|---|---|---|
| Cloud Container Engine | Open Source, Free or Trial | free |
| | BYOL (Bring your own License) | |
| Private Offer | - | |

Please refer to the terms and conditions of the Marketplace Seller Center.

Terms & Condition Marketplace Seller Center: https://public.t-cloud.com/marketplace-tc-seller

*Seller on the T Cloud Public Marketplace is an independent software provider who can be part of the T Cloud Public Programs such as Cirlce Partner or Techboost or be an T Cloud Public customer.

Note: User can submit a request via following link to become a seller:

https://public.t-cloud.com/en/marketplace/become-a-seller

#### 3.11.8.2 Marketplace (for Customers)

The Marketplace is an interface for customers to subscribe to and use services from third-party providers and Telekom units (sellers) in the T Cloud Public.

Please note the terms of use of the Marketplace: https://public.t-cloud.com/marketplace-tc-customer

## 3.12 Preview and beta versions

### 3.12.1 Special conditions for preview and beta versions

The following preview and beta versions are available for testing purposes only and are intended to test the customer's requirements for later live operation and to improve performance. By testing the services for test purposes, the customer agrees, upon request by Telekom, to exchange information on improvements to the services and, if applicable, to complete the evaluation form sent by Telekom. If Telekom does not activate the preview and beta versions for all users, use of these versions can be activated by submitting a request to the Support Center. With regard to the preview and beta versions, the following special provisions apply:

- As these services are for test purposes, they are not suitable for live environments. Telekom advises against such use. If the customer nevertheless uses the services in a live environment rather than using test data only, this will be under the customer's sole responsibility. In particular, Telekom will accept no liability for loss or damage incurred by the customer from loss of the customer's data.

- Telekom will be entitled at all times to suspend or change services for test purposes or to restrict the customer's access to these services, without specifying reasons.

- Service levels, minimum availabilities, response times, and resolution times do not apply to preview and beta versions.

- Telekom guarantees preview and beta versions with the described features. Since these are services for test

Service Specifications & Additional Terms and Conditions T Cloud Public purposes, it is necessary to expect that services may be restricted. Telekom endeavors to keep these restrictions to a minimum, to rectify service interruptions as far as possible, and to constantly optimize the test operation. With the exception of liability for damages to the agreed extent, further rights do not exist.

## 3.12.2 Cloud Container Instance

Cloud Container Instance (CCI) provides a serverless container engine, allowing you to run containers without creating or managing server clusters. Instance resources include CPU, memory, and GPU (depends on the pod type). You are charged based on the actual instance specifications you apply for and the actual running duration (by second) of your instance. The charging duration starts from the time when the container image is downloaded (docker pull) to the time when your CCI instance is stopped.

| Cloud Container Instance (type) | Description |
|---|---|
| General-computing pods | vCPUs and memory are billed on a pay-per-use basis |

| Cloud Container Instance (type) | Resources | Billing Formula | Billing |
|---|---|---|---|
| General-computing pods | vCPU | Unit price x Number of vCPUs x Required duration | per core/ second |
| | Memory | Unit price x Memory size x Required duration | per GiB/ second |

Price Table at 6.8.2

expected to be available from 01.10.2026:

## 3.12.3 Alert Service

Alert Service is an optional service, which can be used to track your spendings on T Cloud Public. The service can be accessed through MyWorkplace.

Price Table at 6.12.1

expected to be available from 01.05.2027:

## 3.12.4 Data Admin Service

Data Admin Service (DAS) is a one-stop cloud database management platform that allows you to manage databases on a web console. It offers database development, O&M, and intelligent diagnosis, making it easy to use and maintain your databases. Price Table at 6.12.2

## 3.12.5 Enterprise Switch

Enterprise Switch enables Layer 2 communication between a customer's on- premise data center and the T Cloud Public. This allows the customer to migrate workloads to the T Cloud Public without making changes to subnets or IP addresses. To use Enterprise Switch, a Layer 3 connection via Enterprise VPN or Direct Connect between the T Cloud Public and the customer's on-premises data center is required.

Price table at 6.12.4

## 3.12.6 Cloud Connect

Cloud Connect provides both cloud connections and central networks that allow you to connect Virtual Private Clouds (VPCs) in different regions, so that these VPCs can communicate over a private network as if they were within the same network. Cloud Connect can also work with Direct Connect to set up a hybrid cloud network that enables on-premises data centers to access the VPCs across regions.

Price table at 6.12.3

expected to be available from 01.12.2026:

## 3.12.7 Savings plans

Savings plans provide discounted pricing for eligible services on T Cloud Public in exchange for a usage commitment over a defined term. Unlike Reserved Instances, the discount is not tied to a specific instance flavor and can be applied across eligible resources within the agreed scope - list below.

This enables customers to benefit from lower pricing while maintaining flexibility to adapt workloads and instance selections during the commitment period.

Handling of reserved Packages remain fully valid and unaffected by the introduction of Savings Plans.

| Service | Family | Rabatt 12 Monate | Rabatt 24 Monate | Rabatt 36 Monate |
|---|---|---|---|---|
| ECS - Virtual instances | c4 | 21 percent | 32 percent | n/a |
| | m4 | | | |
| | c9 | 47 percent | 54 percent | 60 percent |
| | m9 | 43 percent | 50 percent | 56 percent |

Savings Plans are offered as a beta. Access to and participation in the beta program shall be granted solely at the discretion of T Cloud Public. T Cloud Public reserves the right to limit, suspend, or deny participation based on technical feasibility, operational requirements, commercial considerations, or available capacity.

Participation requests may be submitted through the Service Desk. No entitlement to participation in the beta program exists.

# 4 Service levels

## 4.1 Service transfer point

Telekom's responsibility ends at the service transfer point. The service transfer point is the data center's point of entry to the internet.

## 4.2 Platform (IaaS level) availability

T Cloud Public targets a monthly platform availability of 99.95% at the service handover point, calculated as follows:

$$\text{Availability (\%)} = \frac{\text{(Total service minutes)} - \text{(Total downtime minutes)}}{\text{Total service minutes}} \times 100$$

Where:

- Total service minutes: the total number of calendar month minutes (calculation: 60 minutes multiplied by 24 hours times the number of calendar days in the month).
- Total downtime minutes: the number of minutes within a calendar month during which a given T Cloud Public component is not available, less the excused events in minutes.

Service coverage:

- Elastic Cloud Server (ECS)
- Elastic Volume Service (EVS)
- Object Storage Service (OBS)

The availability commitment applies separately to each of the services listed above. In all other respects, there is no minimum availability. However, Telekom always strives to avoid service restrictions.

## 4.3 Excused events

Excused events are:

1. The T Cloud Public component is available in one of the availability zones, or
2. The customer can use an alternative instance, or.
3. Downtime that was caused by maintenance work or changes, or
4. Incidents, downtimes, and problems that are attributable to the customer, its employees, or representatives, or

5. Downtimes that can be traced back to third-party action (e.g., DDoS attacks).

Times for excused events are not considered downtime and are therefore not taken into account when calculating availability. The existence of one excused event is sufficient.

## 4.4 Customer support (T Cloud Support Center)

Before opening a support case, you can use the following options to resolve your questions:

1. Webseite: https://www.t-cloud-public.com
2. Cloudia: https://www.t-cloud-public.com/en/chatbot
3. Community: https://community.open-telekom-cloud.com/community
4. OnlineDocs: https://docs.otc.t-systems.com

If no solution can be found via the self-service options, a case may be opened.

Case submission is available 24x7 in German and English.

Cases can be created exclusively by users whose e-mail address is registered in the T Cloud Public IAM. The following channels are available for submitting cases:

1. Via the contact form: https://www.t-cloud-public.com/en/contact
2. By e-mail to: support@t-cloud-public.com

The creation of new cases by telephone is not possible.

For questions or coordination regarding existing cases, customers may contact telephone support:

- within Germany: 0800 330 4477
- all other countries: +800 330 44770

After receipt of a message via contact form or e-mail , Telekom creates a ticket, classifies and processes it. Telekom classifies and processes the customer's report according to the following criticality levels:

- Critical events are processed Monday through Sunday, 24 hours per day (CET/CEST)
- Non-critical events are processed Monday through Friday, 8:00 a.m. to 5:00 p.m. (CET/CEST)
- Support requests are processed Monday through Friday, 8:00 a.m. to 5:00 p.m. (CET/CEST)

Critical events are incidents that have an impact on the availability of an T Cloud Public component. Non-critical events cover all other incidents. Support requests include quote adjustments and general queries about the T Cloud Public.

The following times apply to the processing of tickets:

| Service parameters | Value |
|---|---|
| Response time* | 4 hours |
| Resolution times | Best Effort |

*Maximum time span between the receipt of the incident report and the commencement of the troubleshooting work. The customer receives status reports for processing by email. If necessary, the Support Center will contact the customer by telephone to clarify any questions. Telekom sends the customer an email when processing is complete.

## 4.5 Maintenance work

The T Cloud Public has a fully redundant design so that maintenance work on the platform does not generally lead to disruptions and therefore does not have to be announced in advance. Telekom will notify the customer of any disruptions caused by maintenance work. Telekom strives to keep impairments caused by maintenance work to a minimum. Maintenance work is not considered downtime and is therefore not taken into account when calculating availability.

# 5 The customer's duties to cooperate

The customer undertakes to cooperate in order to ensure provision of the required services; in particular, the customer is obliged to provide the following free-of-charge, on-time, and to the required extent:

1. The customer is obliged to back up its data at adequate intervals and in a suitable form so that it can be recovered at reasonable cost. Telekom does not back up data.

2. The customer is obliged to protect the operating systems and other applications it manages against misuse and keep them free from malware and constantly up- to- date (e.g., by importing up- to- date security patches, using anti-virus scanners, and an appropriate configuration of the virtual firewall).

3. The customer is responsible for the usage of the resources provided for it, and for its capacity management. The customer will take responsibility for ordering any necessary capacity expansions/reductions.

4. The customer must provide all necessary usage rights and software licenses unless these have to be provided by Telekom due to a written agreement. This applies, in particular, to the customer's own software products and their updates/ upgrades that the customer uses in connection with the T Cloud Public services.

5. The Customer assures that it will not store any content on the contractual storage space, use it, or make it available in any other way, if it contains malicious code or other malware and/or if the provision, publication, transfer, or use of such content violates applicable laws or third-party rights – this applies in particular to defamatory, hatred-inciting, or any radical political content.

6. The customer is not permitted to use the service for sending mass emails (SPAM).

7. The customer is responsible for checking whether the data transferred by them to Telekom in connection with the use of the service is personal data and whether processing this personal data is permissible. If the customer wishes personal data to be processed, the customer will sign an agreement on the processing of personal data based on the Telekom sample agreement, which Telekom will provide to the customer upon request.

8. The customer declares that it agrees to exchange unencrypted information by email and will always provide a current email address. The customer is aware that essential information for service provision, such as access data, information on modifications to the services and the legal conditions, etc., will be sent by email.

9. The customer is responsible for obtaining the monthly invoice from the MyWorkplace portal. If the invoice is to be sent by post, the customer will provide a current invoice address at all times.

10. The customer must follow and support the incident clearance process.

11. The customer will name up to two central and qualified contacts for the Support Center support and ensure the contacts' substitution. The customer will ensure 24/7 availability of the contacts. The nomination will be kept up to date by the customer.

12. The customer must independently back up all application data by way of a download before the service ends. In order to fulfill legal requirements, Telekom will irrevocably delete all of the customer's data on the service's expiry date. Other ways of transferring data back to the customer may be requested separately

and ordered subject to separate remuneration.

13. The customer will be responsible for checking and complying with any and all legal provisions, laws, regulations, and industry-specific provisions that are relevant and applicable in connection with the use of the service. This particularly also includes compliance with non-disclosure obligations that result from a professional activity, for example.

14. The customer will ensure that the services are not misused.

15. The customer is obliged to keep passwords and access data secret, to disclose them to authorized third parties only, or to protect them from unauthorized access and change them when necessary. The customer is to inform Telekom without delay of any suspected disclosure to non-authorized third parties. As far as legally permissible, the customer is responsible for all activities that are carried out via its account or using its access data.

16. The customer is obliged to ensure that sufficient funds are available in the agreed debit account and, if making payments by credit card, that its credit card details provided upon registration are kept up to date.

17. The customer will ensure that its use of the service does not cause any risk or impairment to third parties or to Telekom's infrastructure. In the event of such risk or incident (e.g., due to a DDoS attack), Telekom will be entitled to deactivate the service concerned, without prior notification of the customer, until the risk or incident has been remedied. Any resulting downtime is not taken into account when calculating availability. Telekom will keep the customer informed.

18. The customer will provide Telekom with all necessary information for provision of the service, in particular a valid postal address. The customer will ensure its details are full and accurate, and will always keep its details up to date. Should it be suspected that the customer is not fully complying with this duty, or that the customer has been the victim of a third-party attack, or the customer is not fulfilling its obligations, Telekom will be entitled to reduce or block the customer's services at the customer's own expense. In this case, the Customer will still be required to pay the agreed charges. Any resulting downtime is not taken into account when calculating availability. Telekom will keep the customer informed.

19. Security tests (penetration tests)

    1. The Customer is permitted to conduct security tests (penetration tests) on their instances/ resources within the T Cloud Public. The execution of such tests is subject to the policy for security tests (penetration tests), which the Customer acknowledges and agrees to comply with.

    2. Security tests originating from the T Cloud Public are only permitted against the Customer's own instances/ resources hosted on third-party platforms/ infrastructures, provided that the Customer ensures their legality and, if applicable, complies to any respective terms and conditions of the respective platform operator.

20. Duties to cooperate with Direct Connect Service. To use the services, the customer must provide an IntraSelect or EthernetConnect line from Telekom in advance, which must be ordered separately from the Telekom sales team.

21. The customer will inform the Support Center without delay if it is unable to provide a cooperative service as agreed or if circumstances arise that make it difficult or impossible for Telekom to provide the services.

# 6 Prices

## 6.1 Method for calculating charges

If billable services are provided, Telekom will issue an invoice to the customer on a monthly basis. The invoice will be sent to the customer by email and a copy will be placed on the MyWorkplace portal. The payment due date will be based on the date on which the invoice is placed on the MyWorkplace portal or the date on which the customer receives the invoice, whichever is earlier. All prices are exclusive of the taxes and duties applicable at the time of delivery and performance. An explanation with examples of the calculation of charges can be viewed at https://public.t-cloud.com/preismodelle.

### 6.1.1 Computing

Open Elastic: Billing of the computing services in the standard price model is based on per-second consumption.

Reserved/ Reserved Upfront: If a minimum order volume is agreed, computing services can be obtained via a fixed provision time of 12, 24 and/or 36 months.

The charges and computing services are firmly agreed for the term selected and there will not be any adjustments. Reservations are not fixed to a specific instance, but provide a monthly usage contingent for the selected flavor type, this contingent can be used by a single or multiple instances (of the same type) and are billed even if not or not fully used. By booking of a Reserved or Reserved Upfront no resources will be allocated in the customer tenant. Any services beyond the minimum order volume will be billed in accordance with the Open Elastic model. When the agreed provision period has ended, the services will be billed in accordance with the Open Elastic model.

If Reserved or Reserved Upfront is booked via a sales contact or via the Support Center, this requires a lead time of five working days before the term is activated.

- Reserved: invoices will be issued on a monthly basis. Within the entire term, the customer can switch to the next highest Flavor or reserved class.

- Reserved Upfront: invoices will be issued in the first month after provision for the entire term. It is not possible to switch packages.

Reserved services can be ordered via the eShop at https:// public.t- cloud.com/ or via Telekom Sales. Flavor and host specific characteristics The following Elastic Cloud Server Flavors with local disks and Dedicated Hosts are also charged in the shutdown or allocated state:

| Elastic Cloud Server Ultra-High I/O | Elastic Cloud Server Disk intensive II | Dedicated Host |
|---|---|---|
| i3.2xlarge.4 | d2.xlarge.8 | all host types |
| i3.4xlarge.4 | d2.2xlarge.8 | |
| i3.8xlarge.4 | d2.4xlarge.8 | |
| i3.12xlarge.4 | d2.6xlarge.8 | |
| i3.16xlarge.4 | d2.8xlarge.8 | |
| i3.2xlarge.8 | d2.15xlarge.9 | |
| i3.4xlarge.8 | | |
| i3.8xlarge.8 | | |
| i3.12xlarge.8 | | |
| i3.15xlarge.8 | | |

Image Management Service If private images are stored, the storage space used for an image will be charged for in accordance with the Object Storage Service, Standard Object Storage Space type. Charges will not be made for

management, image retrieval, requests, and outbound traffic.

### 6.1.2 Storage

Average consumption during a calendar month is used when calculating storage. Usage periods under a calendar month are billed by the hour. The size of the storage service used is multiplied by the usage period and divided by the total number of hours of the respective calendar month. Storage is billed in Gibibytes (GiB). GB and GiB are used interchangeably in this document and on the Bill.

1. Object Storage Service The billing for the Object Storage Service is based on a cumulative graduated price, which means that the price scales are filled up one after the other and the used storage quantity is billed in accordance with the respective scale. In addition, any outgoing traffic is charged. If data is deleted or moved from the warm or cold object storage before the minimum term has ended, an early deletion fee will be charged. This depends on the object storage type, the minimum storage time shortfall, and the file size. With warm object storage, the minimum term is 30 days; for cold object storage, the minimum storage period is 90 days. The difference between the storage period and the minimum storage period is invoiced when the file is deleted or moved.

2. Elastic Volume Service/ Scalable File Service Turbo The basis of billing for Elastic Volume Service and Scalable File Service Turbo is the average GiB of storage provisioned per month.

3. SFS General Purpose: The basis of billing for SFS General Purpose is the average GiB of consumed storage per month.

4. Storage Disaster Recovery Service During initialisation, all Elastic Cloud Servers within a Protection Group are started up and billed for approx. one hour. The D/R instances are automatically shut down again after initialisation. The Elastic Volume Service is billed for the D/R instance according to the storage provided in GiB. When using the DR-Drill functionality to test the disaster recovery, the EVS and ECS resources are billed separately.

### 6.1.3 Dedicated Elastic Load Balancer

The Dedicated Elastic Load Balancer is offered in two specifications (Application load balancing (Layer 7) and Network load balancing (Layer 4)), each selected specification is billed separately.

## 6.2 Computing

### 6.2.1 Elastic Cloud Server

#### 6.2.1.1 General purpose – s2

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose 1:1 s2.medium.1 | 1 | 1 | open Linux | 0.014980 | n.a. | 8.00 | n.a. | 6.75 | n.a. | 84.70 | n.a. | 146.93 | n.a. |
| | | | Oracle Linux | 0.053500 | n.a. | 37.73 | n.a. | 36.83 | n.a. | 438.00 | n.a. | 837.00 | n.a. |
| | | | Red Hat | 0.062060 | n.a. | 43.87 | n.a. | 42.81 | n.a. | 509.00 | n.a. | 973.00 | n.a. |
| | | | SUSE/SAP | 0.250380 | n.a. | 176.00 | n.a. | 168.30 | n.a. | 2,089.00 | n.a. | 3,839.00 | n.a. |
| | | | SUSE Linux | 0.063130 | n.a. | 41.34 | n.a. | 40.05 | n.a. | 463.00 | n.a. | 880.00 | n.a. |
| | | | Windows | 0.065516 | n.a. | 44.90 | n.a. | 43.97 | n.a. | 528.00 | n.a. | 1,012.00 | n.a. |
| General Purpose 1:1 s2.large.1 | 2 | 2 | open Linux | 0.095230 | n.a. | 43.53 | n.a. | 37.50 | n.a. | 485.00 | n.a. | 882.00 | n.a. |
| | | | Oracle Linux | 0.127495 | n.a. | 66.27 | n.a. | 59.65 | n.a. | 751.00 | n.a. | 1,414.00 | n.a. |
| | | | Red Hat | 0.150870 | n.a. | 88.42 | n.a. | 81.81 | n.a. | 1,017.00 | n.a. | 1,946.00 | n.a. |
| | | | SUSE/SAP | 0.330630 | n.a. | 231.00 | n.a. | 219.00 | n.a. | 2,749.00 | n.a. | 5,159.00 | n.a. |
| | | | SUSE Linux | 0.187250 | n.a. | 68.49 | n.a. | 59.65 | n.a. | 778.00 | n.a. | 1,414.00 | n.a. |
| | | | Windows | 0.173025 | n.a. | 100.44 | n.a. | 93.82 | n.a. | 1,161.00 | n.a. | 2,234.00 | n.a. |
| General Purpose 1:1 s2.xlarge.1 | 4 | 4 | open Linux | 0.195951 | n.a. | 88.23 | n.a. | 75.00 | n.a. | 971.00 | n.a. | 1,765.00 | n.a. |
| | | | Oracle Linux | 0.220420 | n.a. | 110.39 | n.a. | 97.15 | n.a. | 1,236.00 | n.a. | 2,296.00 | n.a. |
| | | | Red Hat | 0.254990 | n.a. | 132.54 | n.a. | 119.30 | n.a. | 1,502.00 | n.a. | 2,828.00 | n.a. |
| | | | SUSE/SAP | 0.436560 | n.a. | 319.00 | n.a. | 294.00 | n.a. | 3,601.00 | n.a. | 6,587.00 | n.a. |
| | | | SUSE Linux | 0.294348 | n.a. | 112.60 | n.a. | 97.15 | n.a. | 1,263.00 | n.a. | 2,296.00 | n.a. |
| | | | Windows | 0.346051 | n.a. | 201.00 | n.a. | 187.64 | n.a. | 2,322.00 | n.a. | 4,468.00 | n.a. |
| General Purpose 1:1 s2.2xlarge.1 | 8 | 8 | open Linux | 0.391904 | n.a. | 176.47 | n.a. | 150.00 | n.a. | 1,941.00 | n.a. | 3,529.00 | n.a. |
| | | | Oracle Linux | 0.421423 | n.a. | 198.62 | n.a. | 172.15 | n.a. | 2,207.00 | n.a. | 4,061.00 | n.a. |
| | | | Red Hat | 0.509980 | n.a. | 265.00 | n.a. | 239.00 | n.a. | 3,004.00 | n.a. | 5,656.00 | n.a. |
| | | | SUSE/SAP | 0.630230 | n.a. | 414.00 | n.a. | 369.00 | n.a. | 4,572.00 | n.a. | 8,352.00 | n.a. |
| | | | SUSE Linux | 0.484710 | n.a. | 201.00 | n.a. | 172.15 | n.a. | 2,234.00 | n.a. | 4,061.00 | n.a. |
| | | | Windows | 0.692102 | n.a. | 402.00 | n.a. | 375.00 | n.a. | 4,645.00 | n.a. | 8,936.00 | n.a. |
| General Purpose 1:1 s2.4xlarge.1 | 16 | 16 | open Linux | 0.783807 | n.a. | 353.00 | n.a. | 300.00 | n.a. | 3,882.00 | n.a. | 7,059.00 | n.a. |
| | | | Oracle Linux | 0.813326 | n.a. | 375.00 | n.a. | 322.00 | n.a. | 4,148.00 | n.a. | 7,590.00 | n.a. |
| | | | Red Hat | 0.901884 | n.a. | 442.00 | n.a. | 389.00 | n.a. | 4,946.00 | n.a. | 9,185.00 | n.a. |
| | | | SUSE/SAP | 1.03 | n.a. | 590.00 | n.a. | 519.00 | n.a. | 6,513.00 | n.a. | 11,881.00 | n.a. |
| | | | SUSE Linux | 0.882204 | n.a. | 377.00 | n.a. | 322.00 | n.a. | 4,175.00 | n.a. | 7,590.00 | n.a. |
| | | | Windows | 1.08 | n.a. | 677.00 | n.a. | 660.00 | n.a. | 7,723.00 | n.a. | 14,409.00 | n.a. |
| General Purpose 1:1 s2.8xlarge.1 | 32 | 32 | open Linux | 1.57 | n.a. | 706.00 | n.a. | 600.00 | n.a. | 7,765.00 | n.a. | 14,117.00 | n.a. |
| | | | Oracle Linux | 1.60 | n.a. | 728.00 | n.a. | 622.00 | n.a. | 8,030.00 | n.a. | 14,649.00 | n.a. |
| | | | Red Hat | 1.69 | n.a. | 794.00 | n.a. | 689.00 | n.a. | 8,828.00 | n.a. | 16,244.00 | n.a. |
| | | | SUSE/SAP | 2.05 | n.a. | 943.00 | n.a. | 819.00 | n.a. | 10,395.00 | n.a. | 18,940.00 | n.a. |
| | | | SUSE Linux | 1.67 | n.a. | 730.00 | n.a. | 622.00 | n.a. | 8,057.00 | n.a. | 14,649.00 | n.a. |
| | | | Windows | 2.77 | n.a. | 1,607.00 | n.a. | 1,501.00 | n.a. | 18,578.00 | n.a. | 35,745.00 | n.a. |
| General Purpose 1:2 s2.medium.2 | 1 | 2 | open Linux | 0.022470 | n.a. | 11.31 | n.a. | 9.12 | n.a. | 120.40 | n.a. | 189.23 | n.a. |
| | | | Oracle Linux | 0.065270 | n.a. | 44.01 | n.a. | 41.43 | n.a. | 507.00 | n.a. | 953.00 | n.a. |
| | | | Red Hat | 0.075970 | n.a. | 51.18 | n.a. | 49.15 | n.a. | 589.00 | n.a. | 1,108.00 | n.a. |
| | | | SUSE/SAP | 0.257870 | n.a. | 185.90 | n.a. | 179.30 | n.a. | 2,222.00 | n.a. | 4,289.00 | n.a. |
| | | | SUSE Linux | 0.069550 | n.a. | 45.96 | n.a. | 41.43 | n.a. | 521.00 | n.a. | 979.00 | n.a. |
| | | | Windows | 0.077040 | n.a. | 51.64 | n.a. | 48.24 | n.a. | 597.00 | n.a. | 1,112.00 | n.a. |
| General Purpose 1:2 s2.large.2 | 2 | 4 | open Linux | 0.100754 | n.a. | 45.37 | n.a. | 38.56 | n.a. | 499.00 | n.a. | 907.00 | n.a. |
| | | | Oracle Linux | 0.130274 | n.a. | 67.52 | n.a. | 60.72 | n.a. | 765.00 | n.a. | 1,439.00 | n.a. |
| | | | Red Hat | 0.159430 | n.a. | 89.67 | n.a. | 82.87 | n.a. | 1,031.00 | n.a. | 1,971.00 | n.a. |
| | | | SUSE/SAP | 0.342400 | n.a. | 248.00 | n.a. | 241.00 | n.a. | 2,915.00 | n.a. | 5,719.00 | n.a. |
| | | | SUSE Linux | 0.191530 | n.a. | 69.74 | n.a. | 60.72 | n.a. | 791.00 | n.a. | 1,439.00 | n.a. |
| | | | Windows | 0.177931 | n.a. | 103.29 | n.a. | 96.48 | n.a. | 1,194.00 | n.a. | 2,297.00 | n.a. |
| General Purpose 1:2 s2.xlarge.2 | 4 | 8 | open Linux | 0.201508 | n.a. | 90.74 | n.a. | 77.12 | n.a. | 998.00 | n.a. | 1,815.00 | n.a. |
| | | | Oracle Linux | 0.231027 | n.a. | 112.89 | n.a. | 99.28 | n.a. | 1,264.00 | n.a. | 2,346.00 | n.a. |
| | | | Red Hat | 0.260546 | n.a. | 135.04 | n.a. | 121.43 | n.a. | 1,530.00 | n.a. | 2,878.00 | n.a. |
| | | | SUSE/SAP | 0.448330 | n.a. | 328.00 | n.a. | 296.00 | n.a. | 3,629.00 | n.a. | 6,638.00 | n.a. |
| | | | SUSE Linux | 0.299905 | n.a. | 115.10 | n.a. | 99.28 | n.a. | 1,291.00 | n.a. | 2,346.00 | n.a. |
| | | | Windows | 0.355864 | n.a. | 207.00 | n.a. | 192.96 | n.a. | 2,388.00 | n.a. | 4,595.00 | n.a. |
| General Purpose 1:2 s2.2xlarge.2 | 8 | 16 | open Linux | 0.403017 | n.a. | 181.47 | n.a. | 154.25 | n.a. | 1,996.00 | n.a. | 3,629.00 | n.a. |
| | | | Oracle Linux | 0.432536 | n.a. | 204.00 | n.a. | 176.40 | n.a. | 2,262.00 | n.a. | 4,161.00 | n.a. |
| | | | Red Hat | 0.521093 | n.a. | 270.00 | n.a. | 243.00 | n.a. | 3,060.00 | n.a. | 5,756.00 | n.a. |
| | | | SUSE/SAP | 0.662865 | n.a. | 419.00 | n.a. | 373.00 | n.a. | 4,627.00 | n.a. | 8,452.00 | n.a. |
| | | | SUSE Linux | 0.501414 | n.a. | 206.00 | n.a. | 176.40 | n.a. | 2,289.00 | n.a. | 4,161.00 | n.a. |
| | | | Windows | 0.711727 | n.a. | 413.00 | n.a. | 386.00 | n.a. | 4,776.00 | n.a. | 9,190.00 | n.a. |
| General Purpose 1:2 s2.4xlarge.2 | 16 | 32 | open Linux | 0.806033 | n.a. | 363.00 | n.a. | 308.00 | n.a. | 3,992.00 | n.a. | 7,259.00 | n.a. |
| | | | Oracle Linux | 0.835552 | n.a. | 385.00 | n.a. | 331.00 | n.a. | 4,258.00 | n.a. | 7,790.00 | n.a. |
| | | | Red Hat | 0.924110 | n.a. | 452.00 | n.a. | 397.00 | n.a. | 5,056.00 | n.a. | 9,386.00 | n.a. |
| | | | SUSE/SAP | 1.07 | n.a. | 600.00 | n.a. | 528.00 | n.a. | 6,623.00 | n.a. | 12,082.00 | n.a. |
| | | | SUSE Linux | 0.904430 | n.a. | 387.00 | n.a. | 331.00 | n.a. | 4,285.00 | n.a. | 7,790.00 | n.a. |
| | | | Windows | 1.42 | n.a. | 826.00 | n.a. | 772.00 | n.a. | 9,553.00 | n.a. | 18,379.00 | n.a. |
| General Purpose 1:2 s2.8xlarge.2 | 32 | 64 | open Linux | 1.61 | n.a. | 726.00 | n.a. | 617.00 | n.a. | 7,985.00 | n.a. | 14,518.00 | n.a. |
| | | | Oracle Linux | 1.64 | n.a. | 748.00 | n.a. | 639.00 | n.a. | 8,251.00 | n.a. | 15,049.00 | n.a. |
| | | | Red Hat | 1.73 | n.a. | 814.00 | n.a. | 706.00 | n.a. | 9,048.00 | n.a. | 16,644.00 | n.a. |
| | | | SUSE/SAP | 2.10 | n.a. | 963.00 | n.a. | 836.00 | n.a. | 10,615.00 | n.a. | 19,340.00 | n.a. |
| | | | SUSE Linux | 1.71 | n.a. | 750.00 | n.a. | 639.00 | n.a. | 8,277.00 | n.a. | 15,049.00 | n.a. |
| | | | Windows | 2.85 | n.a. | 1,653.00 | n.a. | 1,544.00 | n.a. | 19,105.00 | n.a. | 36,759.00 | n.a. |
| General Purpose 1:4 s2.medium.4 | 1 | 4 | open Linux | 0.049220 | n.a. | 25.93 | n.a. | 21.68 | n.a. | 280.00 | n.a. | 456.00 | n.a. |
| | | | Oracle Linux | 0.082675 | n.a. | 49.28 | n.a. | 46.09 | n.a. | 572.00 | n.a. | 1,077.00 | n.a. |
| | | | Red Hat | 0.102720 | n.a. | 65.80 | n.a. | 61.75 | n.a. | 750.00 | n.a. | 1,377.00 | n.a. |
| | | | SUSE/SAP | 0.284620 | n.a. | 206.00 | n.a. | 185.90 | n.a. | 2,419.00 | n.a. | 4,399.00 | n.a. |
| | | | SUSE Linux | 0.111280 | n.a. | 51.49 | n.a. | 46.09 | n.a. | 599.00 | n.a. | 1,077.00 | n.a. |
| | | | Windows | 0.093872 | n.a. | 57.68 | n.a. | 54.49 | n.a. | 673.00 | n.a. | 1,279.00 | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose 1:4 s2.large.4 | 2 | 8 | open Linux | 0.105930 | n.a. | 54.25 | n.a. | 47.87 | n.a. | 613.00 | n.a. | 1,091.00 | n.a. |
| | | | Oracle Linux | 0.135830 | n.a. | 76.41 | n.a. | 70.02 | n.a. | 879.00 | n.a. | 1,623.00 | n.a. |
| | | | Red Hat | 0.162640 | n.a. | 98.56 | n.a. | 92.18 | n.a. | 1,144.00 | n.a. | 2,104.00 | n.a. |
| | | | SUSE/SAP | 0.341330 | n.a. | 252.00 | n.a. | 237.00 | n.a. | 2,969.00 | n.a. | 5,566.00 | n.a. |
| | | | SUSE Linux | 0.202230 | n.a. | 78.62 | n.a. | 70.02 | n.a. | 905.00 | n.a. | 1,621.00 | n.a. |
| | | | Windows | 0.187744 | n.a. | 115.37 | n.a. | 108.98 | n.a. | 1,346.00 | n.a. | 2,487.00 | n.a. |
| General Purpose 1:4 s2.xlarge.4 | 4 | 16 | open Linux | 0.212621 | n.a. | 108.50 | n.a. | 95.74 | n.a. | 1,225.00 | n.a. | 2,153.00 | n.a. |
| | | | Oracle Linux | 0.242140 | n.a. | 130.66 | n.a. | 117.89 | n.a. | 1,491.00 | n.a. | 2,715.00 | n.a. |
| | | | Red Hat | 0.271659 | n.a. | 152.81 | n.a. | 140.05 | n.a. | 1,757.00 | n.a. | 3,246.00 | n.a. |
| | | | SUSE/SAP | 0.450470 | n.a. | 329.00 | n.a. | 315.00 | n.a. | 3,856.00 | n.a. | 7,006.00 | n.a. |
| | | | SUSE Linux | 0.311018 | n.a. | 132.87 | n.a. | 117.89 | n.a. | 1,518.00 | n.a. | 2,715.00 | n.a. |
| | | | Windows | 0.375490 | n.a. | 231.00 | n.a. | 218.00 | n.a. | 2,692.00 | n.a. | 5,054.00 | n.a. |
| General Purpose 1:4 s2.2xlarge.4 | 8 | 32 | open Linux | 0.425243 | n.a. | 217.00 | n.a. | 191.48 | n.a. | 2,451.00 | n.a. | 4,366.00 | n.a. |
| | | | Oracle Linux | 0.454762 | n.a. | 239.00 | n.a. | 214.00 | n.a. | 2,717.00 | n.a. | 4,897.00 | n.a. |
| | | | Red Hat | 0.543319 | n.a. | 306.00 | n.a. | 280.00 | n.a. | 3,514.00 | n.a. | 6,492.00 | n.a. |
| | | | SUSE/SAP | 0.690150 | n.a. | 454.00 | n.a. | 411.00 | n.a. | 5,082.00 | n.a. | 9,189.00 | n.a. |
| | | | SUSE Linux | 0.523640 | n.a. | 241.00 | n.a. | 214.00 | n.a. | 2,743.00 | n.a. | 4,897.00 | n.a. |
| | | | Windows | 0.750978 | n.a. | 461.00 | n.a. | 436.00 | n.a. | 5,384.00 | n.a. | 10,200.00 | n.a. |
| General Purpose 1:4 s2.4xlarge.4 | 16 | 64 | open Linux | 0.850485 | n.a. | 434.00 | n.a. | 383.00 | n.a. | 4,902.00 | n.a. | 8,731.00 | n.a. |
| | | | Oracle Linux | 0.880004 | n.a. | 456.00 | n.a. | 405.00 | n.a. | 5,168.00 | n.a. | 9,263.00 | n.a. |
| | | | Red Hat | 0.968562 | n.a. | 523.00 | n.a. | 472.00 | n.a. | 5,965.00 | n.a. | 10,858.00 | n.a. |
| | | | SUSE/SAP | 1.15 | n.a. | 672.00 | n.a. | 602.00 | n.a. | 7,532.00 | n.a. | 13,554.00 | n.a. |
| | | | SUSE Linux | 0.948882 | n.a. | 458.00 | n.a. | 405.00 | n.a. | 5,194.00 | n.a. | 9,263.00 | n.a. |
| | | | Windows | 1.50 | n.a. | 923.00 | n.a. | 872.00 | n.a. | 10,769.00 | n.a. | 20,465.00 | n.a. |
| General Purpose 1:4 s2.8xlarge.4 | 32 | 128 | open Linux | 1.70 | n.a. | 868.00 | n.a. | 766.00 | n.a. | 9,804.00 | n.a. | 17,463.00 | n.a. |
| | | | Oracle Linux | 1.73 | n.a. | 890.00 | n.a. | 788.00 | n.a. | 10,070.00 | n.a. | 17,995.00 | n.a. |
| | | | Red Hat | 1.82 | n.a. | 957.00 | n.a. | 855.00 | n.a. | 10,867.00 | n.a. | 19,590.00 | n.a. |
| | | | SUSE/SAP | 2.19 | n.a. | 1,106.00 | n.a. | 985.00 | n.a. | 12,434.00 | n.a. | 22,286.00 | n.a. |
| | | | SUSE Linux | 1.80 | n.a. | 892.00 | n.a. | 788.00 | n.a. | 10,096.00 | n.a. | 17,995.00 | n.a. |
| | | | Windows | 3.00 | n.a. | 1,846.00 | n.a. | 1,744.00 | n.a. | 21,537.00 | n.a. | 40,930.00 | n.a. |
| General Purpose 1:8 s2.medium.8 | 1 | 8 | open Linux | 0.240000 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.318400 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.390400 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.944000 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.393600 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.411200 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose 1:8 s2.large.8 | 2 | 16 | open Linux | 0.380800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.444800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.528000 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.08 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.614400 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.852202 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose 1:8 s2.xlarge.8 | 4 | 32 | open Linux | 0.735680 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.796800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.908800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.44 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.02 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.59 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose 1:8 s2.2xlarge.8 | 8 | 64 | open Linux | 1.47 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.64 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.89 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.17 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.80 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.82 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose 1:8 s2.4xlarge.8 | 16 | 128 | open Linux | 3.71 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 3.95 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.13 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.41 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.11 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 6.82 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose 1:8 s2.8xlarge.8 | 32 | 256 | open Linux | 7.26 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 7.38 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 7.68 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 7.97 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 7.71 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 12.10 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.1.1.1

# 6.2.1.2 General purpose – s3

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose s3.medium.1 | 1 | 1 | open Linux | 0.051175 | 0.039917 | 23.15 | 18.06 | 19.94 | 15.55 | 258.00 | 201.24 | 469.00 | 365.82 |
| | | | Oracle Linux | 0.068514 | 0.053441 | 35.24 | 27.49 | 31.72 | 24.74 | 399.00 | 311.22 | 752.00 | 586.56 |
| | | | Red Hat | 0.081075 | 0.063239 | 47.02 | 36.68 | 43.51 | 33.94 | 541.00 | 421.98 | 1,035.00 | 807.30 |
| | | | SUSE/SAP | 0.177675 | 0.138587 | 122.85 | 95.82 | 116.42 | 90.81 | 1,462.00 | 1,140.36 | 2,744.00 | 2,140.32 |
| | | | SUSE Linux | 0.100625 | 0.078488 | 36.42 | 28.41 | 31.72 | 24.74 | 414.00 | 322.92 | 752.00 | 586.56 |
| | | | Windows | 0.092981 | 0.072525 | 53.42 | 41.67 | 49.90 | 38.92 | 618.00 | 482.04 | 1,188.00 | 926.64 |
| General Purpose s3.large.1 | 2 | 2 | open Linux | 0.102350 | 0.079833 | 46.30 | 36.11 | 39.89 | 31.11 | 516.00 | 402.48 | 938.00 | 731.64 |
| | | | Oracle Linux | 0.137027 | 0.106881 | 70.49 | 54.98 | 63.45 | 49.49 | 799.00 | 623.22 | 1,504.00 | 1,173.12 |
| | | | Red Hat | 0.162150 | 0.126477 | 94.05 | 73.36 | 87.01 | 67.87 | 1,082.00 | 843.96 | 2,069.00 | 1,613.82 |
| | | | SUSE/SAP | 0.355350 | 0.277173 | 246.00 | 191.88 | 233.00 | 181.74 | 2,924.00 | 2,280.72 | 5,487.00 | 4,279.86 |
| | | | SUSE Linux | 0.201250 | 0.156975 | 72.84 | 56.82 | 63.45 | 49.49 | 827.00 | 645.06 | 1,504.00 | 1,173.12 |
| | | | Windows | 0.163760 | 0.127733 | 74.08 | 57.78 | 63.82 | 49.78 | 826.00 | 644.28 | 1,502.00 | 1,171.56 |
| General Purpose s3.xlarge.1 | 4 | 4 | open Linux | 0.210602 | 0.164270 | 93.85 | 73.20 | 79.77 | 62.22 | 1,032.00 | 804.96 | 1,877.00 | 1,464.06 |
| | | | Oracle Linux | 0.236900 | 0.184782 | 117.41 | 91.58 | 103.33 | 80.60 | 1,315.00 | 1,025.70 | 2,442.00 | 1,904.76 |
| | | | Red Hat | 0.274054 | 0.213762 | 140.97 | 109.96 | 126.90 | 98.98 | 1,598.00 | 1,246.44 | 3,008.00 | 2,346.24 |
| | | | SUSE/SAP | 0.469200 | 0.365976 | 339.00 | 264.42 | 313.00 | 244.14 | 3,830.00 | 2,987.40 | 7,007.00 | 5,465.46 |
| | | | SUSE Linux | 0.316356 | 0.246758 | 119.77 | 93.42 | 103.33 | 80.60 | 1,343.00 | 1,047.54 | 2,442.00 | 1,904.76 |
| | | | Windows | 0.336963 | 0.262831 | 150.16 | 117.12 | 127.63 | 99.55 | 1,652.00 | 1,288.56 | 3,003.00 | 2,342.34 |
| General Purpose s3.2xlarge.1 | 8 | 8 | open Linux | 0.421205 | 0.328540 | 187.70 | 146.41 | 159.54 | 124.44 | 2,065.00 | 1,610.70 | 3,754.00 | 2,928.12 |
| | | | Oracle Linux | 0.452931 | 0.353286 | 211.00 | 164.58 | 183.10 | 142.82 | 2,347.00 | 1,830.66 | 4,319.00 | 3,368.82 |
| | | | Red Hat | 0.548110 | 0.427526 | 282.00 | 219.96 | 254.00 | 198.12 | 3,196.00 | 2,492.88 | 6,016.00 | 4,692.48 |
| | | | SUSE/SAP | 0.677350 | 0.528333 | 440.00 | 343.20 | 393.00 | 306.54 | 4,863.00 | 3,793.14 | 8,884.00 | 6,929.52 |
| | | | SUSE Linux | 0.520950 | 0.406341 | 214.00 | 166.92 | 183.10 | 142.82 | 2,376.00 | 1,853.28 | 4,319.00 | 3,368.82 |
| | | | Windows | 0.673928 | 0.525664 | 300.00 | 234.00 | 255.00 | 198.90 | 3,303.00 | 2,576.34 | 6,006.00 | 4,684.68 |
| General Purpose s3.4xlarge.1 | 16 | 16 | open Linux | 0.842410 | 0.657080 | 375.00 | 292.50 | 319.00 | 248.82 | 4,129.00 | 3,220.62 | 7,508.00 | 5,856.24 |
| | | | Oracle Linux | 0.874136 | 0.681826 | 399.00 | 311.22 | 343.00 | 267.54 | 4,412.00 | 3,441.36 | 8,073.00 | 6,296.94 |
| | | | Red Hat | 0.969314 | 0.756065 | 470.00 | 366.60 | 413.00 | 322.14 | 5,260.00 | 4,102.80 | 9,770.00 | 7,620.60 |
| | | | SUSE/SAP | 1.11 | 0.865800 | 628.00 | 489.84 | 552.00 | 430.56 | 6,927.00 | 5,403.06 | 12,638.00 | 9,857.64 |
| | | | SUSE Linux | 0.948164 | 0.739568 | 401.00 | 312.78 | 343.00 | 267.54 | 4,440.00 | 3,463.20 | 8,073.00 | 6,296.94 |
| | | | Windows | 1.35 | 1.05 | 601.00 | 468.78 | 511.00 | 398.58 | 6,607.00 | 5,153.46 | 12,013.00 | 9,370.14 |
| General Purpose s3.8xlarge.1 | 32 | 32 | open Linux | 1.68 | 1.31 | 751.00 | 585.78 | 638.00 | 497.64 | 8,259.00 | 6,442.02 | 15,016.00 | 11,712.48 |
| | | | Oracle Linux | 1.72 | 1.34 | 774.00 | 603.72 | 662.00 | 516.36 | 8,541.00 | 6,661.98 | 15,581.00 | 12,153.18 |
| | | | Red Hat | 1.81 | 1.41 | 845.00 | 659.10 | 732.00 | 570.96 | 9,390.00 | 7,324.20 | 17,278.00 | 13,476.84 |
| | | | SUSE/SAP | 2.21 | 1.72 | 1,003.00 | 782.34 | 871.00 | 679.38 | 11,057.00 | 8,624.46 | 20,145.00 | 15,713.10 |
| | | | SUSE Linux | 1.79 | 1.40 | 777.00 | 606.06 | 662.00 | 516.36 | 8,570.00 | 6,684.60 | 15,581.00 | 12,153.18 |
| | | | Windows | 2.70 | 2.11 | 1,201.00 | 936.78 | 1,021.00 | 796.38 | 13,214.00 | 10,306.92 | 24,025.00 | 18,739.50 |
| General Purpose s3.medium.2 | 1 | 2 | open Linux | 0.054144 | 0.043315 | 24.13 | 19.30 | 20.51 | 16.41 | 265.00 | 212.00 | 483.00 | 386.40 |
| | | | Oracle Linux | 0.070007 | 0.056006 | 35.91 | 28.73 | 32.29 | 25.83 | 407.00 | 325.60 | 765.00 | 612.00 |
| | | | Red Hat | 0.085675 | 0.068540 | 47.69 | 38.15 | 44.07 | 35.26 | 548.00 | 438.40 | 1,048.00 | 838.40 |
| | | | SUSE/SAP | 0.184000 | 0.147200 | 131.63 | 105.30 | 128.12 | 102.50 | 1,550.00 | 1,240.00 | 3,041.00 | 2,432.80 |
| | | | SUSE Linux | 0.102925 | 0.082340 | 37.09 | 29.67 | 32.29 | 25.83 | 421.00 | 336.80 | 765.00 | 612.00 |
| | | | Windows | 0.086630 | 0.069304 | 38.60 | 30.88 | 32.81 | 26.25 | 425.00 | 340.00 | 772.00 | 617.60 |
| General Purpose s3.large.2 | 2 | 4 | open Linux | 0.108287 | 0.086630 | 48.25 | 38.60 | 41.02 | 32.82 | 531.00 | 424.80 | 965.00 | 772.00 |
| | | | Oracle Linux | 0.140014 | 0.112011 | 71.82 | 57.46 | 64.58 | 51.66 | 814.00 | 651.20 | 1,531.00 | 1,224.80 |
| | | | Red Hat | 0.171350 | 0.137080 | 95.38 | 76.30 | 88.14 | 70.51 | 1,096.00 | 876.80 | 2,096.00 | 1,676.80 |
| | | | SUSE/SAP | 0.368000 | 0.294400 | 263.00 | 210.40 | 256.00 | 204.80 | 3,101.00 | 2,480.80 | 6,083.00 | 4,866.40 |
| | | | SUSE Linux | 0.205850 | 0.164680 | 74.17 | 59.34 | 64.58 | 51.66 | 842.00 | 673.60 | 1,531.00 | 1,224.80 |
| | | | Windows | 0.173260 | 0.138608 | 77.21 | 61.77 | 65.63 | 52.50 | 849.00 | 679.20 | 1,544.00 | 1,235.20 |
| General Purpose s3.xlarge.2 | 4 | 8 | open Linux | 0.216574 | 0.173259 | 96.51 | 77.21 | 82.03 | 65.62 | 1,062.00 | 849.60 | 1,930.00 | 1,544.00 |
| | | | Oracle Linux | 0.248300 | 0.198640 | 120.07 | 96.06 | 105.60 | 84.48 | 1,344.00 | 1,075.20 | 2,496.00 | 1,996.80 |
| | | | Red Hat | 0.280026 | 0.224021 | 143.64 | 114.91 | 129.16 | 103.33 | 1,627.00 | 1,301.60 | 3,061.00 | 2,448.80 |
| | | | SUSE/SAP | 0.481850 | 0.385480 | 349.00 | 279.20 | 315.00 | 252.00 | 3,860.00 | 3,088.00 | 7,060.00 | 5,648.00 |
| | | | SUSE Linux | 0.322328 | 0.257862 | 122.43 | 97.94 | 105.60 | 84.48 | 1,373.00 | 1,098.40 | 2,496.00 | 1,996.80 |
| | | | Windows | 0.346518 | 0.277214 | 154.41 | 123.53 | 131.25 | 105.00 | 1,699.00 | 1,359.20 | 3,088.00 | 2,470.40 |
| General Purpose s3.2xlarge.2 | 8 | 16 | open Linux | 0.433149 | 0.346519 | 193.02 | 154.42 | 164.07 | 131.26 | 2,123.00 | 1,698.40 | 3,860.00 | 3,088.00 |
| | | | Oracle Linux | 0.464875 | 0.371900 | 217.00 | 173.60 | 187.63 | 150.10 | 2,406.00 | 1,924.80 | 4,426.00 | 3,540.80 |
| | | | Red Hat | 0.560053 | 0.448042 | 287.00 | 229.60 | 258.00 | 206.40 | 3,254.00 | 2,603.20 | 6,122.00 | 4,897.60 |
| | | | SUSE/SAP | 0.712425 | 0.569940 | 446.00 | 356.80 | 397.00 | 317.60 | 4,921.00 | 3,936.80 | 8,990.00 | 7,192.00 |
| | | | SUSE Linux | 0.538903 | 0.431122 | 219.00 | 175.20 | 187.63 | 150.10 | 2,434.00 | 1,947.20 | 4,426.00 | 3,540.80 |
| | | | Windows | 0.693038 | 0.554430 | 309.00 | 247.20 | 263.00 | 210.40 | 3,397.00 | 2,717.60 | 6,177.00 | 4,941.60 |
| General Purpose s3.4xlarge.2 | 16 | 32 | open Linux | 0.866297 | 0.693038 | 386.00 | 308.80 | 328.00 | 262.40 | 4,246.00 | 3,396.80 | 7,721.00 | 6,176.80 |
| | | | Oracle Linux | 0.898024 | 0.718419 | 410.00 | 328.00 | 352.00 | 281.60 | 4,529.00 | 3,623.20 | 8,286.00 | 6,628.80 |
| | | | Red Hat | 0.993202 | 0.794562 | 480.00 | 384.00 | 422.00 | 337.60 | 5,377.00 | 4,301.60 | 9,983.00 | 7,986.40 |
| | | | SUSE/SAP | 1.15 | 0.920000 | 639.00 | 511.20 | 561.00 | 448.80 | 7,044.00 | 5,635.20 | 12,850.00 | 10,280.00 |
| | | | SUSE Linux | 0.972051 | 0.777641 | 412.00 | 329.60 | 352.00 | 281.60 | 4,557.00 | 3,645.60 | 8,286.00 | 6,628.80 |
| | | | Windows | 1.39 | 1.11 | 618.00 | 494.40 | 525.00 | 420.00 | 6,794.00 | 5,435.20 | 12,353.00 | 9,882.40 |
| General Purpose s3.8xlarge.2 | 32 | 64 | open Linux | 1.73 | 1.38 | 772.00 | 617.60 | 656.00 | 524.80 | 8,493.00 | 6,794.40 | 15,441.00 | 12,352.80 |
| | | | Oracle Linux | 1.76 | 1.41 | 796.00 | 636.80 | 680.00 | 544.00 | 8,776.00 | 7,020.80 | 16,007.00 | 12,805.60 |
| | | | Red Hat | 1.86 | 1.49 | 866.00 | 692.80 | 751.00 | 600.80 | 9,624.00 | 7,699.20 | 17,704.00 | 14,163.20 |
| | | | SUSE/SAP | 2.26 | 1.81 | 1,025.00 | 820.00 | 889.00 | 711.20 | 11,291.00 | 9,032.80 | 20,571.00 | 16,456.80 |
| | | | SUSE Linux | 1.84 | 1.47 | 798.00 | 638.40 | 680.00 | 544.00 | 8,804.00 | 7,043.20 | 16,007.00 | 12,805.60 |
| | | | Windows | 2.77 | 2.22 | 1,235.00 | 988.00 | 1,050.00 | 840.00 | 13,589.00 | 10,871.20 | 24,706.00 | 19,764.80 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose s3.medium.4 | 1 | 4 | open Linux | 0.052900 | 0.042320 | 27.58 | 22.06 | 23.06 | 18.45 | 298.00 | 238.40 | 428.00 | 342.40 |
| | | | Oracle Linux | 0.088856 | 0.071085 | 52.42 | 41.94 | 49.02 | 39.22 | 609.00 | 487.20 | 993.00 | 794.40 |
| | | | Red Hat | 0.110400 | 0.088320 | 69.99 | 55.99 | 65.68 | 52.54 | 797.00 | 637.60 | 1,465.00 | 1,172.00 |
| | | | SUSE/SAP | 0.305900 | 0.244720 | 219.00 | 175.20 | 197.73 | 158.18 | 2,573.00 | 2,058.40 | 4,679.00 | 3,743.20 |
| | | | SUSE Linux | 0.119600 | 0.095680 | 54.77 | 43.82 | 49.02 | 39.22 | 637.00 | 509.60 | 993.00 | 794.40 |
| | | | Windows | 0.084640 | 0.067712 | 44.12 | 35.30 | 36.90 | 29.52 | 477.00 | 381.60 | 684.00 | 547.20 |
| General Purpose s3.large.4 | 2 | 8 | open Linux | 0.113850 | 0.091080 | 57.70 | 46.16 | 50.92 | 40.74 | 652.00 | 521.60 | 855.00 | 684.00 |
| | | | Oracle Linux | 0.145986 | 0.116789 | 81.27 | 65.02 | 74.48 | 59.58 | 934.00 | 747.20 | 1,421.00 | 1,136.80 |
| | | | Red Hat | 0.174800 | 0.139840 | 104.83 | 83.86 | 98.04 | 78.43 | 1,217.00 | 973.60 | 1,986.00 | 1,588.80 |
| | | | SUSE/SAP | 0.366850 | 0.293480 | 268.00 | 214.40 | 252.00 | 201.60 | 3,158.00 | 2,526.40 | 5,920.00 | 4,736.00 |
| | | | SUSE Linux | 0.217350 | 0.173880 | 83.62 | 66.90 | 74.48 | 59.58 | 963.00 | 770.40 | 1,421.00 | 1,136.80 |
| | | | Windows | 0.182160 | 0.145728 | 92.33 | 73.86 | 81.47 | 65.18 | 1,043.00 | 834.40 | 1,369.00 | 1,095.20 |
| General Purpose s3.xlarge.4 | 4 | 16 | open Linux | 0.228518 | 0.182814 | 115.41 | 92.33 | 101.83 | 81.46 | 1,303.00 | 1,042.40 | 1,711.00 | 1,368.80 |
| | | | Oracle Linux | 0.260244 | 0.208195 | 138.97 | 111.18 | 125.39 | 100.31 | 1,586.00 | 1,268.80 | 2,276.00 | 1,820.80 |
| | | | Red Hat | 0.291970 | 0.233576 | 162.54 | 130.03 | 148.96 | 119.17 | 1,869.00 | 1,495.20 | 2,842.00 | 2,273.60 |
| | | | SUSE/SAP | 0.484150 | 0.387320 | 350.00 | 280.00 | 335.00 | 268.00 | 4,101.00 | 3,280.80 | 6,840.00 | 5,472.00 |
| | | | SUSE Linux | 0.334272 | 0.267418 | 141.33 | 113.06 | 125.39 | 100.31 | 1,614.00 | 1,291.20 | 2,276.00 | 1,820.80 |
| | | | Windows | 0.365628 | 0.292502 | 184.65 | 147.72 | 162.93 | 130.34 | 2,086.00 | 1,668.80 | 2,737.00 | 2,189.60 |
| General Purpose s3.2xlarge.4 | 8 | 32 | open Linux | 0.457036 | 0.365629 | 231.00 | 184.80 | 204.00 | 163.20 | 2,607.00 | 2,085.60 | 3,422.00 | 2,737.60 |
| | | | Oracle Linux | 0.488763 | 0.391010 | 254.00 | 203.20 | 227.00 | 181.60 | 2,890.00 | 2,312.00 | 3,987.00 | 3,189.60 |
| | | | Red Hat | 0.583941 | 0.467153 | 325.00 | 260.00 | 298.00 | 238.40 | 3,738.00 | 2,990.40 | 5,684.00 | 4,547.20 |
| | | | SUSE/SAP | 0.741750 | 0.593400 | 483.00 | 386.40 | 437.00 | 349.60 | 5,405.00 | 4,324.00 | 8,551.00 | 6,840.80 |
| | | | SUSE Linux | 0.562790 | 0.450232 | 257.00 | 205.60 | 227.00 | 181.60 | 2,918.00 | 2,334.40 | 3,987.00 | 3,189.60 |
| | | | Windows | 0.731258 | 0.585006 | 369.00 | 295.20 | 326.00 | 260.80 | 4,171.00 | 3,336.80 | 5,474.00 | 4,379.20 |
| General Purpose s3.4xlarge.4 | 16 | 64 | open Linux | 0.914073 | 0.731258 | 462.00 | 369.60 | 407.00 | 325.60 | 5,214.00 | 4,171.20 | 6,843.00 | 5,474.40 |
| | | | Oracle Linux | 0.945799 | 0.756639 | 485.00 | 388.00 | 431.00 | 344.80 | 5,497.00 | 4,397.60 | 7,409.00 | 5,927.20 |
| | | | Red Hat | 1.04 | 0.832000 | 556.00 | 444.80 | 502.00 | 401.60 | 6,345.00 | 5,076.00 | 9,105.00 | 7,284.00 |
| | | | SUSE/SAP | 1.24 | 0.992000 | 714.00 | 571.20 | 640.00 | 512.00 | 8,012.00 | 6,409.60 | 11,973.00 | 9,578.40 |
| | | | SUSE Linux | 1.02 | 0.816000 | 488.00 | 390.40 | 431.00 | 344.80 | 5,525.00 | 4,420.00 | 7,409.00 | 5,927.20 |
| | | | Windows | 1.46 | 1.17 | 739.00 | 591.20 | 652.00 | 521.60 | 8,342.00 | 6,673.60 | 10,949.00 | 8,759.20 |
| General Purpose s3.8xlarge.4 | 32 | 128 | open Linux | 1.83 | 1.46 | 923.00 | 738.40 | 815.00 | 652.00 | 10,428.00 | 8,342.40 | 13,686.00 | 10,948.80 |
| | | | Oracle Linux | 1.86 | 1.49 | 947.00 | 757.60 | 838.00 | 670.40 | 10,710.00 | 8,568.00 | 14,252.00 | 11,401.60 |
| | | | Red Hat | 1.96 | 1.57 | 1,018.00 | 814.40 | 909.00 | 727.20 | 11,559.00 | 9,247.20 | 15,948.00 | 12,758.40 |
| | | | SUSE/SAP | 2.35 | 1.88 | 1,176.00 | 940.80 | 1,048.00 | 838.40 | 13,226.00 | 10,580.80 | 18,816.00 | 15,052.80 |
| | | | SUSE Linux | 1.93 | 1.54 | 949.00 | 759.20 | 838.00 | 670.40 | 10,739.00 | 8,591.20 | 14,252.00 | 11,401.60 |
| | | | Windows | 2.93 | 2.34 | 1,477.00 | 1,181.60 | 1,303.00 | 1,042.40 | 16,684.00 | 13,347.20 | 21,898.00 | 17,518.40 |
| General Purpose s3.medium.8 | 1 | 8 | open Linux | 0.241500 | 0.207690 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.320390 | 0.275535 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.392840 | 0.337842 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.949900 | 0.816914 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.396060 | 0.340612 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.413770 | 0.355842 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose s3.large.8 | 2 | 16 | open Linux | 0.383180 | 0.329535 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.447580 | 0.384919 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.531300 | 0.456918 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.09 | 0.937400 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.618240 | 0.531686 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.857528 | 0.737474 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose s3.xlarge.8 | 4 | 32 | open Linux | 0.740278 | 0.636639 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.801780 | 0.689531 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.914480 | 0.786453 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.45 | 1.25 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.03 | 0.885800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.60 | 1.38 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose s3.2xlarge.8 | 8 | 64 | open Linux | 1.48 | 1.27 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.65 | 1.42 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.90 | 1.63 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.19 | 1.88 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.81 | 1.56 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.84 | 2.44 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose s3.4xlarge.8 | 16 | 128 | open Linux | 3.73 | 3.21 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 3.97 | 3.41 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.15 | 3.57 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.44 | 3.82 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.13 | 3.55 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 6.86 | 5.90 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| General Purpose s3.8xlarge.8 | 32 | 256 | open Linux | 7.31 | 6.29 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 7.42 | 6.38 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 7.73 | 6.65 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 8.02 | 6.90 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 7.76 | 6.67 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 12.17 | 10.47 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.1.1.1

## 6.2.1.3 General purpose – s7n

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose s7n.small.1 | 1 | 1 | open Linux | 0.054757 | 0.043806 | 24.77 | 19.82 | 21.34 | 17.07 | 276.00 | 220.80 | 502.00 | 401.60 |
| | | | Oracle Linux | 0.073309 | 0.058647 | 37.71 | 30.17 | 33.94 | 27.15 | 427.00 | 341.60 | 805.00 | 644.00 |
| | | | Red Hat | 0.086750 | 0.069400 | 50.32 | 40.26 | 46.55 | 37.24 | 579.00 | 463.20 | 1,107.00 | 885.60 |
| | | | SUSE/SAP | 0.190112 | 0.152090 | 131.45 | 105.16 | 124.56 | 99.65 | 1,564.00 | 1,251.20 | 2,936.00 | 2,348.80 |
| | | | SUSE Linux | 0.107669 | 0.086135 | 38.97 | 31.18 | 33.94 | 27.15 | 443.00 | 354.40 | 805.00 | 644.00 |
| | | | Windows | 0.087612 | 0.070090 | 39.63 | 31.70 | 34.14 | 27.31 | 442.00 | 353.60 | 803.00 | 642.40 |
| General Purpose s7n.medium.2 | 1 | 2 | open Linux | 0.057934 | 0.046347 | 25.82 | 20.66 | 21.94 | 17.55 | 284.00 | 227.20 | 516.00 | 412.80 |
| | | | Oracle Linux | 0.074907 | 0.059926 | 38.42 | 30.74 | 34.55 | 27.64 | 435.00 | 348.00 | 819.00 | 655.20 |
| | | | Red Hat | 0.091672 | 0.073338 | 51.03 | 40.82 | 47.16 | 37.73 | 587.00 | 469.60 | 1,121.00 | 896.80 |
| | | | SUSE/SAP | 0.196880 | 0.157504 | 140.84 | 112.67 | 137.08 | 109.66 | 1,659.00 | 1,327.20 | 3,254.00 | 2,603.20 |
| | | | SUSE Linux | 0.110130 | 0.088104 | 39.68 | 31.74 | 34.55 | 27.64 | 450.00 | 360.00 | 819.00 | 655.20 |
| | | | Windows | 0.092694 | 0.074155 | 41.31 | 33.05 | 35.11 | 28.09 | 454.00 | 363.20 | 826.00 | 660.80 |
| General Purpose s7n.large.2 | 2 | 4 | open Linux | 0.115868 | 0.092694 | 51.63 | 41.30 | 43.89 | 35.11 | 568.00 | 454.40 | 1,033.00 | 826.40 |
| | | | Oracle Linux | 0.149815 | 0.119852 | 76.84 | 61.47 | 69.10 | 55.28 | 871.00 | 696.80 | 1,638.00 | 1,310.40 |
| | | | Red Hat | 0.183345 | 0.146676 | 102.06 | 81.65 | 94.31 | 75.45 | 1,173.00 | 938.40 | 2,243.00 | 1,794.40 |
| | | | SUSE/SAP | 0.393760 | 0.315008 | 282.00 | 225.60 | 274.00 | 219.20 | 3,318.00 | 2,654.40 | 6,509.00 | 5,207.20 |
| | | | SUSE Linux | 0.220260 | 0.176208 | 79.37 | 63.50 | 69.10 | 55.28 | 901.00 | 720.80 | 1,638.00 | 1,310.40 |
| | | | Windows | 0.185388 | 0.148310 | 82.61 | 66.09 | 70.22 | 56.18 | 909.00 | 727.20 | 1,652.00 | 1,321.60 |
| General Purpose s7n.xlarge.2 | 4 | 8 | open Linux | 0.231734 | 0.185387 | 103.26 | 82.61 | 87.78 | 70.22 | 1,136.00 | 908.80 | 2,065.00 | 1,652.00 |
| | | | Oracle Linux | 0.265681 | 0.212545 | 128.48 | 102.78 | 112.99 | 90.39 | 1,438.00 | 1,150.40 | 2,670.00 | 2,136.00 |
| | | | Red Hat | 0.299628 | 0.239702 | 153.69 | 122.95 | 138.20 | 110.56 | 1,741.00 | 1,392.80 | 3,275.00 | 2,620.00 |
| | | | SUSE/SAP | 0.515580 | 0.412464 | 374.00 | 299.20 | 337.00 | 269.60 | 4,130.00 | 3,304.00 | 7,554.00 | 6,043.20 |
| | | | SUSE Linux | 0.344891 | 0.275913 | 131.00 | 104.80 | 112.99 | 90.39 | 1,469.00 | 1,175.20 | 2,670.00 | 2,136.00 |
| | | | Windows | 0.370774 | 0.296619 | 165.22 | 132.18 | 140.44 | 112.35 | 1,817.00 | 1,453.60 | 3,304.00 | 2,643.20 |
| General Purpose s7n.2xlarge.2 | 8 | 16 | open Linux | 0.463469 | 0.370775 | 207.00 | 165.60 | 175.55 | 140.44 | 2,272.00 | 1,817.60 | 4,131.00 | 3,304.80 |
| | | | Oracle Linux | 0.497416 | 0.397933 | 232.00 | 185.60 | 201.00 | 160.80 | 2,574.00 | 2,059.20 | 4,736.00 | 3,788.80 |
| | | | Red Hat | 0.599257 | 0.479406 | 307.00 | 245.60 | 276.00 | 220.80 | 3,482.00 | 2,785.60 | 6,551.00 | 5,240.80 |
| | | | SUSE/SAP | 0.762295 | 0.609836 | 477.00 | 381.60 | 425.00 | 340.00 | 5,266.00 | 4,212.80 | 9,619.00 | 7,695.20 |
| | | | SUSE Linux | 0.576626 | 0.461301 | 234.00 | 187.20 | 201.00 | 160.80 | 2,605.00 | 2,084.00 | 4,736.00 | 3,788.80 |
| | | | Windows | 0.741550 | 0.593240 | 330.00 | 264.00 | 281.00 | 224.80 | 3,635.00 | 2,908.00 | 6,609.00 | 5,287.20 |
| General Purpose s7n.medium.4 | 1 | 4 | open Linux | 0.060910 | 0.048728 | 30.87 | 24.70 | 27.24 | 21.79 | 349.00 | 279.20 | 458.00 | 366.40 |
| | | | Oracle Linux | 0.095076 | 0.076061 | 56.08 | 44.86 | 52.45 | 41.96 | 651.00 | 520.80 | 1,063.00 | 850.40 |
| | | | Red Hat | 0.118128 | 0.094502 | 74.89 | 59.91 | 70.28 | 56.22 | 853.00 | 682.40 | 1,567.00 | 1,253.60 |
| | | | SUSE/SAP | 0.327313 | 0.261850 | 234.00 | 187.20 | 212.00 | 169.60 | 2,753.00 | 2,202.40 | 5,006.00 | 4,004.80 |
| | | | SUSE Linux | 0.127972 | 0.102378 | 58.61 | 46.89 | 52.45 | 41.96 | 681.00 | 544.80 | 1,063.00 | 850.40 |
| | | | Windows | 0.097456 | 0.077965 | 49.40 | 39.52 | 43.58 | 34.86 | 558.00 | 446.40 | 732.00 | 585.60 |
| General Purpose s7n.large.4 | 2 | 8 | open Linux | 0.121820 | 0.097456 | 61.74 | 49.39 | 54.48 | 43.58 | 697.00 | 557.60 | 915.00 | 732.00 |
| | | | Oracle Linux | 0.156205 | 0.124964 | 86.96 | 69.57 | 79.69 | 63.75 | 1,000.00 | 800.00 | 1,520.00 | 1,216.00 |
| | | | Red Hat | 0.187036 | 0.149629 | 112.17 | 89.74 | 104.90 | 83.92 | 1,302.00 | 1,041.60 | 2,125.00 | 1,700.00 |
| | | | SUSE/SAP | 0.392530 | 0.314024 | 287.00 | 229.60 | 269.00 | 215.20 | 3,379.00 | 2,703.20 | 6,335.00 | 5,068.00 |
| | | | SUSE Linux | 0.232565 | 0.186052 | 89.48 | 71.58 | 79.69 | 63.75 | 1,030.00 | 824.00 | 1,520.00 | 1,216.00 |
| | | | Windows | 0.194911 | 0.155929 | 98.79 | 79.03 | 87.17 | 69.74 | 1,116.00 | 892.80 | 1,464.00 | 1,171.20 |
| General Purpose s7n.xlarge.4 | 4 | 16 | open Linux | 0.244514 | 0.195611 | 123.49 | 98.79 | 108.96 | 87.17 | 1,395.00 | 1,116.00 | 1,831.00 | 1,464.80 |
| | | | Oracle Linux | 0.278461 | 0.222769 | 148.70 | 118.96 | 134.17 | 107.34 | 1,697.00 | 1,357.60 | 2,436.00 | 1,948.80 |
| | | | Red Hat | 0.312408 | 0.249926 | 173.91 | 139.13 | 159.38 | 127.50 | 2,000.00 | 1,600.00 | 3,041.00 | 2,432.80 |
| | | | SUSE/SAP | 0.518041 | 0.414433 | 374.00 | 299.20 | 358.00 | 286.40 | 4,389.00 | 3,511.20 | 7,319.00 | 5,855.20 |
| | | | SUSE Linux | 0.357671 | 0.286137 | 151.22 | 120.98 | 134.17 | 107.34 | 1,727.00 | 1,381.60 | 2,436.00 | 1,948.80 |
| | | | Windows | 0.391222 | 0.312978 | 197.58 | 158.06 | 174.34 | 139.47 | 2,231.00 | 1,784.80 | 2,929.00 | 2,343.20 |
| General Purpose s7n.2xlarge.4 | 8 | 32 | open Linux | 0.489029 | 0.391223 | 247.00 | 197.60 | 218.00 | 174.40 | 2,789.00 | 2,231.20 | 3,661.00 | 2,928.80 |
| | | | Oracle Linux | 0.522976 | 0.418381 | 272.00 | 217.60 | 243.00 | 194.40 | 3,092.00 | 2,473.60 | 4,266.00 | 3,412.80 |
| | | | Red Hat | 0.624817 | 0.499854 | 348.00 | 278.40 | 319.00 | 255.20 | 4,000.00 | 3,200.00 | 6,081.00 | 4,864.80 |
| | | | SUSE/SAP | 0.793673 | 0.634938 | 517.00 | 413.60 | 467.00 | 373.60 | 5,783.00 | 4,626.40 | 9,150.00 | 7,320.00 |
| | | | SUSE Linux | 0.602186 | 0.481749 | 275.00 | 220.00 | 243.00 | 194.40 | 3,122.00 | 2,497.60 | 4,266.00 | 3,412.80 |
| | | | Windows | 0.782446 | 0.625957 | 395.00 | 316.00 | 349.00 | 279.20 | 4,463.00 | 3,570.40 | 5,858.00 | 4,686.40 |

Back to 3.1.1.1

## 6.2.1.4 General purpose – s9

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose s9.medium.1 | 1 | 1 | open Linux | 0.044573 | 0.044573 | 21.48 | 21.48 | 18.22 | 18.22 | 14.64 | 14.64 | 250.00 | 250.00 | 422.00 | 422.00 | 492.00 | 492.00 |
| | | | Oracle Linux | 0.056504 | 0.056504 | 30.19 | 30.19 | 26.93 | 26.93 | 23.35 | 23.35 | 354.00 | 354.00 | 631.00 | 631.00 | 806.00 | 806.00 |
| | | | Red Hat | 0.109573 | 0.109573 | 68.93 | 68.93 | 65.67 | 65.67 | 62.09 | 62.09 | 819.00 | 819.00 | 1,560.00 | 1,560.00 | 2,200.00 | 2,200.00 |
| | | | SUSE/SAP | 0.157176 | 0.157176 | 103.68 | 103.68 | 100.42 | 100.42 | 96.84 | 96.84 | 1,236.00 | 1,236.00 | 2,394.00 | 2,394.00 | 3,451.00 | 3,451.00 |
| | | | SUSE Linux | 0.076628 | 0.076628 | 44.88 | 44.88 | 41.62 | 41.62 | 38.04 | 38.04 | 531.00 | 531.00 | 983.00 | 983.00 | 1,334.00 | 1,334.00 |
| | | | Windows | 0.067305 | 0.067305 | 38.07 | 38.07 | 34.82 | 34.82 | 31.24 | 31.24 | 449.00 | 449.00 | 820.00 | 820.00 | 1,089.00 | 1,089.00 |
| General Purpose s9.large.1 | 2 | 2 | open Linux | 0.089146 | 0.089146 | 42.95 | 42.95 | 36.44 | 36.44 | 29.28 | 29.28 | 500.00 | 500.00 | 843.00 | 843.00 | 984.00 | 984.00 |
| | | | Oracle Linux | 0.101077 | 0.101077 | 51.66 | 51.66 | 45.15 | 45.15 | 37.99 | 37.99 | 604.00 | 604.00 | 1,052.00 | 1,052.00 | 1,298.00 | 1,298.00 |
| | | | Red Hat | 0.154146 | 0.154146 | 90.40 | 90.40 | 83.89 | 83.89 | 76.73 | 76.73 | 1,069.00 | 1,069.00 | 1,982.00 | 1,982.00 | 2,692.00 | 2,692.00 |
| | | | SUSE/SAP | 0.201748 | 0.201748 | 125.15 | 125.15 | 118.64 | 118.64 | 111.48 | 111.48 | 1,486.00 | 1,486.00 | 2,816.00 | 2,816.00 | 3,943.00 | 3,943.00 |
| | | | SUSE Linux | 0.121200 | 0.121200 | 66.35 | 66.35 | 59.84 | 59.84 | 52.68 | 52.68 | 781.00 | 781.00 | 1,405.00 | 1,405.00 | 1,826.00 | 1,826.00 |
| | | | Windows | 0.134610 | 0.134610 | 76.14 | 76.14 | 69.63 | 69.63 | 62.47 | 62.47 | 898.00 | 898.00 | 1,640.00 | 1,640.00 | 2,179.00 | 2,179.00 |
| General Purpose s9.xlarge.1 | 4 | 4 | open Linux | 0.178291 | 0.178291 | 85.90 | 85.90 | 72.89 | 72.89 | 58.57 | 58.57 | 1,000.00 | 1,000.00 | 1,687.00 | 1,687.00 | 1,968.00 | 1,968.00 |
| | | | Oracle Linux | 0.190223 | 0.190223 | 94.61 | 94.61 | 81.60 | 81.60 | 67.28 | 67.28 | 1,104.00 | 1,104.00 | 1,896.00 | 1,896.00 | 2,281.00 | 2,281.00 |
| | | | Red Hat | 0.243291 | 0.243291 | 133.35 | 133.35 | 120.34 | 120.34 | 106.02 | 106.02 | 1,569.00 | 1,569.00 | 2,826.00 | 2,826.00 | 3,676.00 | 3,676.00 |
| | | | SUSE/SAP | 0.398401 | 0.398401 | 247.00 | 247.00 | 234.00 | 234.00 | 219.00 | 219.00 | 2,928.00 | 2,928.00 | 5,543.00 | 5,543.00 | 7,752.00 | 7,752.00 |
| | | | SUSE Linux | 0.223168 | 0.223168 | 118.66 | 118.66 | 105.65 | 105.65 | 91.33 | 91.33 | 1,393.00 | 1,393.00 | 2,473.00 | 2,473.00 | 3,147.00 | 3,147.00 |
| | | | Windows | 0.269220 | 0.269220 | 152.28 | 152.28 | 139.26 | 139.26 | 124.95 | 124.95 | 1,796.00 | 1,796.00 | 3,280.00 | 3,280.00 | 4,358.00 | 4,358.00 |
| General Purpose s9.2xlarge.1 | 8 | 8 | open Linux | 0.356582 | 0.356582 | 171.80 | 171.80 | 145.77 | 145.77 | 117.14 | 117.14 | 1,999.00 | 1,999.00 | 3,374.00 | 3,374.00 | 3,936.00 | 3,936.00 |
| | | | Oracle Linux | 0.368514 | 0.368514 | 180.51 | 180.51 | 154.48 | 154.48 | 125.85 | 125.85 | 2,104.00 | 2,104.00 | 3,583.00 | 3,583.00 | 4,249.00 | 4,249.00 |
| | | | Red Hat | 0.486582 | 0.486582 | 267.00 | 267.00 | 241.00 | 241.00 | 212.00 | 212.00 | 3,138.00 | 3,138.00 | 5,651.00 | 5,651.00 | 7,352.00 | 7,352.00 |
| | | | SUSE/SAP | 0.623706 | 0.623706 | 367.00 | 367.00 | 341.00 | 341.00 | 312.00 | 312.00 | 4,339.00 | 4,339.00 | 8,054.00 | 8,054.00 | 10,956.00 | 10,956.00 |
| | | | SUSE Linux | 0.401459 | 0.401459 | 205.00 | 205.00 | 178.53 | 178.53 | 149.90 | 149.90 | 2,392.00 | 2,392.00 | 4,160.00 | 4,160.00 | 5,115.00 | 5,115.00 |
| | | | Windows | 0.538439 | 0.538439 | 305.00 | 305.00 | 279.00 | 279.00 | 250.00 | 250.00 | 3,592.00 | 3,592.00 | 6,560.00 | 6,560.00 | 8,715.00 | 8,715.00 |
| General Purpose s9.4xlarge.1 | 16 | 16 | open Linux | 0.713165 | 0.713165 | 344.00 | 344.00 | 292.00 | 292.00 | 234.00 | 234.00 | 3,998.00 | 3,998.00 | 6,747.00 | 6,747.00 | 7,872.00 | 7,872.00 |
| | | | Oracle Linux | 0.725096 | 0.725096 | 352.00 | 352.00 | 300.00 | 300.00 | 243.00 | 243.00 | 4,103.00 | 4,103.00 | 6,956.00 | 6,956.00 | 8,185.00 | 8,185.00 |
| | | | Red Hat | 0.843165 | 0.843165 | 439.00 | 439.00 | 386.00 | 386.00 | 329.00 | 329.00 | 5,137.00 | 5,137.00 | 9,025.00 | 9,025.00 | 11,288.00 | 11,288.00 |
| | | | SUSE/SAP | 0.980288 | 0.980288 | 539.00 | 539.00 | 487.00 | 487.00 | 429.00 | 429.00 | 6,338.00 | 6,338.00 | 11,427.00 | 11,427.00 | 14,892.00 | 14,892.00 |
| | | | SUSE Linux | 0.785822 | 0.785822 | 397.00 | 397.00 | 345.00 | 345.00 | 287.00 | 287.00 | 4,635.00 | 4,635.00 | 8,020.00 | 8,020.00 | 9,781.00 | 9,781.00 |
| | | | Windows | 1.08 | 1.08 | 609.00 | 609.00 | 557.00 | 557.00 | 500.00 | 500.00 | 7,184.00 | 7,184.00 | 13,119.00 | 13,119.00 | 17,430.00 | 17,430.00 |
| General Purpose s9.8xlarge.1 | 32 | 32 | open Linux | 1.43 | 1.43 | 687.00 | 687.00 | 583.00 | 583.00 | 469.00 | 469.00 | 7,997.00 | 7,997.00 | 13,494.00 | 13,494.00 | 15,743.00 | 15,743.00 |
| | | | Oracle Linux | 1.44 | 1.44 | 696.00 | 696.00 | 592.00 | 592.00 | 477.00 | 477.00 | 8,101.00 | 8,101.00 | 13,703.00 | 13,703.00 | 16,057.00 | 16,057.00 |
| | | | Red Hat | 1.56 | 1.56 | 782.00 | 782.00 | 678.00 | 678.00 | 563.00 | 563.00 | 9,135.00 | 9,135.00 | 15,772.00 | 15,772.00 | 19,160.00 | 19,160.00 |
| | | | SUSE/SAP | 1.69 | 1.69 | 882.00 | 882.00 | 778.00 | 778.00 | 664.00 | 664.00 | 10,337.00 | 10,337.00 | 18,174.00 | 18,174.00 | 22,763.00 | 22,763.00 |
| | | | SUSE Linux | 1.50 | 1.50 | 740.00 | 740.00 | 636.00 | 636.00 | 522.00 | 522.00 | 8,633.00 | 8,633.00 | 14,767.00 | 14,767.00 | 17,653.00 | 17,653.00 |
| | | | Windows | 2.15 | 2.15 | 1,218.00 | 1,218.00 | 1,114.00 | 1,114.00 | 1,000.00 | 1,000.00 | 14,369.00 | 14,369.00 | 26,239.00 | 26,239.00 | 34,860.00 | 34,860.00 |
| General Purpose s9.16xlarge.1 | 64 | 64 | open Linux | 2.85 | 2.85 | 1,374.00 | 1,374.00 | 1,166.00 | 1,166.00 | 937.00 | 937.00 | 15,993.00 | 15,993.00 | 26,988.00 | 26,988.00 | 31,487.00 | 31,487.00 |
| | | | Oracle Linux | 2.86 | 2.86 | 1,383.00 | 1,383.00 | 1,175.00 | 1,175.00 | 946.00 | 946.00 | 16,098.00 | 16,098.00 | 27,197.00 | 27,197.00 | 31,800.00 | 31,800.00 |
| | | | Red Hat | 2.98 | 2.98 | 1,469.00 | 1,469.00 | 1,261.00 | 1,261.00 | 1,032.00 | 1,032.00 | 17,132.00 | 17,132.00 | 29,266.00 | 29,266.00 | 34,903.00 | 34,903.00 |
| | | | SUSE/SAP | 3.12 | 3.12 | 1,569.00 | 1,569.00 | 1,361.00 | 1,361.00 | 1,132.00 | 1,132.00 | 18,333.00 | 18,333.00 | 31,668.00 | 31,668.00 | 38,507.00 | 38,507.00 |
| | | | SUSE Linux | 2.93 | 2.93 | 1,427.00 | 1,427.00 | 1,219.00 | 1,219.00 | 990.00 | 990.00 | 16,630.00 | 16,630.00 | 28,261.00 | 28,261.00 | 33,396.00 | 33,396.00 |
| | | | Windows | 4.31 | 4.31 | 2,436.00 | 2,436.00 | 2,228.00 | 2,228.00 | 1,999.00 | 1,999.00 | 28,738.00 | 28,738.00 | 52,478.00 | 52,478.00 | 69,720.00 | 69,720.00 |
| General Purpose s9.medium.2 | 1 | 2 | open Linux | 0.047205 | 0.047205 | 22.74 | 22.74 | 19.30 | 19.30 | 15.51 | 15.51 | 265.00 | 265.00 | 447.00 | 447.00 | 521.00 | 521.00 |
| | | | Oracle Linux | 0.059137 | 0.059137 | 31.45 | 31.45 | 28.01 | 28.01 | 24.22 | 24.22 | 369.00 | 369.00 | 656.00 | 656.00 | 835.00 | 835.00 |
| | | | Red Hat | 0.112205 | 0.112205 | 70.19 | 70.19 | 66.75 | 66.75 | 62.96 | 62.96 | 834.00 | 834.00 | 1,585.00 | 1,585.00 | 2,229.00 | 2,229.00 |
| | | | SUSE/SAP | 0.159808 | 0.159808 | 104.94 | 104.94 | 101.50 | 101.50 | 97.71 | 97.71 | 1,251.00 | 1,251.00 | 2,419.00 | 2,419.00 | 3,480.00 | 3,480.00 |
| | | | SUSE Linux | 0.079260 | 0.079260 | 46.14 | 46.14 | 42.70 | 42.70 | 38.91 | 38.91 | 545.00 | 545.00 | 1,008.00 | 1,008.00 | 1,363.00 | 1,363.00 |
| | | | Windows | 0.071280 | 0.071280 | 40.32 | 40.32 | 36.87 | 36.87 | 33.08 | 33.08 | 476.00 | 476.00 | 868.00 | 868.00 | 1,154.00 | 1,154.00 |
| General Purpose s9.large.2 | 2 | 4 | open Linux | 0.094411 | 0.094411 | 45.49 | 45.49 | 38.60 | 38.60 | 31.01 | 31.01 | 529.00 | 529.00 | 893.00 | 893.00 | 1,042.00 | 1,042.00 |
| | | | Oracle Linux | 0.106342 | 0.106342 | 54.20 | 54.20 | 47.31 | 47.31 | 39.72 | 39.72 | 634.00 | 634.00 | 1,102.00 | 1,102.00 | 1,356.00 | 1,356.00 |
| | | | Red Hat | 0.159411 | 0.159411 | 92.94 | 92.94 | 86.05 | 86.05 | 78.46 | 78.46 | 1,099.00 | 1,099.00 | 2,032.00 | 2,032.00 | 2,750.00 | 2,750.00 |
| | | | SUSE/SAP | 0.207013 | 0.207013 | 127.69 | 127.69 | 120.80 | 120.80 | 113.21 | 113.21 | 1,516.00 | 1,516.00 | 2,866.00 | 2,866.00 | 4,001.00 | 4,001.00 |
| | | | SUSE Linux | 0.139287 | 0.139287 | 78.25 | 78.25 | 71.36 | 71.36 | 63.77 | 63.77 | 922.00 | 922.00 | 1,679.00 | 1,679.00 | 2,221.00 | 2,221.00 |
| | | | Windows | 0.142560 | 0.142560 | 80.64 | 80.64 | 73.74 | 73.74 | 66.16 | 66.16 | 951.00 | 951.00 | 1,737.00 | 1,737.00 | 2,307.00 | 2,307.00 |
| General Purpose s9.xlarge.2 | 4 | 8 | open Linux | 0.188821 | 0.188821 | 90.97 | 90.97 | 77.19 | 77.19 | 62.03 | 62.03 | 1,059.00 | 1,059.00 | 1,786.00 | 1,786.00 | 2,084.00 | 2,084.00 |
| | | | Oracle Linux | 0.200753 | 0.200753 | 99.68 | 99.68 | 85.90 | 85.90 | 70.74 | 70.74 | 1,163.00 | 1,163.00 | 1,995.00 | 1,995.00 | 2,398.00 | 2,398.00 |
| | | | Red Hat | 0.253821 | 0.253821 | 138.42 | 138.42 | 124.64 | 124.64 | 109.48 | 109.48 | 1,628.00 | 1,628.00 | 2,925.00 | 2,925.00 | 3,792.00 | 3,792.00 |
| | | | SUSE/SAP | 0.408931 | 0.408931 | 252.00 | 252.00 | 238.00 | 238.00 | 223.00 | 223.00 | 2,987.00 | 2,987.00 | 5,643.00 | 5,643.00 | 7,869.00 | 7,869.00 |
| | | | SUSE Linux | 0.233698 | 0.233698 | 123.73 | 123.73 | 109.95 | 109.95 | 94.79 | 94.79 | 1,452.00 | 1,452.00 | 2,573.00 | 2,573.00 | 3,263.00 | 3,263.00 |
| | | | Windows | 0.285120 | 0.285120 | 161.27 | 161.27 | 147.49 | 147.49 | 132.33 | 132.33 | 1,902.00 | 1,902.00 | 3,474.00 | 3,474.00 | 4,615.00 | 4,615.00 |
| General Purpose s9.2xlarge.2 | 8 | 16 | open Linux | 0.377642 | 0.377642 | 181.95 | 181.95 | 154.38 | 154.38 | 124.06 | 124.06 | 2,117.00 | 2,117.00 | 3,573.00 | 3,573.00 | 4,168.00 | 4,168.00 |
| | | | Oracle Linux | 0.389574 | 0.389574 | 190.66 | 190.66 | 163.09 | 163.09 | 132.77 | 132.77 | 2,222.00 | 2,222.00 | 3,782.00 | 3,782.00 | 4,482.00 | 4,482.00 |
| | | | Red Hat | 0.507642 | 0.507642 | 277.00 | 277.00 | 249.00 | 249.00 | 219.00 | 219.00 | 3,256.00 | 3,256.00 | 5,850.00 | 5,850.00 | 7,585.00 | 7,585.00 |
| | | | SUSE/SAP | 0.644766 | 0.644766 | 377.00 | 377.00 | 349.00 | 349.00 | 319.00 | 319.00 | 4,457.00 | 4,457.00 | 8,253.00 | 8,253.00 | 11,188.00 | 11,188.00 |
| | | | SUSE Linux | 0.450300 | 0.450300 | 235.00 | 235.00 | 207.00 | 207.00 | 177.10 | 177.10 | 2,754.00 | 2,754.00 | 4,846.00 | 4,846.00 | 6,078.00 | 6,078.00 |
| | | | Windows | 0.570240 | 0.570240 | 323.00 | 323.00 | 295.00 | 295.00 | 265.00 | 265.00 | 3,804.00 | 3,804.00 | 6,947.00 | 6,947.00 | 9,230.00 | 9,230.00 |
| General Purpose s9.4xlarge.2 | 16 | 32 | open Linux | 0.755285 | 0.755285 | 364.00 | 364.00 | 309.00 | 309.00 | 248.00 | 248.00 | 4,234.00 | 4,234.00 | 7,146.00 | 7,146.00 | 8,337.00 | 8,337.00 |
| | | | Oracle Linux | 0.767216 | 0.767216 | 373.00 | 373.00 | 317.00 | 317.00 | 257.00 | 257.00 | 4,339.00 | 4,339.00 | 7,355.00 | 7,355.00 | 8,650.00 | 8,650.00 |
| | | | Red Hat | 0.885285 | 0.885285 | 459.00 | 459.00 | 404.00 | 404.00 | 343.00 | 343.00 | 5,373.00 | 5,373.00 | 9,423.00 | 9,423.00 | 11,753.00 | 11,753.00 |
| | | | SUSE/SAP | 1.02 | 1.02 | 559.00 | 559.00 | 504.00 | 504.00 | 443.00 | 443.00 | 6,574.00 | 6,574.00 | 11,826.00 | 11,826.00 | 15,357.00 | 15,357.00 |
| | | | SUSE Linux | 0.827943 | 0.827943 | 417.00 | 417.00 | 362.00 | 362.00 | 301.00 | 301.00 | 4,871.00 | 4,871.00 | 8,419.00 | 8,419.00 | 10,246.00 | 10,246.00 |
| | | | Windows | 1.14 | 1.14 | 645.00 | 645.00 | 590.00 | 590.00 | 529.00 | 529.00 | 7,609.00 | 7,609.00 | 13,894.00 | 13,894.00 | 18,459.00 | 18,459.00 |
| General Purpose s9.8xlarge.2 | 32 | 64 | open Linux | 1.51 | 1.51 | 728.00 | 728.00 | 618.00 | 618.00 | 496.00 | 496.00 | 8,469.00 | 8,469.00 | 14,291.00 | 14,291.00 | 16,673.00 | 16,673.00 |
| | | | Oracle Linux | 1.52 | 1.52 | 737.00 | 737.00 | 626.00 | 626.00 | 505.00 | 505.00 | 8,573.00 | 8,573.00 | 14,500.00 | 14,500.00 | 16,987.00 | 16,987.00 |
| | | | Red Hat | 1.64 | 1.64 | 823.00 | 823.00 | 712.00 | 712.00 | 591.00 | 591.00 | 9,608.00 | 9,608.00 | 16,569.00 | 16,569.00 | 20,089.00 | 20,089.00 |
| | | | SUSE/SAP | 1.78 | 1.78 | 923.00 | 923.00 | 813.00 | 813.00 | 691.00 | 691.00 | 10,809.00 | 10,809.00 | 18,971.00 | 18,971.00 | 23,693.00 | 23,693.00 |
| | | | SUSE Linux | 1.58 | 1.58 | 781.00 | 781.00 | 671.00 | 671.00 | 549.00 | 549.00 | 9,105.00 | 9,105.00 | 15,564.00 | 15,564.00 | 18,583.00 | 18,583.00 |
| | | | Windows | 2.28 | 2.28 | 1,290.00 | 1,290.00 | 1,180.00 | 1,180.00 | 1,059.00 | 1,059.00 | 15,217.00 | 15,217.00 | 27,788.00 | 27,788.00 | 36,919.00 | 36,919.00 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| General Purpose s9.16xlarge.2 | 64 | 128 | open Linux | 3.02 | 3.02 | 1,456.00 | 1,456.00 | 1,235.00 | 1,235.00 | 992.00 | 992.00 | 16,938.00 | 16,938.00 | 28,582.00 | 28,582.00 | 33,346.00 | 33,346.00 |
| | | | Oracle Linux | 3.03 | 3.03 | 1,464.00 | 1,464.00 | 1,244.00 | 1,244.00 | 1,001.00 | 1,001.00 | 17,042.00 | 17,042.00 | 28,791.00 | 28,791.00 | 33,660.00 | 33,660.00 |
| | | | Red Hat | 3.15 | 3.15 | 1,550.00 | 1,550.00 | 1,330.00 | 1,330.00 | 1,087.00 | 1,087.00 | 18,077.00 | 18,077.00 | 30,860.00 | 30,860.00 | 36,763.00 | 36,763.00 |
| | | | SUSE/SAP | 3.29 | 3.29 | 1,651.00 | 1,651.00 | 1,430.00 | 1,430.00 | 1,187.00 | 1,187.00 | 19,278.00 | 19,278.00 | 33,262.00 | 33,262.00 | 40,366.00 | 40,366.00 |
| | | | SUSE Linux | 3.09 | 3.09 | 1,509.00 | 1,509.00 | 1,288.00 | 1,288.00 | 1,045.00 | 1,045.00 | 17,574.00 | 17,574.00 | 29,855.00 | 29,855.00 | 35,256.00 | 35,256.00 |
| | | | Windows | 4.56 | 4.56 | 2,580.00 | 2,580.00 | 2,360.00 | 2,360.00 | 2,117.00 | 2,117.00 | 30,435.00 | 30,435.00 | 55,577.00 | 55,577.00 | 73,838.00 | 73,838.00 |
| General Purpose s9.medium.4 | 1 | 4 | open Linux | 0.052470 | 0.052470 | 25.28 | 25.28 | 21.45 | 21.45 | 17.24 | 17.24 | 294.00 | 294.00 | 496.00 | 496.00 | 579.00 | 579.00 |
| | | | Oracle Linux | 0.064402 | 0.064402 | 33.99 | 33.99 | 30.16 | 30.16 | 25.95 | 25.95 | 399.00 | 399.00 | 705.00 | 705.00 | 893.00 | 893.00 |
| | | | Red Hat | 0.117470 | 0.117470 | 72.73 | 72.73 | 68.90 | 68.90 | 64.69 | 64.69 | 864.00 | 864.00 | 1,635.00 | 1,635.00 | 2,287.00 | 2,287.00 |
| | | | SUSE/SAP | 0.165073 | 0.165073 | 107.48 | 107.48 | 103.65 | 103.65 | 99.44 | 99.44 | 1,281.00 | 1,281.00 | 2,469.00 | 2,469.00 | 3,538.00 | 3,538.00 |
| | | | SUSE Linux | 0.097347 | 0.097347 | 58.04 | 58.04 | 54.21 | 54.21 | 50.00 | 50.00 | 687.00 | 687.00 | 1,283.00 | 1,283.00 | 1,759.00 | 1,759.00 |
| | | | Windows | 0.079230 | 0.079230 | 44.81 | 44.81 | 40.98 | 40.98 | 36.77 | 36.77 | 529.00 | 529.00 | 965.00 | 965.00 | 1,282.00 | 1,282.00 |
| General Purpose s9.large.4 | 2 | 8 | open Linux | 0.104941 | 0.104941 | 50.56 | 50.56 | 42.90 | 42.90 | 34.47 | 34.47 | 588.00 | 588.00 | 993.00 | 993.00 | 1,158.00 | 1,158.00 |
| | | | Oracle Linux | 0.116872 | 0.116872 | 59.27 | 59.27 | 51.61 | 51.61 | 43.18 | 43.18 | 693.00 | 693.00 | 1,202.00 | 1,202.00 | 1,472.00 | 1,472.00 |
| | | | Red Hat | 0.169941 | 0.169941 | 98.01 | 98.01 | 90.35 | 90.35 | 81.92 | 81.92 | 1,158.00 | 1,158.00 | 2,132.00 | 2,132.00 | 2,866.00 | 2,866.00 |
| | | | SUSE/SAP | 0.217543 | 0.217543 | 132.76 | 132.76 | 125.10 | 125.10 | 116.67 | 116.67 | 1,575.00 | 1,575.00 | 2,966.00 | 2,966.00 | 4,117.00 | 4,117.00 |
| | | | SUSE Linux | 0.149817 | 0.149817 | 83.32 | 83.32 | 75.66 | 75.66 | 67.23 | 67.23 | 981.00 | 981.00 | 1,779.00 | 1,779.00 | 2,338.00 | 2,338.00 |
| | | | Windows | 0.158460 | 0.158460 | 89.63 | 89.63 | 81.97 | 81.97 | 73.54 | 73.54 | 1,057.00 | 1,057.00 | 1,930.00 | 1,930.00 | 2,565.00 | 2,565.00 |
| General Purpose s9.xlarge.4 | 4 | 16 | open Linux | 0.209881 | 0.209881 | 101.12 | 101.12 | 85.80 | 85.80 | 68.95 | 68.95 | 1,177.00 | 1,177.00 | 1,986.00 | 1,986.00 | 2,317.00 | 2,317.00 |
| | | | Oracle Linux | 0.221813 | 0.221813 | 109.83 | 109.83 | 94.51 | 94.51 | 77.66 | 77.66 | 1,281.00 | 1,281.00 | 2,195.00 | 2,195.00 | 2,630.00 | 2,630.00 |
| | | | Red Hat | 0.274881 | 0.274881 | 148.57 | 148.57 | 133.25 | 133.25 | 116.40 | 116.40 | 1,746.00 | 1,746.00 | 3,124.00 | 3,124.00 | 4,025.00 | 4,025.00 |
| | | | SUSE/SAP | 0.429991 | 0.429991 | 262.00 | 262.00 | 246.00 | 246.00 | 230.00 | 230.00 | 3,105.00 | 3,105.00 | 5,842.00 | 5,842.00 | 8,101.00 | 8,101.00 |
| | | | SUSE Linux | 0.282539 | 0.282539 | 154.16 | 154.16 | 138.84 | 138.84 | 121.99 | 121.99 | 1,813.00 | 1,813.00 | 3,259.00 | 3,259.00 | 4,226.00 | 4,226.00 |
| | | | Windows | 0.316921 | 0.316921 | 179.26 | 179.26 | 163.94 | 163.94 | 147.08 | 147.08 | 2,114.00 | 2,114.00 | 3,861.00 | 3,861.00 | 5,130.00 | 5,130.00 |
| General Purpose s9.2xlarge.4 | 8 | 32 | open Linux | 0.419763 | 0.419763 | 202.00 | 202.00 | 171.60 | 171.60 | 137.89 | 137.89 | 2,353.00 | 2,353.00 | 3,971.00 | 3,971.00 | 4,633.00 | 4,633.00 |
| | | | Oracle Linux | 0.431694 | 0.431694 | 211.00 | 211.00 | 180.31 | 180.31 | 146.60 | 146.60 | 2,458.00 | 2,458.00 | 4,180.00 | 4,180.00 | 4,947.00 | 4,947.00 |
| | | | Red Hat | 0.549763 | 0.549763 | 297.00 | 297.00 | 266.00 | 266.00 | 233.00 | 233.00 | 3,492.00 | 3,492.00 | 6,249.00 | 6,249.00 | 8,050.00 | 8,050.00 |
| | | | SUSE/SAP | 0.686886 | 0.686886 | 397.00 | 397.00 | 367.00 | 367.00 | 333.00 | 333.00 | 4,693.00 | 4,693.00 | 8,651.00 | 8,651.00 | 11,653.00 | 11,653.00 |
| | | | SUSE Linux | 0.492420 | 0.492420 | 255.00 | 255.00 | 225.00 | 225.00 | 190.93 | 190.93 | 2,990.00 | 2,990.00 | 5,244.00 | 5,244.00 | 6,543.00 | 6,543.00 |
| | | | Windows | 0.633842 | 0.633842 | 359.00 | 359.00 | 328.00 | 328.00 | 294.00 | 294.00 | 4,229.00 | 4,229.00 | 7,722.00 | 7,722.00 | 10,259.00 | 10,259.00 |
| General Purpose s9.4xlarge.4 | 16 | 64 | open Linux | 0.839526 | 0.839526 | 404.00 | 404.00 | 343.00 | 343.00 | 276.00 | 276.00 | 4,707.00 | 4,707.00 | 7,943.00 | 7,943.00 | 9,266.00 | 9,266.00 |
| | | | Oracle Linux | 0.851457 | 0.851457 | 413.00 | 413.00 | 352.00 | 352.00 | 284.00 | 284.00 | 4,811.00 | 4,811.00 | 8,152.00 | 8,152.00 | 9,580.00 | 9,580.00 |
| | | | Red Hat | 0.969526 | 0.969526 | 499.00 | 499.00 | 438.00 | 438.00 | 371.00 | 371.00 | 5,846.00 | 5,846.00 | 10,220.00 | 10,220.00 | 12,683.00 | 12,683.00 |
| | | | SUSE/SAP | 1.11 | 1.11 | 599.00 | 599.00 | 538.00 | 538.00 | 471.00 | 471.00 | 7,047.00 | 7,047.00 | 12,623.00 | 12,623.00 | 16,286.00 | 16,286.00 |
| | | | SUSE Linux | 0.912183 | 0.912183 | 458.00 | 458.00 | 396.00 | 396.00 | 329.00 | 329.00 | 5,343.00 | 5,343.00 | 9,216.00 | 9,216.00 | 11,176.00 | 11,176.00 |
| | | | Windows | 1.27 | 1.27 | 717.00 | 717.00 | 656.00 | 656.00 | 588.00 | 588.00 | 8,457.00 | 8,457.00 | 15,444.00 | 15,444.00 | 20,518.00 | 20,518.00 |
| General Purpose s9.8xlarge.4 | 32 | 128 | open Linux | 1.68 | 1.68 | 809.00 | 809.00 | 686.00 | 686.00 | 552.00 | 552.00 | 9,413.00 | 9,413.00 | 15,885.00 | 15,885.00 | 18,533.00 | 18,533.00 |
| | | | Oracle Linux | 1.69 | 1.69 | 818.00 | 818.00 | 695.00 | 695.00 | 560.00 | 560.00 | 9,518.00 | 9,518.00 | 16,094.00 | 16,094.00 | 18,846.00 | 18,846.00 |
| | | | Red Hat | 1.81 | 1.81 | 904.00 | 904.00 | 781.00 | 781.00 | 646.00 | 646.00 | 10,552.00 | 10,552.00 | 18,163.00 | 18,163.00 | 21,949.00 | 21,949.00 |
| | | | SUSE/SAP | 1.95 | 1.95 | 1,004.00 | 1,004.00 | 881.00 | 881.00 | 747.00 | 747.00 | 11,753.00 | 11,753.00 | 20,565.00 | 20,565.00 | 25,553.00 | 25,553.00 |
| | | | SUSE Linux | 1.75 | 1.75 | 862.00 | 862.00 | 739.00 | 739.00 | 605.00 | 605.00 | 10,050.00 | 10,050.00 | 17,158.00 | 17,158.00 | 20,442.00 | 20,442.00 |
| | | | Windows | 2.54 | 2.54 | 1,434.00 | 1,434.00 | 1,312.00 | 1,312.00 | 1,177.00 | 1,177.00 | 16,915.00 | 16,915.00 | 30,888.00 | 30,888.00 | 41,037.00 | 41,037.00 |
| General Purpose s9.16xlarge.4 | 64 | 256 | open Linux | 3.36 | 3.36 | 1,618.00 | 1,618.00 | 1,373.00 | 1,373.00 | 1,103.00 | 1,103.00 | 18,827.00 | 18,827.00 | 31,770.00 | 31,770.00 | 37,065.00 | 37,065.00 |
| | | | Oracle Linux | 3.37 | 3.37 | 1,627.00 | 1,627.00 | 1,382.00 | 1,382.00 | 1,112.00 | 1,112.00 | 18,931.00 | 18,931.00 | 31,979.00 | 31,979.00 | 37,379.00 | 37,379.00 |
| | | | Red Hat | 3.49 | 3.49 | 1,713.00 | 1,713.00 | 1,468.00 | 1,468.00 | 1,198.00 | 1,198.00 | 19,966.00 | 19,966.00 | 34,048.00 | 34,048.00 | 40,482.00 | 40,482.00 |
| | | | SUSE/SAP | 3.63 | 3.63 | 1,813.00 | 1,813.00 | 1,568.00 | 1,568.00 | 1,298.00 | 1,298.00 | 21,167.00 | 21,167.00 | 36,450.00 | 36,450.00 | 44,085.00 | 44,085.00 |
| | | | SUSE Linux | 3.43 | 3.43 | 1,671.00 | 1,671.00 | 1,426.00 | 1,426.00 | 1,156.00 | 1,156.00 | 19,463.00 | 19,463.00 | 33,043.00 | 33,043.00 | 38,975.00 | 38,975.00 |
| | | | Windows | 5.07 | 5.07 | 2,868.00 | 2,868.00 | 2,623.00 | 2,623.00 | 2,353.00 | 2,353.00 | 33,830.00 | 33,830.00 | 61,776.00 | 61,776.00 | 82,073.00 | 82,073.00 |

Back to 3.1.1.1

# 6.2.1.5 Dedicated general purpose – c3

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:2 c3.large.2 | 2 | 4 | open Linux | 0.132252 | n.a. | 67.58 | n.a. | n.a. | n.a. | 695.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.161771 | n.a. | 89.13 | n.a. | n.a. | n.a. | 954.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.191290 | n.a. | 110.68 | n.a. | n.a. | n.a. | 1,212.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.370437 | n.a. | 241.00 | n.a. | n.a. | n.a. | 2,677.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.230649 | n.a. | 91.28 | n.a. | n.a. | n.a. | 980.00 | n.a. | n.a. | n.a. |
| | | | Windows | 0.233557 | n.a. | 141.53 | n.a. | n.a. | n.a. | 1,583.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:2 c3.xlarge.2 | 4 | 8 | open Linux | 0.264504 | n.a. | 135.16 | n.a. | n.a. | n.a. | 1,390.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.294023 | n.a. | 156.71 | n.a. | n.a. | n.a. | 1,649.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.323542 | n.a. | 178.26 | n.a. | n.a. | n.a. | 1,907.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.502689 | n.a. | 309.00 | n.a. | n.a. | n.a. | 3,372.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.362901 | n.a. | 158.87 | n.a. | n.a. | n.a. | 1,675.00 | n.a. | n.a. | n.a. |
| | | | Windows | 0.467114 | n.a. | 283.00 | n.a. | n.a. | n.a. | 3,165.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:2 c3.2xlarge.2 | 8 | 16 | open Linux | 0.529008 | n.a. | 270.00 | n.a. | n.a. | n.a. | 2,780.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.558527 | n.a. | 292.00 | n.a. | n.a. | n.a. | 3,039.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.647085 | n.a. | 357.00 | n.a. | n.a. | n.a. | 3,815.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.767193 | n.a. | 444.00 | n.a. | n.a. | n.a. | 4,763.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.627405 | n.a. | 294.00 | n.a. | n.a. | n.a. | 3,065.00 | n.a. | n.a. | n.a. |
| | | | Windows | 0.934228 | n.a. | 566.00 | n.a. | n.a. | n.a. | 6,330.00 | n.a. | n.a. | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:2 c3.4xlarge.2 | 16 | 32 | open Linux | 1.06 | n.a. | 541.00 | n.a. | n.a. | n.a. | 5,561.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.09 | n.a. | 562.00 | n.a. | n.a. | n.a. | 5,820.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.18 | n.a. | 627.00 | n.a. | n.a. | n.a. | 6,595.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.30 | n.a. | 715.00 | n.a. | n.a. | n.a. | 7,543.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.16 | n.a. | 564.00 | n.a. | n.a. | n.a. | 5,845.00 | n.a. | n.a. | n.a. |
| | | | Windows | 1.87 | n.a. | 1,132.00 | n.a. | n.a. | n.a. | 12,660.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:2 c3.8xlarge.2 | 32 | 64 | open Linux | 2.12 | n.a. | 1,081.00 | n.a. | n.a. | n.a. | 11,122.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.15 | n.a. | 1,103.00 | n.a. | n.a. | n.a. | 11,380.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.23 | n.a. | 1,167.00 | n.a. | n.a. | n.a. | 12,156.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.35 | n.a. | 1,255.00 | n.a. | n.a. | n.a. | 13,104.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.21 | n.a. | 1,105.00 | n.a. | n.a. | n.a. | 11,406.00 | n.a. | n.a. | n.a. |
| | | | Windows | 3.74 | n.a. | 2,265.00 | n.a. | n.a. | n.a. | 25,321.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:2 c3.15xlarge.2 | 60 | 128 | open Linux | 3.99 | n.a. | 2,041.00 | n.a. | n.a. | n.a. | 20,988.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 4.02 | n.a. | 2,062.00 | n.a. | n.a. | n.a. | 21,247.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.11 | n.a. | 2,127.00 | n.a. | n.a. | n.a. | 22,023.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.23 | n.a. | 2,214.00 | n.a. | n.a. | n.a. | 22,971.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.09 | n.a. | 2,064.00 | n.a. | n.a. | n.a. | 21,273.00 | n.a. | n.a. | n.a. |
| | | | Windows | 7.05 | n.a. | 4,273.00 | n.a. | n.a. | n.a. | 47,784.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.large.4 | 2 | 8 | open Linux | 0.145092 | n.a. | 74.14 | n.a. | n.a. | n.a. | 763.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.174611 | n.a. | 95.69 | n.a. | n.a. | n.a. | 1,021.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.204130 | n.a. | 117.24 | n.a. | n.a. | n.a. | 1,280.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.383277 | n.a. | 248.00 | n.a. | n.a. | n.a. | 2,745.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.243489 | n.a. | 97.85 | n.a. | n.a. | n.a. | 1,047.00 | n.a. | n.a. | n.a. |
| | | | Windows | 0.256233 | n.a. | 155.27 | n.a. | n.a. | n.a. | 1,736.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.xlarge.4 | 4 | 16 | open Linux | 0.290184 | n.a. | 148.28 | n.a. | n.a. | n.a. | 1,525.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.319703 | n.a. | 169.83 | n.a. | n.a. | n.a. | 1,784.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.349222 | n.a. | 191.38 | n.a. | n.a. | n.a. | 2,042.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.528369 | n.a. | 322.00 | n.a. | n.a. | n.a. | 3,507.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.388581 | n.a. | 171.99 | n.a. | n.a. | n.a. | 1,810.00 | n.a. | n.a. | n.a. |
| | | | Windows | 0.512465 | n.a. | 311.00 | n.a. | n.a. | n.a. | 3,472.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.2xlarge.4 | 8 | 32 | open Linux | 0.580368 | n.a. | 297.00 | n.a. | n.a. | n.a. | 3,050.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.609887 | n.a. | 318.00 | n.a. | n.a. | n.a. | 3,309.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.698445 | n.a. | 383.00 | n.a. | n.a. | n.a. | 4,085.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.818553 | n.a. | 470.00 | n.a. | n.a. | n.a. | 5,033.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.678765 | n.a. | 320.00 | n.a. | n.a. | n.a. | 3,335.00 | n.a. | n.a. | n.a. |
| | | | Windows | 1.02 | n.a. | 621.00 | n.a. | n.a. | n.a. | 6,945.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.4xlarge.4 | 16 | 64 | open Linux | 1.16 | n.a. | 593.00 | n.a. | n.a. | n.a. | 6,101.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.19 | n.a. | 615.00 | n.a. | n.a. | n.a. | 6,359.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.28 | n.a. | 679.00 | n.a. | n.a. | n.a. | 7,135.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.40 | n.a. | 767.00 | n.a. | n.a. | n.a. | 8,083.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.26 | n.a. | 617.00 | n.a. | n.a. | n.a. | 6,385.00 | n.a. | n.a. | n.a. |
| | | | Windows | 2.05 | n.a. | 1,242.00 | n.a. | n.a. | n.a. | 13,890.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.8xlarge.4 | 32 | 128 | open Linux | 2.32 | n.a. | 1,186.00 | n.a. | n.a. | n.a. | 12,202.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.35 | n.a. | 1,208.00 | n.a. | n.a. | n.a. | 12,460.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.44 | n.a. | 1,272.00 | n.a. | n.a. | n.a. | 13,236.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.56 | n.a. | 1,360.00 | n.a. | n.a. | n.a. | 14,184.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.42 | n.a. | 1,210.00 | n.a. | n.a. | n.a. | 12,486.00 | n.a. | n.a. | n.a. |
| | | | Windows | 4.10 | n.a. | 2,484.00 | n.a. | n.a. | n.a. | 27,779.00 | n.a. | n.a. | n.a. |
| Ded. General Purp. 1:4 c3.15xlarge.4 | 60 | 256 | open Linux | 4.40 | n.a. | 2,251.00 | n.a. | n.a. | n.a. | 23,148.00 | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 4.43 | n.a. | 2,272.00 | n.a. | n.a. | n.a. | 23,407.00 | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.52 | n.a. | 2,337.00 | n.a. | n.a. | n.a. | 24,182.00 | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.64 | n.a. | 2,424.00 | n.a. | n.a. | n.a. | 25,130.00 | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.50 | n.a. | 2,274.00 | n.a. | n.a. | n.a. | 23,433.00 | n.a. | n.a. | n.a. |
| | | | Windows | 7.78 | n.a. | 4,713.00 | n.a. | n.a. | n.a. | 52,700.00 | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:2 c3n.large.2 | 2 | 4 | open Linux | 0.148320 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.181426 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.214531 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.415444 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.258672 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.261934 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:2 c3n.xlarge.2 | 4 | 8 | open Linux | 0.296640 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.329746 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.362851 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.563764 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.406992 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.523866 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:2 c3n.2xlarge.2 | 8 | 16 | open Linux | 0.593280 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.626386 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.725702 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.860404 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.703632 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.05 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:2 c3n.4xlarge.2 | 16 | 32 | open Linux | 1.19 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.22 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.32 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.45 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.30 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.10 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. Gen. Purp. 1:2 c3n.8xlarge.2 | 32 | 64 | open Linux | 2.37 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.41 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.51 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.64 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.48 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 4.19 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:2 c3n.15xlarge.2 | 60 | 128 | open Linux | 4.48 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 4.51 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.61 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.75 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.59 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 7.91 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.large.4 | 2 | 8 | open Linux | 0.162720 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.195826 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.228931 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.429844 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.273072 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.287364 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.xlarge.4 | 4 | 16 | open Linux | 0.325440 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.358546 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.391651 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.592564 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.435792 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.574727 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.2xlarge.4 | 8 | 32 | open Linux | 0.650880 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.683986 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.783302 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.918004 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.761232 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.15 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.4xlarge.4 | 16 | 64 | open Linux | 1.30 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.33 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.43 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.57 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.41 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.30 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.8xlarge.4 | 32 | 128 | open Linux | 2.31 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.64 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.74 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.87 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.71 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 4.60 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Gen. Purp. 1:4 c3n.15xlarge.4 | 64 | 256 | open Linux | 4.94 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 4.97 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 5.07 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 5.21 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 5.05 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 8.72 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.1.1.1

## 6.2.1.6 Dedicated general purpose – c4

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:2 c4.large.2 | 2 | 4 | open Linux | 0.138432 | 0.096902 | 72.63 | 50.84 | 64.33 | 45.03 | 747.00 | 522.90 | 1,121.00 | 784.70 |
| | | | Oracle Linux | 0.169331 | 0.118532 | 95.79 | 67.05 | 87.49 | 61.24 | 1,025.00 | 717.50 | 1,676.00 | 1,173.20 |
| | | | Red Hat | 0.200229 | 0.140160 | 118.95 | 83.27 | 110.65 | 77.46 | 1,303.00 | 912.10 | 2,232.00 | 1,562.40 |
| | | | SUSE/SAP | 0.387747 | 0.271423 | 260.00 | 182.00 | 242.00 | 169.40 | 2,877.00 | 2,013.90 | 5,157.00 | 3,609.90 |
| | | | SUSE Linux | 0.241427 | 0.168999 | 98.11 | 68.68 | 87.49 | 61.24 | 1,053.00 | 737.10 | 1,676.00 | 1,173.20 |
| | | | Windows | 0.244471 | 0.171130 | 152.12 | 106.48 | 143.81 | 100.67 | 1,701.00 | 1,190.70 | 3,028.00 | 2,119.60 |
| Ded. General Purp. 1:2 c4.xlarge.2 | 4 | 8 | open Linux | 0.276864 | 0.193805 | 145.27 | 101.69 | 128.67 | 90.07 | 1,494.00 | 1,045.80 | 2,241.00 | 1,568.70 |
| | | | Oracle Linux | 0.307763 | 0.215434 | 168.43 | 117.90 | 151.83 | 106.28 | 1,772.00 | 1,240.40 | 2,797.00 | 1,957.90 |
| | | | Red Hat | 0.338661 | 0.237063 | 191.59 | 134.11 | 174.99 | 122.49 | 2,050.00 | 1,435.00 | 3,353.00 | 2,347.10 |
| | | | SUSE/SAP | 0.526179 | 0.368325 | 332.00 | 232.40 | 306.00 | 214.20 | 3,625.00 | 2,537.50 | 6,278.00 | 4,394.60 |
| | | | SUSE Linux | 0.379859 | 0.265901 | 170.74 | 119.52 | 151.83 | 106.28 | 1,800.00 | 1,260.00 | 2,797.00 | 1,957.90 |
| | | | Windows | 0.488942 | 0.342259 | 304.00 | 212.80 | 288.00 | 201.60 | 3,402.00 | 2,381.40 | 6,056.00 | 4,239.20 |
| Ded. General Purp. 1:2 c4.2xlarge.2 | 8 | 16 | open Linux | 0.553728 | 0.387610 | 291.00 | 203.70 | 257.00 | 179.90 | 2,988.00 | 2,091.60 | 4,483.00 | 3,138.10 |
| | | | Oracle Linux | 0.584627 | 0.409239 | 314.00 | 219.80 | 280.00 | 196.00 | 3,266.00 | 2,286.20 | 5,038.00 | 3,526.60 |
| | | | Red Hat | 0.677322 | 0.474125 | 383.00 | 268.10 | 350.00 | 245.00 | 4,100.00 | 2,870.00 | 6,706.00 | 4,694.20 |
| | | | SUSE/SAP | 0.803043 | 0.562130 | 477.00 | 333.90 | 435.00 | 304.50 | 5,119.00 | 3,583.30 | 8,519.00 | 5,963.30 |
| | | | SUSE Linux | 0.656723 | 0.459706 | 316.00 | 221.20 | 280.00 | 196.00 | 3,294.00 | 2,305.80 | 5,038.00 | 3,526.60 |
| | | | Windows | 0.977883 | 0.684518 | 608.00 | 425.60 | 575.00 | 402.50 | 6,803.00 | 4,762.10 | 12,113.00 | 8,479.10 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:2 c4.3xlarge.2 | 12 | 24 | open Linux | 0.830592 | 0.581414 | 436.00 | 305.20 | 386.00 | 270.20 | 4,483.00 | 3,138.10 | 6,724.00 | 4,706.80 |
| | | | Oracle Linux | 0.861491 | 0.603044 | 459.00 | 321.30 | 409.00 | 286.30 | 4,760.00 | 3,332.00 | 7,280.00 | 5,096.00 |
| | | | Red Hat | 0.954186 | 0.667930 | 528.00 | 369.60 | 479.00 | 335.30 | 5,594.00 | 3,915.80 | 8,947.00 | 6,262.90 |
| | | | SUSE/SAP | 1.08 | 0.756000 | 623.00 | 436.10 | 564.00 | 394.80 | 6,613.00 | 4,629.10 | 10,760.00 | 7,532.00 |
| | | | SUSE Linux | 0.933587 | 0.653511 | 461.00 | 322.70 | 409.00 | 286.30 | 4,788.00 | 3,351.60 | 7,280.00 | 5,096.00 |
| | | | Windows | 1.47 | 1.03 | 913.00 | 639.10 | 863.00 | 604.10 | 10,205.00 | 7,143.50 | 18,169.00 | 12,718.30 |
| Ded. General Purp. 1:2 c4.4xlarge.2 | 16 | 32 | open Linux | 1.11 | 0.777000 | 581.00 | 406.70 | 515.00 | 360.50 | 5,977.00 | 4,183.90 | 8,965.00 | 6,275.50 |
| | | | Oracle Linux | 1.14 | 0.798000 | 604.00 | 422.80 | 538.00 | 376.60 | 6,255.00 | 4,378.50 | 9,521.00 | 6,664.70 |
| | | | Red Hat | 1.23 | 0.861000 | 674.00 | 471.80 | 607.00 | 424.90 | 7,088.00 | 4,961.60 | 11,188.00 | 7,831.60 |
| | | | SUSE/SAP | 1.36 | 0.952000 | 768.00 | 537.60 | 692.00 | 484.40 | 8,107.00 | 5,674.90 | 13,002.00 | 9,101.40 |
| | | | SUSE Linux | 1.21 | 0.847000 | 607.00 | 424.90 | 538.00 | 376.60 | 6,282.00 | 4,397.40 | 9,521.00 | 6,664.70 |
| | | | Windows | 1.96 | 1.37 | 1,217.00 | 851.90 | 1,151.00 | 805.70 | 13,607.00 | 9,524.90 | 24,226.00 | 16,958.20 |
| Ded. General Purp. 1:2 c4.6xlarge.2 | 24 | 48 | open Linux | 1.66 | 1.16 | 872.00 | 610.40 | 772.00 | 540.40 | 8,965.00 | 6,275.50 | 13,448.00 | 9,413.60 |
| | | | Oracle Linux | 1.69 | 1.18 | 895.00 | 626.50 | 795.00 | 556.50 | 9,243.00 | 6,470.10 | 14,003.00 | 9,802.10 |
| | | | Red Hat | 1.78 | 1.25 | 964.00 | 674.80 | 865.00 | 605.50 | 10,077.00 | 7,053.90 | 15,671.00 | 10,969.70 |
| | | | SUSE/SAP | 1.91 | 1.34 | 1,058.00 | 740.60 | 950.00 | 665.00 | 11,095.00 | 7,766.50 | 17,484.00 | 12,238.80 |
| | | | SUSE Linux | 1.76 | 1.23 | 897.00 | 627.90 | 795.00 | 556.50 | 9,271.00 | 6,489.70 | 14,003.00 | 9,802.10 |
| | | | Windows | 2.93 | 2.05 | 1,825.00 | 1,277.50 | 1,726.00 | 1,208.20 | 20,410.00 | 14,287.00 | 36,338.00 | 25,436.60 |
| Ded. General Purp. 1:2 c4.8xlarge.2 | 32 | 64 | open Linux | 2.21 | 1.55 | 1,162.00 | 813.40 | 1,029.00 | 720.30 | 11,953.00 | 8,367.10 | 17,930.00 | 12,551.00 |
| | | | Oracle Linux | 2.25 | 1.58 | 1,185.00 | 829.50 | 1,052.00 | 736.40 | 12,231.00 | 8,561.70 | 18,486.00 | 12,940.20 |
| | | | Red Hat | 2.34 | 1.64 | 1,255.00 | 878.50 | 1,122.00 | 785.40 | 13,065.00 | 9,145.50 | 20,153.00 | 14,107.10 |
| | | | SUSE/SAP | 2.46 | 1.72 | 1,349.00 | 944.30 | 1,207.00 | 844.90 | 14,084.00 | 9,858.80 | 21,967.00 | 15,376.90 |
| | | | SUSE Linux | 2.32 | 1.62 | 1,188.00 | 831.60 | 1,052.00 | 736.40 | 12,259.00 | 8,581.30 | 18,486.00 | 12,940.20 |
| | | | Windows | 3.91 | 2.74 | 2,434.00 | 1,703.80 | 2,301.00 | 1,610.70 | 27,214.00 | 19,049.80 | 48,451.00 | 33,915.70 |
| Ded. General Purp. 1:2 c4.16xlarge.2 | 64 | 128 | open Linux | 4.43 | 3.10 | 2,324.00 | 1,626.80 | 2,059.00 | 1,441.30 | 23,907.00 | 16,734.90 | 35,860.00 | 25,102.00 |
| | | | Oracle Linux | 4.49 | 3.14 | 2,371.00 | 1,659.70 | 2,105.00 | 1,473.50 | 24,463.00 | 17,124.10 | 36,972.00 | 25,880.40 |
| | | | Red Hat | 4.68 | 3.28 | 2,510.00 | 1,757.00 | 2,244.00 | 1,570.80 | 26,130.00 | 18,291.00 | 40,307.00 | 28,214.90 |
| | | | SUSE/SAP | 4.93 | 3.45 | 2,698.00 | 1,888.60 | 2,414.00 | 1,689.80 | 28,168.00 | 19,717.60 | 43,933.00 | 30,753.10 |
| | | | SUSE Linux | 4.64 | 3.25 | 2,375.00 | 1,662.50 | 2,105.00 | 1,473.50 | 24,518.00 | 17,162.60 | 36,972.00 | 25,880.40 |
| | | | Windows | 7.82 | 5.47 | 4,868.00 | 3,407.60 | 4,602.00 | 3,221.40 | 54,428.00 | 38,099.60 | 96,902.00 | 67,831.40 |
| Ded. General Purp. 1:4 c4.large.4 | 2 | 8 | open Linux | 0.151872 | 0.106310 | 79.69 | 55.78 | 70.58 | 49.41 | 820.00 | 574.00 | 1,229.00 | 860.30 |
| | | | Oracle Linux | 0.182771 | 0.127940 | 102.85 | 72.00 | 93.74 | 65.62 | 1,098.00 | 768.60 | 1,785.00 | 1,249.50 |
| | | | Red Hat | 0.213669 | 0.149568 | 126.01 | 88.21 | 116.90 | 81.83 | 1,375.00 | 962.50 | 2,341.00 | 1,638.70 |
| | | | SUSE/SAP | 0.401187 | 0.280831 | 267.00 | 186.90 | 248.00 | 173.60 | 2,950.00 | 2,065.00 | 5,266.00 | 3,686.20 |
| | | | SUSE Linux | 0.254867 | 0.178407 | 105.16 | 73.61 | 93.74 | 65.62 | 1,125.00 | 787.50 | 1,785.00 | 1,249.50 |
| | | | Windows | 0.268206 | 0.187744 | 166.88 | 116.82 | 157.78 | 110.45 | 1,866.00 | 1,306.20 | 3,322.00 | 2,325.40 |
| Ded. General Purp. 1:4 c4.xlarge.4 | 4 | 16 | open Linux | 0.303744 | 0.212621 | 159.37 | 111.56 | 141.16 | 98.81 | 1,639.00 | 1,147.30 | 2,459.00 | 1,721.30 |
| | | | Oracle Linux | 0.334643 | 0.234250 | 182.53 | 127.77 | 164.32 | 115.02 | 1,917.00 | 1,341.90 | 3,015.00 | 2,110.50 |
| | | | Red Hat | 0.365541 | 0.255879 | 206.00 | 144.20 | 187.48 | 131.24 | 2,195.00 | 1,536.50 | 3,571.00 | 2,499.70 |
| | | | SUSE/SAP | 0.553059 | 0.387141 | 346.00 | 242.20 | 319.00 | 223.30 | 3,770.00 | 2,639.00 | 6,495.00 | 4,546.50 |
| | | | SUSE Linux | 0.406739 | 0.284717 | 184.85 | 129.40 | 164.32 | 115.02 | 1,945.00 | 1,361.50 | 3,015.00 | 2,110.50 |
| | | | Windows | 0.536412 | 0.375488 | 334.00 | 233.80 | 316.00 | 221.20 | 3,732.00 | 2,612.40 | 6,644.00 | 4,650.80 |
| Ded. General Purp. 1:4 c4.2xlarge.4 | 8 | 32 | open Linux | 0.607488 | 0.425242 | 319.00 | 223.30 | 282.00 | 197.40 | 3,278.00 | 2,294.60 | 4,918.00 | 3,442.60 |
| | | | Oracle Linux | 0.638387 | 0.446871 | 342.00 | 239.40 | 305.00 | 213.50 | 3,556.00 | 2,489.20 | 5,474.00 | 3,831.80 |
| | | | Red Hat | 0.731082 | 0.511757 | 411.00 | 287.70 | 375.00 | 262.50 | 4,390.00 | 3,073.00 | 7,141.00 | 4,998.70 |
| | | | SUSE/SAP | 0.856803 | 0.599762 | 506.00 | 354.20 | 460.00 | 322.00 | 5,409.00 | 3,786.30 | 8,954.00 | 6,267.80 |
| | | | SUSE Linux | 0.710483 | 0.497338 | 344.00 | 240.80 | 305.00 | 213.50 | 3,584.00 | 2,508.80 | 5,474.00 | 3,831.80 |
| | | | Windows | 1.07 | 0.749000 | 668.00 | 467.60 | 631.00 | 441.70 | 7,464.00 | 5,224.80 | 13,289.00 | 9,302.30 |
| Ded. General Purp. 1:4 c4.3xlarge.4 | 12 | 48 | open Linux | 0.911232 | 0.637862 | 478.00 | 334.60 | 423.00 | 296.10 | 4,918.00 | 3,442.60 | 7,377.00 | 5,163.90 |
| | | | Oracle Linux | 0.942131 | 0.659492 | 501.00 | 350.70 | 447.00 | 312.90 | 5,196.00 | 3,637.20 | 7,932.00 | 5,552.40 |
| | | | Red Hat | 1.03 | 0.721000 | 571.00 | 399.70 | 516.00 | 361.20 | 6,029.00 | 4,220.30 | 9,600.00 | 6,720.00 |
| | | | SUSE/SAP | 1.16 | 0.812000 | 665.00 | 465.50 | 601.00 | 420.70 | 7,048.00 | 4,933.60 | 11,413.00 | 7,989.10 |
| | | | SUSE Linux | 1.01 | 0.707000 | 504.00 | 352.80 | 447.00 | 312.90 | 5,223.00 | 3,656.10 | 7,932.00 | 5,552.40 |
| | | | Windows | 1.61 | 1.13 | 1,001.00 | 700.70 | 947.00 | 662.90 | 11,196.00 | 7,837.20 | 19,933.00 | 13,953.10 |
| Ded. General Purp. 1:4 c4.4xlarge.4 | 16 | 64 | open Linux | 1.21 | 0.847000 | 637.00 | 445.90 | 565.00 | 395.50 | 6,557.00 | 4,589.90 | 9,835.00 | 6,884.50 |
| | | | Oracle Linux | 1.25 | 0.875000 | 661.00 | 462.70 | 588.00 | 411.60 | 6,835.00 | 4,784.50 | 10,391.00 | 7,273.70 |
| | | | Red Hat | 1.34 | 0.938000 | 730.00 | 511.00 | 657.00 | 459.90 | 7,669.00 | 5,368.30 | 12,059.00 | 8,441.30 |
| | | | SUSE/SAP | 1.46 | 1.02 | 824.00 | 576.80 | 742.00 | 519.40 | 8,687.00 | 6,080.90 | 13,872.00 | 9,710.40 |
| | | | SUSE Linux | 1.32 | 0.924000 | 663.00 | 464.10 | 588.00 | 411.60 | 6,863.00 | 4,804.10 | 10,391.00 | 7,273.70 |
| | | | Windows | 2.15 | 1.51 | 1,335.00 | 934.50 | 1,262.00 | 883.40 | 14,928.00 | 10,449.60 | 26,578.00 | 18,604.60 |
| Ded. General Purp. 1:4 c4.6xlarge.4 | 24 | 96 | open Linux | 1.82 | 1.27 | 956.00 | 669.20 | 847.00 | 592.90 | 9,835.00 | 6,884.50 | 14,753.00 | 10,327.10 |
| | | | Oracle Linux | 1.85 | 1.30 | 979.00 | 685.30 | 870.00 | 609.00 | 10,113.00 | 7,079.10 | 15,309.00 | 10,716.30 |
| | | | Red Hat | 1.95 | 1.37 | 1,049.00 | 734.30 | 940.00 | 658.00 | 10,947.00 | 7,662.90 | 16,977.00 | 11,883.90 |
| | | | SUSE/SAP | 2.07 | 1.45 | 1,143.00 | 800.10 | 1,024.00 | 716.80 | 11,966.00 | 8,376.20 | 18,790.00 | 13,153.00 |
| | | | SUSE Linux | 1.93 | 1.35 | 982.00 | 687.40 | 870.00 | 609.00 | 10,141.00 | 7,098.70 | 15,309.00 | 10,716.30 |
| | | | Windows | 3.22 | 2.25 | 2,003.00 | 1,402.10 | 1,893.00 | 1,325.10 | 22,392.00 | 15,674.40 | 39,866.00 | 27,906.20 |
| Ded. General Purp. 1:4 c4.8xlarge.4 | 32 | 128 | open Linux | 2.43 | 1.70 | 1,275.00 | 892.50 | 1,129.00 | 790.30 | 13,114.00 | 9,179.80 | 19,671.00 | 13,769.70 |
| | | | Oracle Linux | 2.46 | 1.72 | 1,298.00 | 908.60 | 1,152.00 | 806.40 | 13,392.00 | 9,374.40 | 20,227.00 | 14,158.90 |
| | | | Red Hat | 2.55 | 1.79 | 1,368.00 | 957.60 | 1,222.00 | 855.40 | 14,226.00 | 9,958.20 | 21,894.00 | 15,325.80 |
| | | | SUSE/SAP | 2.68 | 1.88 | 1,462.00 | 1,023.40 | 1,307.00 | 914.90 | 15,244.00 | 10,670.80 | 23,707.00 | 16,594.90 |
| | | | SUSE Linux | 2.53 | 1.77 | 1,300.00 | 910.00 | 1,152.00 | 806.40 | 13,420.00 | 9,394.00 | 20,227.00 | 14,158.90 |
| | | | Windows | 4.29 | 3.00 | 2,670.00 | 1,869.00 | 2,524.00 | 1,766.80 | 29,856.00 | 20,899.20 | 53,155.00 | 37,208.50 |
| Ded. General Purp. 1:4 c4.16xlarge.4 | 64 | 256 | open Linux | 4.86 | 3.40 | 2,550.00 | 1,785.00 | 2,259.00 | 1,581.30 | 26,228.00 | 18,359.60 | 39,342.00 | 27,539.40 |
| | | | Oracle Linux | 4.92 | 3.44 | 2,596.00 | 1,817.20 | 2,305.00 | 1,613.50 | 26,784.00 | 18,748.80 | 40,453.00 | 28,317.10 |
| | | | Red Hat | 5.11 | 3.58 | 2,735.00 | 1,914.50 | 2,444.00 | 1,710.80 | 28,451.00 | 19,915.70 | 43,789.00 | 30,652.30 |
| | | | SUSE/SAP | 5.36 | 3.75 | 2,924.00 | 2,046.80 | 2,614.00 | 1,829.80 | 30,489.00 | 21,342.30 | 47,415.00 | 33,190.50 |
| | | | SUSE Linux | 5.07 | 3.55 | 2,601.00 | 1,820.70 | 2,305.00 | 1,613.50 | 26,839.00 | 18,787.30 | 40,453.00 | 28,317.10 |
| | | | Windows | 8.58 | 6.01 | 5,340.00 | 3,738.00 | 5,049.00 | 3,534.30 | 59,712.00 | 41,798.40 | 106,310.00 | 74,417.00 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. Gen. Purp. 1:2 c4ne.large.2 | 2 | 4 | open Linux | 0.166860 | 0.116802 | 85.27 | 59.69 | 75.52 | 67.97 | 877.00 | 613.90 | 1,316.00 | 921.20 |
| | | | Oracle Linux | 0.204104 | 0.142873 | 112.45 | 78.72 | 102.71 | 92.44 | 1,203.00 | 842.10 | 1,968.00 | 1,377.60 |
| | | | Red Hat | 0.241348 | 0.168944 | 139.64 | 97.75 | 129.90 | 116.91 | 1,530.00 | 1,071.00 | 2,621.00 | 1,834.70 |
| | | | SUSE/SAP | 0.467374 | 0.327162 | 305.00 | 213.50 | 284.00 | 255.60 | 3,378.00 | 2,364.60 | 6,054.00 | 4,237.80 |
| | | | SUSE Linux | 0.291006 | 0.203704 | 115.17 | 80.62 | 102.71 | 92.44 | 1,236.00 | 865.20 | 1,968.00 | 1,377.60 |
| | | | Windows | 0.294675 | 0.206273 | 178.57 | 125.00 | 168.83 | 151.95 | 1,997.00 | 1,397.90 | 3,555.00 | 2,488.50 |
| Ded. Gen. Purp. 1:4 c4ne.large.4 | 2 | 8 | open Linux | 0.183060 | 0.128142 | 93.54 | 65.48 | 82.85 | 74.57 | 962.00 | 673.40 | 1,443.00 | 1,010.10 |
| | | | Oracle Linux | 0.220304 | 0.154213 | 120.73 | 84.51 | 110.04 | 99.04 | 1,288.00 | 901.60 | 2,096.00 | 1,467.20 |
| | | | Red Hat | 0.257548 | 0.180284 | 147.92 | 103.54 | 137.23 | 123.51 | 1,615.00 | 1,130.50 | 2,748.00 | 1,923.60 |
| | | | SUSE/SAP | 0.483574 | 0.338502 | 313.00 | 219.10 | 291.00 | 261.90 | 3,463.00 | 2,424.10 | 6,182.00 | 4,327.40 |
| | | | SUSE Linux | 0.307206 | 0.215044 | 123.45 | 86.42 | 110.04 | 99.04 | 1,321.00 | 924.70 | 2,096.00 | 1,467.20 |
| | | | Windows | 0.323285 | 0.226300 | 195.91 | 137.14 | 185.22 | 166.70 | 2,191.00 | 1,533.70 | 3,900.00 | 2,730.00 |
| Ded. Gen. Purp. 1:2 c4ne.xlarge.2 | 4 | 8 | open Linux | 0.333720 | 0.233604 | 170.53 | 119.37 | 151.04 | 135.94 | 1,754.00 | 1,227.80 | 2,631.00 | 1,841.70 |
| | | | Oracle Linux | 0.370964 | 0.259675 | 197.72 | 138.40 | 178.23 | 160.41 | 2,080.00 | 1,456.00 | 3,284.00 | 2,298.80 |
| | | | Red Hat | 0.408208 | 0.285746 | 225.00 | 157.50 | 205.00 | 184.50 | 2,407.00 | 1,684.90 | 3,936.00 | 2,755.20 |
| | | | SUSE/SAP | 0.634234 | 0.443964 | 390.00 | 273.00 | 359.00 | 323.10 | 4,255.00 | 2,978.50 | 7,370.00 | 5,159.00 |
| | | | SUSE Linux | 0.457866 | 0.320506 | 200.00 | 140.00 | 178.23 | 160.41 | 2,113.00 | 1,479.10 | 3,284.00 | 2,298.80 |
| | | | Windows | 0.589349 | 0.412544 | 357.00 | 249.90 | 338.00 | 304.20 | 3,993.00 | 2,795.10 | 7,110.00 | 4,977.00 |
| Ded. Gen. Purp. 1:4 c4ne.xlarge.4 | 4 | 16 | open Linux | 0.366120 | 0.256284 | 187.09 | 130.96 | 165.71 | 149.14 | 1,924.00 | 1,346.80 | 2,886.00 | 2,020.20 |
| | | | Oracle Linux | 0.403364 | 0.282355 | 214.00 | 149.80 | 192.89 | 173.60 | 2,251.00 | 1,575.70 | 3,539.00 | 2,477.30 |
| | | | Red Hat | 0.440608 | 0.308426 | 241.00 | 168.70 | 220.00 | 198.00 | 2,577.00 | 1,803.90 | 4,192.00 | 2,934.40 |
| | | | SUSE/SAP | 0.666634 | 0.466644 | 406.00 | 284.20 | 374.00 | 336.60 | 4,425.00 | 3,097.50 | 7,625.00 | 5,337.50 |
| | | | SUSE Linux | 0.490266 | 0.343186 | 217.00 | 151.90 | 192.89 | 173.60 | 2,283.00 | 1,598.10 | 3,539.00 | 2,477.30 |
| | | | Windows | 0.646568 | 0.452598 | 392.00 | 274.40 | 370.00 | 333.00 | 4,381.00 | 3,066.70 | 7,800.00 | 5,460.00 |
| Ded. Gen. Purp. 1:2 c4ne.2xlarge.2 | 8 | 16 | open Linux | 0.667440 | 0.467208 | 341.00 | 238.70 | 302.00 | 271.80 | 3,508.00 | 2,455.60 | 5,262.00 | 3,683.40 |
| | | | Oracle Linux | 0.704684 | 0.493279 | 368.00 | 257.60 | 329.00 | 296.10 | 3,834.00 | 2,683.80 | 5,915.00 | 4,140.50 |
| | | | Red Hat | 0.816415 | 0.571491 | 450.00 | 315.00 | 411.00 | 369.90 | 4,813.00 | 3,369.10 | 7,872.00 | 5,510.40 |
| | | | SUSE/SAP | 0.967954 | 0.677568 | 560.00 | 392.00 | 510.00 | 459.00 | 6,009.00 | 4,206.30 | 10,001.00 | 7,000.70 |
| | | | SUSE Linux | 0.791586 | 0.554110 | 371.00 | 259.70 | 329.00 | 296.10 | 3,867.00 | 2,706.90 | 5,915.00 | 4,140.50 |
| | | | Windows | 1.18 | 0.826000 | 714.00 | 499.80 | 675.00 | 607.50 | 7,987.00 | 5,590.90 | 14,219.00 | 9,953.30 |
| Ded. Gen. Purp. 1:4 c4ne.2xlarge.4 | 8 | 32 | open Linux | 0.732240 | 0.512568 | 374.00 | 261.80 | 331.00 | 297.90 | 3,849.00 | 2,694.30 | 5,773.00 | 4,041.10 |
| | | | Oracle Linux | 0.769484 | 0.538639 | 401.00 | 280.70 | 359.00 | 323.10 | 4,175.00 | 2,922.50 | 6,425.00 | 4,497.50 |
| | | | Red Hat | 0.881215 | 0.616851 | 483.00 | 338.10 | 440.00 | 396.00 | 5,154.00 | 3,607.80 | 8,383.00 | 5,868.10 |
| | | | SUSE/SAP | 1.03 | 0.721000 | 594.00 | 415.80 | 540.00 | 486.00 | 6,350.00 | 4,445.00 | 10,511.00 | 7,357.70 |
| | | | SUSE Linux | 0.856386 | 0.599470 | 404.00 | 282.80 | 359.00 | 323.10 | 4,208.00 | 2,945.60 | 6,425.00 | 4,497.50 |
| | | | Windows | 1.29 | 0.903000 | 784.00 | 548.80 | 741.00 | 666.90 | 8,762.00 | 6,133.40 | 15,600.00 | 10,920.00 |
| Ded. Gen. Purp. 1:2 c4ne.3xlarge.2 | 12 | 24 | open Linux | 1.00 | 0.700000 | 512.00 | 358.40 | 453.00 | 407.70 | 5,262.00 | 3,683.40 | 7,893.00 | 5,525.10 |
| | | | Oracle Linux | 1.04 | 0.728000 | 552.00 | 386.40 | 494.00 | 444.60 | 5,751.00 | 4,025.70 | 8,872.00 | 6,210.40 |
| | | | Red Hat | 1.15 | 0.805000 | 675.00 | 472.50 | 616.00 | 554.40 | 7,220.00 | 5,054.00 | 11,808.00 | 8,265.60 |
| | | | SUSE/SAP | 1.30 | 0.910000 | 841.00 | 588.70 | 766.00 | 689.40 | 9,013.00 | 6,309.10 | 15,001.00 | 10,500.70 |
| | | | SUSE Linux | 1.13 | 0.791000 | 556.00 | 389.20 | 494.00 | 444.60 | 5,800.00 | 4,060.00 | 8,872.00 | 6,210.40 |
| | | | Windows | 1.77 | 1.24 | 1,071.00 | 749.70 | 1,013.00 | 911.70 | 11,980.00 | 8,386.00 | 21,329.00 | 14,930.30 |
| Ded. Gen. Purp. 1:4 c4ne.3xlarge.4 | 12 | 48 | open Linux | 1.10 | 0.770000 | 561.00 | 392.70 | 497.00 | 447.30 | 5,773.00 | 4,041.10 | 8,659.00 | 6,061.30 |
| | | | Oracle Linux | 1.14 | 0.798000 | 602.00 | 421.40 | 538.00 | 484.20 | 6,262.00 | 4,383.40 | 9,638.00 | 6,746.60 |
| | | | Red Hat | 1.25 | 0.875000 | 724.00 | 506.80 | 660.00 | 594.00 | 7,731.00 | 5,411.70 | 12,575.00 | 8,802.50 |
| | | | SUSE/SAP | 1.40 | 0.980000 | 890.00 | 623.00 | 810.00 | 729.00 | 9,524.00 | 6,666.80 | 15,767.00 | 11,036.90 |
| | | | SUSE Linux | 1.22 | 0.854000 | 606.00 | 424.20 | 538.00 | 484.20 | 6,311.00 | 4,417.70 | 9,638.00 | 6,746.60 |
| | | | Windows | 1.94 | 1.36 | 1,175.00 | 822.50 | 1,111.00 | 999.90 | 13,143.00 | 9,200.10 | 23,400.00 | 16,380.00 |
| Ded. Gen. Purp. 1:2 c4ne.4xlarge.2 | 16 | 32 | open Linux | 1.33 | 0.931000 | 682.00 | 477.40 | 604.00 | 543.60 | 7,016.00 | 4,911.20 | 10,524.00 | 7,366.80 |
| | | | Oracle Linux | 1.37 | 0.959000 | 709.00 | 496.30 | 631.00 | 567.90 | 7,342.00 | 5,139.40 | 11,177.00 | 7,823.90 |
| | | | Red Hat | 1.48 | 1.04 | 791.00 | 553.70 | 713.00 | 641.70 | 8,321.00 | 5,824.70 | 13,134.00 | 9,193.80 |
| | | | SUSE/SAP | 1.64 | 1.15 | 901.00 | 630.70 | 813.00 | 731.70 | 9,517.00 | 6,661.90 | 15,263.00 | 10,684.10 |
| | | | SUSE Linux | 1.46 | 1.02 | 712.00 | 498.40 | 631.00 | 567.90 | 7,375.00 | 5,162.50 | 11,177.00 | 7,823.90 |
| | | | Windows | 2.36 | 1.65 | 1,429.00 | 1,000.30 | 1,351.00 | 1,215.90 | 15,973.00 | 11,181.10 | 28,439.00 | 19,907.30 |
| Ded. Gen. Purp. 1:4 c4ne.4xlarge.4 | 16 | 64 | open Linux | 1.46 | 1.02 | 748.00 | 523.60 | 663.00 | 596.70 | 7,697.00 | 5,387.90 | 11,546.00 | 8,082.20 |
| | | | Oracle Linux | 1.50 | 1.05 | 776.00 | 543.20 | 690.00 | 621.00 | 8,024.00 | 5,616.80 | 12,198.00 | 8,538.60 |
| | | | Red Hat | 1.61 | 1.13 | 857.00 | 599.90 | 772.00 | 694.80 | 9,002.00 | 6,301.40 | 14,156.00 | 9,909.20 |
| | | | SUSE/SAP | 1.76 | 1.23 | 968.00 | 677.60 | 871.00 | 783.90 | 10,198.00 | 7,138.60 | 16,284.00 | 11,398.80 |
| | | | SUSE Linux | 1.59 | 1.11 | 778.00 | 544.60 | 690.00 | 621.00 | 8,056.00 | 5,639.20 | 12,198.00 | 8,538.60 |
| | | | Windows | 2.59 | 1.81 | 1,567.00 | 1,096.90 | 1,482.00 | 1,333.80 | 17,524.00 | 12,266.80 | 31,200.00 | 21,840.00 |
| Ded. Gen. Purp. 1:2 c4ne.6xlarge.2 | 24 | 48 | open Linux | 2.00 | 1.40 | 1,023.00 | 716.10 | 906.00 | 815.40 | 10,524.00 | 7,366.80 | 15,786.00 | 11,050.20 |
| | | | Oracle Linux | 2.04 | 1.43 | 1,064.00 | 744.80 | 947.00 | 852.30 | 11,014.00 | 7,709.80 | 16,765.00 | 11,735.50 |
| | | | Red Hat | 2.15 | 1.51 | 1,186.00 | 830.20 | 1,069.00 | 962.10 | 12,482.00 | 8,737.40 | 19,701.00 | 13,790.70 |
| | | | SUSE/SAP | 2.30 | 1.61 | 1,352.00 | 946.40 | 1,219.00 | 1,097.10 | 14,276.00 | 9,993.20 | 22,894.00 | 16,025.80 |
| | | | SUSE Linux | 2.13 | 1.49 | 1,068.00 | 747.60 | 947.00 | 852.30 | 11,063.00 | 7,744.10 | 16,765.00 | 11,735.50 |
| | | | Windows | 3.54 | 2.48 | 2,143.00 | 1,500.10 | 2,026.00 | 1,823.40 | 23,960.00 | 16,772.00 | 42,658.00 | 29,860.60 |
| Ded. Gen. Purp. 1:4 c4ne.6xlarge.4 | 24 | 96 | open Linux | 2.20 | 1.54 | 1,123.00 | 786.10 | 994.00 | 894.60 | 11,546.00 | 8,082.20 | 17,319.00 | 12,123.30 |
| | | | Oracle Linux | 2.23 | 1.56 | 1,163.00 | 814.10 | 1,035.00 | 931.50 | 12,035.00 | 8,424.50 | 18,298.00 | 12,808.60 |
| | | | Red Hat | 2.35 | 1.65 | 1,286.00 | 900.20 | 1,157.00 | 1,041.30 | 13,503.00 | 9,452.10 | 21,234.00 | 14,863.80 |
| | | | SUSE/SAP | 2.50 | 1.75 | 1,452.00 | 1,016.40 | 1,307.00 | 1,176.30 | 15,297.00 | 10,707.90 | 24,427.00 | 17,098.90 |
| | | | SUSE Linux | 2.32 | 1.62 | 1,167.00 | 816.90 | 1,035.00 | 931.50 | 12,084.00 | 8,458.80 | 18,298.00 | 12,808.60 |
| | | | Windows | 3.88 | 2.72 | 2,351.00 | 1,645.70 | 2,223.00 | 2,000.70 | 26,286.00 | 18,400.20 | 46,800.00 | 32,760.00 |
| Ded. Gen. Purp. 1:2 c4ne.8xlarge.2 | 32 | 64 | open Linux | 2.67 | 1.87 | 1,364.00 | 954.80 | 1,208.00 | 1,087.20 | 14,032.00 | 9,822.40 | 21,048.00 | 14,733.60 |
| | | | Oracle Linux | 2.71 | 1.90 | 1,391.00 | 973.70 | 1,236.00 | 1,112.40 | 14,359.00 | 10,051.30 | 21,701.00 | 15,190.70 |
| | | | Red Hat | 2.82 | 1.97 | 1,473.00 | 1,031.10 | 1,317.00 | 1,185.30 | 15,337.00 | 10,735.90 | 23,658.00 | 16,560.60 |
| | | | SUSE/SAP | 2.97 | 2.08 | 1,584.00 | 1,108.80 | 1,417.00 | 1,275.30 | 16,533.00 | 11,573.10 | 25,787.00 | 18,050.90 |
| | | | SUSE Linux | 2.79 | 1.95 | 1,394.00 | 975.80 | 1,236.00 | 1,112.40 | 14,391.00 | 10,073.70 | 21,701.00 | 15,190.70 |
| | | | Windows | 4.71 | 3.30 | 2,857.00 | 1,999.90 | 2,701.00 | 2,430.90 | 31,947.00 | 22,362.90 | 56,877.00 | 39,813.90 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. Gen. Purp. 1:2 c4ne.16xlarge.2 | 64 | 128 | open Linux | 5.34 | 3.74 | 2,728.00 | 1,909.60 | 2,417.00 | 2,175.30 | 28,065.00 | 19,645.50 | 42,097.00 | 29,467.90 |
| | | | Oracle Linux | 5.41 | 3.79 | 2,783.00 | 1,948.10 | 2,471.00 | 2,223.90 | 28,717.00 | 20,101.90 | 43,402.00 | 30,381.40 |
| | | | Red Hat | 5.64 | 3.95 | 2,946.00 | 2,062.20 | 2,634.00 | 2,370.60 | 30,675.00 | 21,472.50 | 47,317.00 | 33,121.90 |
| | | | SUSE/SAP | 5.94 | 4.16 | 3,167.00 | 2,216.90 | 2,833.00 | 2,549.70 | 33,066.00 | 23,146.20 | 51,574.00 | 36,101.80 |
| | | | SUSE Linux | 5.59 | 3.91 | 2,788.00 | 1,951.60 | 2,471.00 | 2,223.90 | 28,782.00 | 20,147.40 | 43,402.00 | 30,381.40 |
| | | | Windows | 9.43 | 6.60 | 5,714.00 | 3,999.80 | 5,402.00 | 4,861.80 | 63,894.00 | 44,725.80 | 113,755.00 | 79,628.50 |
| Ded. Gen. Purp. 1:4 c4ne.8xlarge.4 | 32 | 128 | open Linux | 2.36 | 1.65 | 1,497.00 | 1,047.90 | 1,326.00 | 1,193.40 | 15,395.00 | 10,776.50 | 23,092.00 | 16,164.40 |
| | | | Oracle Linux | 2.97 | 2.08 | 1,524.00 | 1,066.80 | 1,353.00 | 1,217.70 | 15,721.00 | 11,004.70 | 23,744.00 | 16,620.80 |
| | | | Red Hat | 3.08 | 2.16 | 1,605.00 | 1,123.50 | 1,434.00 | 1,290.60 | 16,700.00 | 11,690.00 | 25,702.00 | 17,991.40 |
| | | | SUSE/SAP | 3.23 | 2.26 | 1,716.00 | 1,201.20 | 1,534.00 | 1,380.60 | 17,895.00 | 12,526.50 | 27,830.00 | 19,481.00 |
| | | | SUSE Linux | 3.05 | 2.14 | 1,527.00 | 1,068.90 | 1,353.00 | 1,217.70 | 15,753.00 | 11,027.10 | 23,744.00 | 16,620.80 |
| | | | Windows | 5.17 | 3.62 | 3,135.00 | 2,194.50 | 2,963.00 | 2,666.70 | 35,048.00 | 24,533.60 | 62,400.00 | 43,680.00 |
| Ded. General Purp. c4ne.12xlarge.2 | 48 | 96 | open Linux | 4.00 | n.a. | 2,046.00 | 1,432.20 | 1,813.00 | 1,269.10 | 21,048.00 | 14,733.60 | 31,573.00 | 22,101.10 |
| | | | Oracle Linux | 4.06 | 2.84 | 2,087.00 | 1,460.90 | 1,853.00 | 1,297.10 | 21,538.00 | 15,076.60 | 32,551.00 | 22,785.70 |
| | | | Red Hat | 4.23 | 2.96 | 2,209.00 | 1,546.30 | 1,976.00 | 1,383.20 | 23,006.00 | 16,104.20 | 35,488.00 | 24,841.60 |
| | | | SUSE/SAP | 4.46 | 3.12 | 2,375.00 | 1,662.50 | 2,125.00 | 1,487.50 | 24,800.00 | 17,360.00 | 38,680.00 | 27,076.00 |
| | | | SUSE Linux | 4.19 | 2.93 | 2,091.00 | 1,463.70 | 1,853.00 | 1,297.10 | 21,587.00 | 15,110.90 | 32,551.00 | 22,785.70 |
| | | | Windows | 7.07 | 4.95 | 4,286.00 | 3,000.20 | 4,052.00 | 2,836.40 | 47,920.00 | 33,544.00 | 85,316.00 | 59,721.20 |
| Ded. General Purp. c4ne.12xlarge.4 | 48 | 192 | open Linux | 3.54 | 2.48 | 2,245.00 | 1,571.50 | 1,988.00 | 1,391.60 | 23,092.00 | 16,164.40 | 34,638.00 | 24,246.60 |
| | | | Oracle Linux | 4.45 | 3.12 | 2,286.00 | 1,600.20 | 2,029.00 | 1,420.30 | 23,581.00 | 16,506.70 | 35,617.00 | 24,931.90 |
| | | | Red Hat | 4.62 | 3.23 | 2,408.00 | 1,685.60 | 2,152.00 | 1,506.40 | 25,049.00 | 17,534.30 | 38,553.00 | 26,987.10 |
| | | | SUSE/SAP | 4.84 | 3.39 | 2,574.00 | 1,801.80 | 2,301.00 | 1,610.70 | 26,843.00 | 18,790.10 | 41,746.00 | 29,222.20 |
| | | | SUSE Linux | 4.58 | 3.21 | 2,290.00 | 1,603.00 | 2,029.00 | 1,420.30 | 23,630.00 | 16,541.00 | 35,617.00 | 24,931.90 |
| | | | Windows | 7.76 | 5.43 | 4,702.00 | 3,291.40 | 4,445.00 | 3,111.50 | 52,573.00 | 36,801.10 | 93,599.00 | 65,519.30 |
| Ded. Gen. Purp. 1:2 c4ne.16xlarge.2 | 64 | 128 | open Linux | 5.34 | 3.74 | 2,728.00 | 1,909.60 | 2,417.00 | 2,175.30 | 28,065.00 | 19,645.50 | 42,097.00 | 29,467.90 |
| | | | Oracle Linux | 5.41 | 3.79 | 2,783.00 | 1,948.10 | 2,471.00 | 2,223.90 | 28,717.00 | 20,101.90 | 43,402.00 | 30,381.40 |
| | | | Red Hat | 5.64 | 3.95 | 2,946.00 | 2,062.20 | 2,634.00 | 2,370.60 | 30,675.00 | 21,472.50 | 47,317.00 | 33,121.90 |
| | | | SUSE/SAP | 5.94 | 4.16 | 3,167.00 | 2,216.90 | 2,833.00 | 2,549.70 | 33,066.00 | 23,146.20 | 51,574.00 | 36,101.80 |
| | | | SUSE Linux | 5.59 | 3.91 | 2,788.00 | 1,951.60 | 2,471.00 | 2,223.90 | 28,782.00 | 20,147.40 | 43,402.00 | 30,381.40 |
| | | | Windows | 9.43 | 6.60 | 5,714.00 | 3,999.80 | 5,402.00 | 4,861.80 | 63,894.00 | 44,725.80 | 113,755.00 | 79,628.50 |
| Ded. Gen. Purp. 1:4 c4ne.16xlarge.4 | 64 | 256 | open Linux | 5.86 | 4.10 | 2,993.00 | 2,095.10 | 2,651.00 | 2,385.90 | 30,789.00 | 21,552.30 | 46,184.00 | 32,328.80 |
| | | | Oracle Linux | 5.93 | 4.15 | 3,048.00 | 2,133.60 | 2,706.00 | 2,435.40 | 31,442.00 | 22,009.40 | 47,489.00 | 33,242.30 |
| | | | Red Hat | 6.16 | 4.31 | 3,211.00 | 2,247.70 | 2,869.00 | 2,582.10 | 33,399.00 | 23,379.30 | 51,404.00 | 35,982.80 |
| | | | SUSE/SAP | 6.46 | 4.52 | 3,432.00 | 2,402.40 | 3,068.00 | 2,761.20 | 35,791.00 | 25,053.70 | 55,661.00 | 38,962.70 |
| | | | SUSE Linux | 6.11 | 4.28 | 3,053.00 | 2,137.10 | 2,706.00 | 2,435.40 | 31,507.00 | 22,054.90 | 47,489.00 | 33,242.30 |
| | | | Windows | 10.35 | 7.25 | 6,269.00 | 4,388.30 | 5,927.00 | 5,334.30 | 70,097.00 | 49,067.90 | 124,799.00 | 87,359.30 |

Back to 3.1.1.1

## 6.2.1.7 Dedicated General purpose – c7n

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. c7n.large.2 | 2 | 4 | open Linux | 0.178540 | 0.124978 | 86.84 | 60.79 | 76.92 | 53.84 | 893.00 | 625.10 | 1,340.00 | 938.00 |
| | | | Oracle Linux | 0.218391 | 0.152874 | 114.54 | 80.18 | 104.61 | 73.23 | 1,226.00 | 858.20 | 2,004.00 | 1,402.80 |
| | | | Red Hat | 0.258242 | 0.180769 | 142.23 | 99.56 | 132.30 | 92.61 | 1,558.00 | 1,090.60 | 2,669.00 | 1,868.30 |
| | | | SUSE/SAP | 0.500090 | 0.350063 | 310.00 | 217.00 | 289.00 | 202.30 | 3,440.00 | 2,408.00 | 6,166.00 | 4,316.20 |
| | | | SUSE Linux | 0.311376 | 0.217963 | 117.31 | 82.12 | 104.61 | 73.23 | 1,259.00 | 881.30 | 2,004.00 | 1,402.80 |
| | | | Windows | 0.315303 | 0.220712 | 181.88 | 127.32 | 171.95 | 120.37 | 2,034.00 | 1,423.80 | 3,621.00 | 2,534.70 |
| Ded. General Purp. c7n.xlarge.2 | 4 | 8 | open Linux | 0.357080 | 0.249956 | 173.69 | 121.58 | 153.84 | 107.69 | 1,787.00 | 1,250.90 | 2,680.00 | 1,876.00 |
| | | | Oracle Linux | 0.396931 | 0.277852 | 201.00 | 140.70 | 181.53 | 127.07 | 2,119.00 | 1,483.30 | 3,344.00 | 2,340.80 |
| | | | Red Hat | 0.436782 | 0.305747 | 229.00 | 160.30 | 209.00 | 146.30 | 2,451.00 | 1,715.70 | 4,009.00 | 2,806.30 |
| | | | SUSE/SAP | 0.678630 | 0.475041 | 397.00 | 277.90 | 366.00 | 256.20 | 4,334.00 | 3,033.80 | 7,506.00 | 5,254.20 |
| | | | SUSE Linux | 0.489917 | 0.342942 | 204.00 | 142.80 | 181.53 | 127.07 | 2,152.00 | 1,506.40 | 3,344.00 | 2,340.80 |
| | | | Windows | 0.630604 | 0.441423 | 364.00 | 254.80 | 344.00 | 240.80 | 4,067.00 | 2,846.90 | 7,241.00 | 5,068.70 |
| Ded. General Purp. c7n.2xlarge.2 | 8 | 16 | open Linux | 0.714161 | 0.499913 | 347.00 | 242.90 | 308.00 | 215.60 | 3,573.00 | 2,501.10 | 5,360.00 | 3,752.00 |
| | | | Oracle Linux | 0.754012 | 0.527808 | 375.00 | 262.50 | 335.00 | 234.50 | 3,905.00 | 2,733.50 | 6,024.00 | 4,216.80 |
| | | | Red Hat | 0.873564 | 0.611495 | 458.00 | 320.60 | 418.00 | 292.60 | 4,902.00 | 3,431.40 | 8,018.00 | 5,612.60 |
| | | | SUSE/SAP | 1.04 | 0.728000 | 571.00 | 399.70 | 520.00 | 364.00 | 6,120.00 | 4,284.00 | 10,186.00 | 7,130.20 |
| | | | SUSE Linux | 0.846997 | 0.592898 | 378.00 | 264.60 | 335.00 | 234.50 | 3,939.00 | 2,757.30 | 6,024.00 | 4,216.80 |
| | | | Windows | 1.26 | 0.882000 | 728.00 | 509.60 | 688.00 | 481.60 | 8,135.00 | 5,694.50 | 14,483.00 | 10,138.10 |
| Ded. General Purp. c7n.3xlarge.2 | 12 | 24 | open Linux | 1.07 | 0.749000 | 521.00 | 364.70 | 462.00 | 323.40 | 5,360.00 | 3,752.00 | 8,039.00 | 5,627.30 |
| | | | Oracle Linux | 1.11 | 0.777000 | 549.00 | 384.30 | 489.00 | 342.30 | 5,692.00 | 3,984.40 | 8,704.00 | 6,092.80 |
| | | | Red Hat | 1.23 | 0.861000 | 632.00 | 442.40 | 572.00 | 400.40 | 6,689.00 | 4,682.30 | 10,698.00 | 7,488.60 |
| | | | SUSE/SAP | 1.39 | 0.973000 | 745.00 | 521.50 | 674.00 | 471.80 | 7,907.00 | 5,534.90 | 12,866.00 | 9,006.20 |
| | | | SUSE Linux | 1.20 | 0.840000 | 552.00 | 386.40 | 489.00 | 342.30 | 5,725.00 | 4,007.50 | 8,704.00 | 6,092.80 |
| | | | Windows | 1.89 | 1.32 | 1,091.00 | 763.70 | 1,032.00 | 722.40 | 12,202.00 | 8,541.40 | 21,724.00 | 15,206.80 |
| Ded. General Purp. c7n.4xlarge.2 | 16 | 32 | open Linux | 1.43 | 1.00 | 695.00 | 486.50 | 615.00 | 430.50 | 7,146.00 | 5,002.20 | 10,719.00 | 7,503.30 |
| | | | Oracle Linux | 1.47 | 1.03 | 722.00 | 505.40 | 643.00 | 450.10 | 7,478.00 | 5,234.60 | 11,384.00 | 7,968.80 |
| | | | Red Hat | 1.59 | 1.11 | 806.00 | 564.20 | 726.00 | 508.20 | 8,475.00 | 5,932.50 | 13,377.00 | 9,363.90 |
| | | | SUSE/SAP | 1.75 | 1.23 | 918.00 | 642.60 | 828.00 | 579.60 | 9,693.00 | 6,785.10 | 15,545.00 | 10,881.50 |
| | | | SUSE Linux | 1.56 | 1.09 | 725.00 | 507.50 | 643.00 | 450.10 | 7,512.00 | 5,258.40 | 11,384.00 | 7,968.80 |
| | | | Windows | 2.52 | 1.76 | 1,455.00 | 1,018.50 | 1,376.00 | 963.20 | 16,269.00 | 11,388.30 | 28,965.00 | 20,275.50 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. c7n.6xlarge.2 | 24 | 48 | open Linux | 2.14 | 1.50 | 1,042.00 | 729.40 | 923.00 | 646.10 | 10,719.00 | 7,503.30 | 16,079.00 | 11,255.30 |
| | | | Oracle Linux | 2.18 | 1.53 | 1,070.00 | 749.00 | 951.00 | 665.70 | 11,051.00 | 7,735.70 | 16,743.00 | 11,720.10 |
| | | | Red Hat | 2.30 | 1.61 | 1,153.00 | 807.10 | 1,034.00 | 723.80 | 12,048.00 | 8,433.60 | 18,737.00 | 13,115.90 |
| | | | SUSE/SAP | 2.46 | 1.72 | 1,266.00 | 886.20 | 1,135.00 | 794.50 | 13,266.00 | 9,286.20 | 20,905.00 | 14,633.50 |
| | | | SUSE Linux | 2.28 | 1.60 | 1,073.00 | 751.10 | 951.00 | 665.70 | 11,085.00 | 7,759.50 | 16,743.00 | 11,720.10 |
| | | | Windows | 3.78 | 2.65 | 2,183.00 | 1,528.10 | 2,063.00 | 1,444.10 | 24,404.00 | 17,082.80 | 43,448.00 | 30,413.60 |
| Ded. General Purp. c7n.8xlarge.2 | 32 | 64 | open Linux | 2.86 | 2.00 | 1,390.00 | 973.00 | 1,231.00 | 861.70 | 14,292.00 | 10,004.40 | 21,438.00 | 15,006.60 |
| | | | Oracle Linux | 2.90 | 2.03 | 1,417.00 | 991.90 | 1,258.00 | 880.60 | 14,624.00 | 10,236.80 | 22,103.00 | 15,472.10 |
| | | | Red Hat | 3.02 | 2.11 | 1,500.00 | 1,050.00 | 1,341.00 | 938.70 | 15,621.00 | 10,934.70 | 24,097.00 | 16,867.90 |
| | | | SUSE/SAP | 3.18 | 2.23 | 1,613.00 | 1,129.10 | 1,443.00 | 1,010.10 | 16,839.00 | 11,787.30 | 26,264.00 | 18,384.80 |
| | | | SUSE Linux | 2.99 | 2.09 | 1,420.00 | 994.00 | 1,258.00 | 880.60 | 14,658.00 | 10,260.60 | 22,103.00 | 15,472.10 |
| | | | Windows | 5.04 | 3.53 | 2,910.00 | 2,037.00 | 2,751.00 | 1,925.70 | 32,538.00 | 22,776.60 | 57,931.00 | 40,551.70 |
| Ded. General Purp. c7n.16xlarge.2 | 64 | 128 | open Linux | 5.71 | 4.00 | 2,779.00 | 1,945.30 | 2,461.00 | 1,722.70 | 28,584.00 | 20,008.80 | 42,876.00 | 30,013.20 |
| | | | Oracle Linux | 5.79 | 4.05 | 2,834.00 | 1,983.80 | 2,517.00 | 1,761.90 | 29,249.00 | 20,474.30 | 44,206.00 | 30,944.20 |
| | | | Red Hat | 6.03 | 4.22 | 3,001.00 | 2,100.70 | 2,683.00 | 1,878.10 | 31,243.00 | 21,870.10 | 48,193.00 | 33,735.10 |
| | | | SUSE/SAP | 6.36 | 4.45 | 3,226.00 | 2,258.20 | 2,886.00 | 2,020.20 | 33,679.00 | 23,575.30 | 52,529.00 | 36,770.30 |
| | | | SUSE Linux | 5.98 | 4.19 | 2,840.00 | 1,988.00 | 2,517.00 | 1,761.90 | 29,315.00 | 20,520.50 | 44,206.00 | 30,944.20 |
| | | | Windows | 10.09 | 7.06 | 5,820.00 | 4,074.00 | 5,502.00 | 3,851.40 | 65,077.00 | 45,553.90 | 115,861.00 | 81,102.70 |
| Ded. General Purp. c7n.24xlarge.2 | 96 | 192 | open Linux | 8.57 | 6.00 | 4,169.00 | 2,918.30 | 3,692.00 | 2,584.40 | 42,876.00 | 30,013.20 | 64,315.00 | 45,020.50 |
| | | | Oracle Linux | 8.69 | 6.08 | 4,252.00 | 2,976.40 | 3,775.00 | 2,642.50 | 43,873.00 | 30,711.10 | 66,308.00 | 46,415.60 |
| | | | Red Hat | 9.05 | 6.34 | 4,501.00 | 3,150.70 | 4,024.00 | 2,816.80 | 46,864.00 | 32,804.80 | 72,290.00 | 50,603.00 |
| | | | SUSE/SAP | 9.53 | 6.67 | 4,839.00 | 3,387.30 | 4,329.00 | 3,030.30 | 50,518.00 | 35,362.60 | 78,793.00 | 55,155.10 |
| | | | SUSE Linux | 8.97 | 6.28 | 4,260.00 | 2,982.00 | 3,775.00 | 2,642.50 | 43,973.00 | 30,781.10 | 66,308.00 | 46,415.60 |
| | | | Windows | 15.13 | 10.59 | 8,730.00 | 6,111.00 | 8,254.00 | 5,777.80 | 97,615.00 | 68,330.50 | 173,792.00 | 121,654.40 |
| Ded. General Purp. c7n.large.4 | 2 | 8 | open Linux | 0.195874 | 0.137112 | 95.28 | 66.70 | 84.39 | 59.07 | 980.00 | 686.00 | 1,470.00 | 1,029.00 |
| | | | Oracle Linux | 0.235725 | 0.165008 | 122.97 | 86.08 | 112.08 | 78.46 | 1,312.00 | 918.40 | 2,135.00 | 1,494.50 |
| | | | Red Hat | 0.275576 | 0.192903 | 150.66 | 105.46 | 139.77 | 97.84 | 1,645.00 | 1,151.50 | 2,799.00 | 1,959.30 |
| | | | SUSE/SAP | 0.517424 | 0.362197 | 319.00 | 223.30 | 297.00 | 207.90 | 3,527.00 | 2,468.90 | 6,296.00 | 4,407.20 |
| | | | SUSE Linux | 0.328710 | 0.230097 | 125.74 | 88.02 | 112.08 | 78.46 | 1,346.00 | 942.20 | 2,135.00 | 1,494.50 |
| | | | Windows | 0.345914 | 0.242140 | 199.54 | 139.68 | 188.65 | 132.06 | 2,231.00 | 1,561.70 | 3,972.00 | 2,780.40 |
| Ded. General Purp. c7n.xlarge.4 | 4 | 16 | open Linux | 0.391748 | 0.274224 | 190.55 | 133.39 | 168.77 | 118.14 | 1,960.00 | 1,372.00 | 2,940.00 | 2,058.00 |
| | | | Oracle Linux | 0.431599 | 0.302119 | 218.00 | 152.60 | 196.47 | 137.53 | 2,292.00 | 1,604.40 | 3,605.00 | 2,523.50 |
| | | | Red Hat | 0.471450 | 0.330015 | 246.00 | 172.20 | 224.00 | 156.80 | 2,625.00 | 1,837.50 | 4,269.00 | 2,988.30 |
| | | | SUSE/SAP | 0.713298 | 0.499309 | 414.00 | 289.80 | 381.00 | 266.70 | 4,507.00 | 3,154.90 | 7,766.00 | 5,436.20 |
| | | | SUSE Linux | 0.524585 | 0.367210 | 221.00 | 154.70 | 196.47 | 137.53 | 2,325.00 | 1,627.50 | 3,605.00 | 2,523.50 |
| | | | Windows | 0.691827 | 0.484279 | 399.00 | 279.30 | 377.00 | 263.90 | 4,462.00 | 3,123.40 | 7,944.00 | 5,560.80 |
| Ded. General Purp. c7n.2xlarge.4 | 8 | 32 | open Linux | 0.783497 | 0.548448 | 381.00 | 266.70 | 338.00 | 236.60 | 3,920.00 | 2,744.00 | 5,880.00 | 4,116.00 |
| | | | Oracle Linux | 0.823348 | 0.576344 | 409.00 | 286.30 | 365.00 | 255.50 | 4,252.00 | 2,976.40 | 6,544.00 | 4,580.80 |
| | | | Red Hat | 0.942900 | 0.660030 | 492.00 | 344.40 | 448.00 | 313.60 | 5,249.00 | 3,674.30 | 8,538.00 | 5,976.60 |
| | | | SUSE/SAP | 1.11 | 0.777000 | 605.00 | 423.50 | 550.00 | 385.00 | 6,467.00 | 4,526.90 | 10,706.00 | 7,494.20 |
| | | | SUSE Linux | 0.916333 | 0.641433 | 412.00 | 288.40 | 365.00 | 255.50 | 4,285.00 | 2,999.50 | 6,544.00 | 4,580.80 |
| | | | Windows | 1.38 | 0.966000 | 798.00 | 558.60 | 755.00 | 528.50 | 8,924.00 | 6,246.80 | 15,889.00 | 11,122.30 |
| Ded. General Purp. c7n.3xlarge.4 | 12 | 48 | open Linux | 1.18 | 0.826000 | 572.00 | 400.40 | 506.00 | 354.20 | 5,880.00 | 4,116.00 | 8,820.00 | 6,174.00 |
| | | | Oracle Linux | 1.22 | 0.854000 | 599.00 | 419.30 | 534.00 | 373.80 | 6,212.00 | 4,348.40 | 9,484.00 | 6,638.80 |
| | | | Red Hat | 1.33 | 0.931000 | 682.00 | 477.40 | 617.00 | 431.90 | 7,209.00 | 5,046.30 | 11,478.00 | 8,034.60 |
| | | | SUSE/SAP | 1.50 | 1.05 | 795.00 | 556.50 | 719.00 | 503.30 | 8,427.00 | 5,898.90 | 13,646.00 | 9,552.20 |
| | | | SUSE Linux | 1.31 | 0.917000 | 602.00 | 421.40 | 534.00 | 373.80 | 6,245.00 | 4,371.50 | 9,484.00 | 6,638.80 |
| | | | Windows | 2.08 | 1.46 | 1,197.00 | 837.90 | 1,132.00 | 792.40 | 13,387.00 | 9,370.90 | 23,833.00 | 16,683.10 |
| Ded. General Purp. c7n.4xlarge.4 | 16 | 64 | open Linux | 1.57 | 1.10 | 762.00 | 533.40 | 675.00 | 472.50 | 7,840.00 | 5,488.00 | 11,760.00 | 8,232.00 |
| | | | Oracle Linux | 1.61 | 1.13 | 790.00 | 553.00 | 703.00 | 492.10 | 8,172.00 | 5,720.40 | 12,424.00 | 8,696.80 |
| | | | Red Hat | 1.73 | 1.21 | 873.00 | 611.10 | 786.00 | 550.20 | 9,169.00 | 6,418.30 | 14,418.00 | 10,092.60 |
| | | | SUSE/SAP | 1.89 | 1.32 | 986.00 | 690.20 | 887.00 | 620.90 | 10,387.00 | 7,270.90 | 16,586.00 | 11,610.20 |
| | | | SUSE Linux | 1.70 | 1.19 | 793.00 | 555.10 | 703.00 | 492.10 | 8,205.00 | 5,743.50 | 12,424.00 | 8,696.80 |
| | | | Windows | 2.77 | 1.94 | 1,596.00 | 1,117.20 | 1,509.00 | 1,056.30 | 17,849.00 | 12,494.30 | 31,778.00 | 22,244.60 |
| Ded. General Purp. c7n.6xlarge.4 | 24 | 96 | open Linux | 2.35 | 1.65 | 1,143.00 | 800.10 | 1,013.00 | 709.10 | 11,760.00 | 8,232.00 | 17,640.00 | 12,348.00 |
| | | | Oracle Linux | 2.39 | 1.67 | 1,171.00 | 819.70 | 1,040.00 | 728.00 | 12,092.00 | 8,464.40 | 18,304.00 | 12,812.80 |
| | | | Red Hat | 2.51 | 1.76 | 1,254.00 | 877.80 | 1,123.00 | 786.10 | 13,089.00 | 9,162.30 | 20,298.00 | 14,208.60 |
| | | | SUSE/SAP | 2.67 | 1.87 | 1,367.00 | 956.90 | 1,225.00 | 857.50 | 14,307.00 | 10,014.90 | 22,466.00 | 15,726.20 |
| | | | SUSE Linux | 2.48 | 1.74 | 1,174.00 | 821.80 | 1,040.00 | 728.00 | 12,125.00 | 8,487.50 | 18,304.00 | 12,812.80 |
| | | | Windows | 4.15 | 2.91 | 2,394.00 | 1,675.80 | 2,264.00 | 1,584.80 | 26,773.00 | 18,741.10 | 47,666.00 | 33,366.20 |
| Ded. General Purp. c7n.8xlarge.4 | 32 | 128 | open Linux | 3.13 | 2.19 | 1,524.00 | 1,066.80 | 1,350.00 | 945.00 | 15,680.00 | 10,976.00 | 23,520.00 | 16,464.00 |
| | | | Oracle Linux | 3.17 | 2.22 | 1,552.00 | 1,086.40 | 1,378.00 | 964.60 | 16,012.00 | 11,208.40 | 24,184.00 | 16,928.80 |
| | | | Red Hat | 3.29 | 2.30 | 1,635.00 | 1,144.50 | 1,461.00 | 1,022.70 | 17,009.00 | 11,906.30 | 26,178.00 | 18,324.60 |
| | | | SUSE/SAP | 3.46 | 2.42 | 1,748.00 | 1,223.60 | 1,562.00 | 1,093.40 | 18,227.00 | 12,758.90 | 28,346.00 | 19,842.20 |
| | | | SUSE Linux | 3.27 | 2.29 | 1,555.00 | 1,088.50 | 1,378.00 | 964.60 | 16,045.00 | 11,231.50 | 24,184.00 | 16,928.80 |
| | | | Windows | 5.53 | 3.87 | 3,193.00 | 2,235.10 | 3,018.00 | 2,112.60 | 35,697.00 | 24,987.90 | 63,555.00 | 44,488.50 |
| Ded. General Purp. c7n.16xlarge.4 | 64 | 256 | open Linux | 6.27 | 4.39 | 3,049.00 | 2,134.30 | 2,700.00 | 1,890.00 | 31,359.00 | 21,951.30 | 47,039.00 | 32,927.30 |
| | | | Oracle Linux | 6.35 | 4.45 | 3,104.00 | 2,172.80 | 2,756.00 | 1,929.20 | 32,024.00 | 22,416.80 | 48,368.00 | 33,857.60 |
| | | | Red Hat | 6.59 | 4.61 | 3,270.00 | 2,289.00 | 2,922.00 | 2,045.40 | 34,018.00 | 23,812.60 | 52,356.00 | 36,649.20 |
| | | | SUSE/SAP | 6.91 | 4.84 | 3,496.00 | 2,447.20 | 3,125.00 | 2,187.50 | 36,454.00 | 25,517.80 | 56,692.00 | 39,684.40 |
| | | | SUSE Linux | 6.53 | 4.57 | 3,110.00 | 2,177.00 | 2,756.00 | 1,929.20 | 32,090.00 | 22,463.00 | 48,368.00 | 33,857.60 |
| | | | Windows | 11.07 | 7.75 | 6,385.00 | 4,469.50 | 6,037.00 | 4,225.90 | 71,395.00 | 49,976.50 | 127,110.00 | 88,977.00 |
| Ded. General Purp. c7n.24xlarge.4 | 96 | 384 | open Linux | 9.40 | 6.58 | 4,573.00 | 3,201.10 | 4,051.00 | 2,835.70 | 47,039.00 | 32,927.30 | 70,559.00 | 49,391.30 |
| | | | Oracle Linux | 9.52 | 6.66 | 4,656.00 | 3,259.20 | 4,134.00 | 2,893.80 | 48,036.00 | 33,625.20 | 72,552.00 | 50,786.40 |
| | | | Red Hat | 9.88 | 6.92 | 4,906.00 | 3,434.20 | 4,383.00 | 3,068.10 | 51,027.00 | 35,718.90 | 78,534.00 | 54,973.80 |
| | | | SUSE/SAP | 10.37 | 7.26 | 5,244.00 | 3,670.80 | 4,687.00 | 3,280.90 | 54,681.00 | 38,276.70 | 85,037.00 | 59,525.90 |
| | | | SUSE Linux | 9.80 | 6.86 | 4,665.00 | 3,265.50 | 4,134.00 | 2,893.80 | 48,136.00 | 33,695.20 | 72,552.00 | 50,786.40 |
| | | | Windows | 16.60 | 11.62 | 9,578.00 | 6,704.60 | 9,055.00 | 6,338.50 | 107,092.00 | 74,964.40 | 190,665.00 | 133,465.50 |

Back to 3.1.1.1

# 6.2.1.8 Dedicated general purpose – c9

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:2 c9.large.2 | 2 | 4 | open Linux | 0.138432 | 0.138432 | 47.50 | 47.50 | 42.44 | 42.44 | 37.39 | 37.39 | 558.00 | 558.00 | 970.00 | 970.00 | 1,279.00 | 1,279.00 |
| | | | Oracle Linux | 0.150364 | 0.150364 | 56.21 | 56.21 | 51.15 | 51.15 | 46.10 | 46.10 | 662.00 | 662.00 | 1,179.00 | 1,179.00 | 1,592.00 | 1,592.00 |
| | | | Red Hat | 0.203432 | 0.203432 | 94.95 | 94.95 | 89.89 | 89.89 | 84.84 | 84.84 | 1,127.00 | 1,127.00 | 2,109.00 | 2,109.00 | 2,987.00 | 2,987.00 |
| | | | SUSE/SAP | 0.251035 | 0.251035 | 129.70 | 129.70 | 124.64 | 124.64 | 119.59 | 119.59 | 1,544.00 | 1,544.00 | 2,943.00 | 2,943.00 | 4,238.00 | 4,238.00 |
| | | | SUSE Linux | 0.183309 | 0.183309 | 80.26 | 80.26 | 75.20 | 75.20 | 70.15 | 70.15 | 951.00 | 951.00 | 1,756.00 | 1,756.00 | 2,458.00 | 2,458.00 |
| | | | Windows | 0.235334 | 0.235334 | 118.23 | 118.23 | 113.18 | 113.18 | 108.13 | 108.13 | 1,407.00 | 1,407.00 | 2,668.00 | 2,668.00 | 3,825.00 | 3,825.00 |
| Ded. General Purp. 1:2 c9.xlarge.2 | 4 | 8 | open Linux | 0.276864 | 0.276864 | 94.99 | 94.99 | 84.89 | 84.89 | 74.78 | 74.78 | 1,116.00 | 1,116.00 | 1,940.00 | 1,940.00 | 2,558.00 | 2,558.00 |
| | | | Oracle Linux | 0.288796 | 0.288796 | 103.70 | 103.70 | 93.60 | 93.60 | 83.49 | 83.49 | 1,220.00 | 1,220.00 | 2,149.00 | 2,149.00 | 2,871.00 | 2,871.00 |
| | | | Red Hat | 0.341864 | 0.341864 | 142.44 | 142.44 | 132.34 | 132.34 | 122.23 | 122.23 | 1,685.00 | 1,685.00 | 3,079.00 | 3,079.00 | 4,266.00 | 4,266.00 |
| | | | SUSE/SAP | 0.496974 | 0.496974 | 256.00 | 256.00 | 246.00 | 246.00 | 235.00 | 235.00 | 3,044.00 | 3,044.00 | 5,797.00 | 5,797.00 | 8,342.00 | 8,342.00 |
| | | | SUSE Linux | 0.321741 | 0.321741 | 127.75 | 127.75 | 117.65 | 117.65 | 107.54 | 107.54 | 1,509.00 | 1,509.00 | 2,727.00 | 2,727.00 | 3,737.00 | 3,737.00 |
| | | | Windows | 0.470669 | 0.470669 | 236.00 | 236.00 | 226.00 | 226.00 | 216.00 | 216.00 | 2,813.00 | 2,813.00 | 5,336.00 | 5,336.00 | 7,651.00 | 7,651.00 |
| Ded. General Purp. 1:2 c9.2xlarge.2 | 8 | 16 | open Linux | 0.553728 | 0.553728 | 189.98 | 189.98 | 169.77 | 169.77 | 149.56 | 149.56 | 2,231.00 | 2,231.00 | 3,881.00 | 3,881.00 | 5,115.00 | 5,115.00 |
| | | | Oracle Linux | 0.565660 | 0.565660 | 198.69 | 198.69 | 178.48 | 178.48 | 158.27 | 158.27 | 2,336.00 | 2,336.00 | 4,090.00 | 4,090.00 | 5,429.00 | 5,429.00 |
| | | | Red Hat | 0.683728 | 0.683728 | 285.00 | 285.00 | 265.00 | 265.00 | 244.00 | 244.00 | 3,370.00 | 3,370.00 | 6,158.00 | 6,158.00 | 8,532.00 | 8,532.00 |
| | | | SUSE/SAP | 0.820851 | 0.820851 | 385.00 | 385.00 | 365.00 | 365.00 | 345.00 | 345.00 | 4,571.00 | 4,571.00 | 8,561.00 | 8,561.00 | 12,135.00 | 12,135.00 |
| | | | SUSE Linux | 0.626386 | 0.626386 | 243.00 | 243.00 | 223.00 | 223.00 | 203.00 | 203.00 | 2,868.00 | 2,868.00 | 5,153.00 | 5,153.00 | 7,025.00 | 7,025.00 |
| | | | Windows | 0.941338 | 0.941338 | 473.00 | 473.00 | 453.00 | 453.00 | 433.00 | 433.00 | 5,627.00 | 5,627.00 | 10,671.00 | 10,671.00 | 15,302.00 | 15,302.00 |
| Ded. General Purp. 1:2 c9.4xlarge.2 | 16 | 32 | open Linux | 1.11 | 1.11 | 380.00 | 380.00 | 340.00 | 340.00 | 299.00 | 299.00 | 4,463.00 | 4,463.00 | 7,761.00 | 7,761.00 | 10,231.00 | 10,231.00 |
| | | | Oracle Linux | 1.12 | 1.12 | 389.00 | 389.00 | 348.00 | 348.00 | 308.00 | 308.00 | 4,567.00 | 4,567.00 | 7,970.00 | 7,970.00 | 10,544.00 | 10,544.00 |
| | | | Red Hat | 1.24 | 1.24 | 475.00 | 475.00 | 434.00 | 434.00 | 394.00 | 394.00 | 5,601.00 | 5,601.00 | 10,039.00 | 10,039.00 | 13,647.00 | 13,647.00 |
| | | | SUSE/SAP | 1.37 | 1.37 | 575.00 | 575.00 | 535.00 | 535.00 | 494.00 | 494.00 | 6,803.00 | 6,803.00 | 12,441.00 | 12,441.00 | 17,251.00 | 17,251.00 |
| | | | SUSE Linux | 1.18 | 1.18 | 433.00 | 433.00 | 393.00 | 393.00 | 352.00 | 352.00 | 5,099.00 | 5,099.00 | 9,034.00 | 9,034.00 | 12,140.00 | 12,140.00 |
| | | | Windows | 1.88 | 1.88 | 946.00 | 946.00 | 905.00 | 905.00 | 865.00 | 865.00 | 11,254.00 | 11,254.00 | 21,343.00 | 21,343.00 | 30,603.00 | 30,603.00 |
| Ded. General Purp. 1:2 c9.8xlarge.2 | 32 | 64 | open Linux | 2.21 | 2.21 | 760.00 | 760.00 | 679.00 | 679.00 | 598.00 | 598.00 | 8,925.00 | 8,925.00 | 15,522.00 | 15,522.00 | 20,461.00 | 20,461.00 |
| | | | Oracle Linux | 2.23 | 2.23 | 769.00 | 769.00 | 688.00 | 688.00 | 607.00 | 607.00 | 9,030.00 | 9,030.00 | 15,731.00 | 15,731.00 | 20,775.00 | 20,775.00 |
| | | | Red Hat | 2.34 | 2.34 | 855.00 | 855.00 | 774.00 | 774.00 | 693.00 | 693.00 | 10,064.00 | 10,064.00 | 17,800.00 | 17,800.00 | 23,878.00 | 23,878.00 |
| | | | SUSE/SAP | 2.48 | 2.48 | 955.00 | 955.00 | 874.00 | 874.00 | 793.00 | 793.00 | 11,265.00 | 11,265.00 | 20,202.00 | 20,202.00 | 27,481.00 | 27,481.00 |
| | | | SUSE Linux | 2.29 | 2.29 | 813.00 | 813.00 | 732.00 | 732.00 | 651.00 | 651.00 | 9,562.00 | 9,562.00 | 16,795.00 | 16,795.00 | 22,371.00 | 22,371.00 |
| | | | Windows | 3.77 | 3.77 | 1,892.00 | 1,892.00 | 1,811.00 | 1,811.00 | 1,730.00 | 1,730.00 | 22,507.00 | 22,507.00 | 42,686.00 | 42,686.00 | 61,207.00 | 61,207.00 |
| Ded. General Purp. 1:2 c9.16xlarge.2 | 64 | 128 | open Linux | 4.43 | 4.43 | 1,520.00 | 1,520.00 | 1,358.00 | 1,358.00 | 1,196.00 | 1,196.00 | 17,850.00 | 17,850.00 | 31,044.00 | 31,044.00 | 40,922.00 | 40,922.00 |
| | | | Oracle Linux | 4.44 | 4.44 | 1,529.00 | 1,529.00 | 1,367.00 | 1,367.00 | 1,205.00 | 1,205.00 | 17,955.00 | 17,955.00 | 31,253.00 | 31,253.00 | 41,236.00 | 41,236.00 |
| | | | Red Hat | 4.56 | 4.56 | 1,615.00 | 1,615.00 | 1,453.00 | 1,453.00 | 1,291.00 | 1,291.00 | 18,989.00 | 18,989.00 | 33,322.00 | 33,322.00 | 44,339.00 | 44,339.00 |
| | | | SUSE/SAP | 4.70 | 4.70 | 1,715.00 | 1,715.00 | 1,553.00 | 1,553.00 | 1,391.00 | 1,391.00 | 20,190.00 | 20,190.00 | 35,724.00 | 35,724.00 | 47,942.00 | 47,942.00 |
| | | | SUSE Linux | 4.50 | 4.50 | 1,573.00 | 1,573.00 | 1,411.00 | 1,411.00 | 1,250.00 | 1,250.00 | 18,487.00 | 18,487.00 | 32,317.00 | 32,317.00 | 42,832.00 | 42,832.00 |
| | | | Windows | 7.53 | 7.53 | 3,784.00 | 3,784.00 | 3,622.00 | 3,622.00 | 3,460.00 | 3,460.00 | 45,014.00 | 45,014.00 | 85,372.00 | 85,372.00 | 122,413.00 | 122,413.00 |
| Ded. General Purp. 1:2 c9.32xlarge.2 | 128 | 256 | open Linux | 8.86 | 8.86 | 3,040.00 | 3,040.00 | 2,716.00 | 2,716.00 | 2,393.00 | 2,393.00 | 35,701.00 | 35,701.00 | 62,088.00 | 62,088.00 | 81,844.00 | 81,844.00 |
| | | | Oracle Linux | 8.87 | 8.87 | 3,048.00 | 3,048.00 | 2,725.00 | 2,725.00 | 2,402.00 | 2,402.00 | 35,805.00 | 35,805.00 | 62,297.00 | 62,297.00 | 82,158.00 | 82,158.00 |
| | | | Red Hat | 8.99 | 8.99 | 3,135.00 | 3,135.00 | 2,811.00 | 2,811.00 | 2,488.00 | 2,488.00 | 36,840.00 | 36,840.00 | 64,366.00 | 64,366.00 | 85,261.00 | 85,261.00 |
| | | | SUSE/SAP | 9.13 | 9.13 | 3,235.00 | 3,235.00 | 2,911.00 | 2,911.00 | 2,588.00 | 2,588.00 | 38,041.00 | 38,041.00 | 66,768.00 | 66,768.00 | 88,864.00 | 88,864.00 |
| | | | SUSE Linux | 8.93 | 8.93 | 3,093.00 | 3,093.00 | 2,769.00 | 2,769.00 | 2,446.00 | 2,446.00 | 36,337.00 | 36,337.00 | 63,361.00 | 63,361.00 | 83,754.00 | 83,754.00 |
| | | | Windows | 15.06 | 15.06 | 7,567.00 | 7,567.00 | 7,244.00 | 7,244.00 | 6,920.00 | 6,920.00 | 90,028.00 | 90,028.00 | 170,743.00 | 170,743.00 | 244,827.00 | 244,827.00 |
| Ded. General Purp. 1:2 c9.48xlarge.2 | 192 | 376 | open Linux | 13.22 | 13.22 | 4,537.00 | 4,537.00 | 4,054.00 | 4,054.00 | 3,571.00 | 3,571.00 | 53,282.00 | 53,282.00 | 92,664.00 | 92,664.00 | 122,149.00 | 122,149.00 |
| | | | Oracle Linux | 13.23 | 13.23 | 4,545.00 | 4,545.00 | 4,063.00 | 4,063.00 | 3,580.00 | 3,580.00 | 53,386.00 | 53,386.00 | 92,873.00 | 92,873.00 | 122,462.00 | 122,462.00 |
| | | | Red Hat | 13.35 | 13.35 | 4,632.00 | 4,632.00 | 4,149.00 | 4,149.00 | 3,666.00 | 3,666.00 | 54,421.00 | 54,421.00 | 94,942.00 | 94,942.00 | 125,565.00 | 125,565.00 |
| | | | SUSE/SAP | 13.49 | 13.49 | 4,732.00 | 4,732.00 | 4,249.00 | 4,249.00 | 3,766.00 | 3,766.00 | 55,622.00 | 55,622.00 | 97,344.00 | 97,344.00 | 129,169.00 | 129,169.00 |
| | | | SUSE Linux | 13.30 | 13.30 | 4,590.00 | 4,590.00 | 4,107.00 | 4,107.00 | 3,624.00 | 3,624.00 | 53,918.00 | 53,918.00 | 93,937.00 | 93,937.00 | 124,058.00 | 124,058.00 |
| | | | Windows | 22.48 | 22.48 | 11,293.00 | 11,293.00 | 10,811.00 | 10,811.00 | 10,328.00 | 10,328.00 | 134,363.00 | 134,363.00 | 254,826.00 | 254,826.00 | 365,392.00 | 365,392.00 |
| Ded. General Purp. 1:4 c9.large.4 | 2 | 8 | open Linux | 0.171872 | 0.171872 | 58.97 | 58.97 | 52.70 | 52.70 | 46.42 | 46.42 | 693.00 | 693.00 | 1,204.00 | 1,204.00 | 1,588.00 | 1,588.00 |
| | | | Oracle Linux | 0.183804 | 0.183804 | 67.68 | 67.68 | 61.41 | 61.41 | 55.13 | 55.13 | 797.00 | 797.00 | 1,414.00 | 1,414.00 | 1,901.00 | 1,901.00 |
| | | | Red Hat | 0.236872 | 0.236872 | 106.42 | 106.42 | 100.15 | 100.15 | 93.87 | 93.87 | 1,262.00 | 1,262.00 | 2,343.00 | 2,343.00 | 3,296.00 | 3,296.00 |
| | | | SUSE/SAP | 0.284475 | 0.284475 | 141.17 | 141.17 | 134.90 | 134.90 | 128.62 | 128.62 | 1,679.00 | 1,679.00 | 3,177.00 | 3,177.00 | 4,547.00 | 4,547.00 |
| | | | SUSE Linux | 0.216749 | 0.216749 | 91.73 | 91.73 | 85.46 | 85.46 | 79.18 | 79.18 | 1,086.00 | 1,086.00 | 1,991.00 | 1,991.00 | 2,767.00 | 2,767.00 |
| | | | Windows | 0.292182 | 0.292182 | 146.80 | 146.80 | 140.52 | 140.52 | 134.25 | 134.25 | 1,746.00 | 1,746.00 | 3,312.00 | 3,312.00 | 4,749.00 | 4,749.00 |
| Ded. General Purp. 1:4 c9.xlarge.4 | 4 | 16 | open Linux | 0.343744 | 0.343744 | 117.94 | 117.94 | 105.39 | 105.39 | 92.85 | 92.85 | 1,385.00 | 1,385.00 | 2,409.00 | 2,409.00 | 3,175.00 | 3,175.00 |
| | | | Oracle Linux | 0.355676 | 0.355676 | 126.65 | 126.65 | 114.10 | 114.10 | 101.56 | 101.56 | 1,490.00 | 1,490.00 | 2,618.00 | 2,618.00 | 3,489.00 | 3,489.00 |
| | | | Red Hat | 0.408744 | 0.408744 | 165.39 | 165.39 | 152.84 | 152.84 | 140.30 | 140.30 | 1,955.00 | 1,955.00 | 3,548.00 | 3,548.00 | 4,884.00 | 4,884.00 |
| | | | SUSE/SAP | 0.563854 | 0.563854 | 279.00 | 279.00 | 266.00 | 266.00 | 254.00 | 254.00 | 3,313.00 | 3,313.00 | 6,265.00 | 6,265.00 | 8,960.00 | 8,960.00 |
| | | | SUSE Linux | 0.416402 | 0.416402 | 170.98 | 170.98 | 158.43 | 158.43 | 145.89 | 145.89 | 2,022.00 | 2,022.00 | 3,682.00 | 3,682.00 | 5,085.00 | 5,085.00 |
| | | | Windows | 0.584365 | 0.584365 | 294.00 | 294.00 | 281.00 | 281.00 | 268.00 | 268.00 | 3,493.00 | 3,493.00 | 6,625.00 | 6,625.00 | 9,499.00 | 9,499.00 |
| Ded. General Purp. 1:4 c9.2xlarge.4 | 8 | 32 | open Linux | 0.687488 | 0.687488 | 236.00 | 236.00 | 211.00 | 211.00 | 185.69 | 185.69 | 2,770.00 | 2,770.00 | 4,818.00 | 4,818.00 | 6,351.00 | 6,351.00 |
| | | | Oracle Linux | 0.699420 | 0.699420 | 245.00 | 245.00 | 219.00 | 219.00 | 194.40 | 194.40 | 2,875.00 | 2,875.00 | 5,027.00 | 5,027.00 | 6,665.00 | 6,665.00 |
| | | | Red Hat | 0.817488 | 0.817488 | 331.00 | 331.00 | 306.00 | 306.00 | 281.00 | 281.00 | 3,909.00 | 3,909.00 | 7,096.00 | 7,096.00 | 9,767.00 | 9,767.00 |
| | | | SUSE/SAP | 0.954611 | 0.954611 | 431.00 | 431.00 | 406.00 | 406.00 | 381.00 | 381.00 | 5,110.00 | 5,110.00 | 9,498.00 | 9,498.00 | 13,371.00 | 13,371.00 |
| | | | SUSE Linux | 0.760146 | 0.760146 | 289.00 | 289.00 | 264.00 | 264.00 | 239.00 | 239.00 | 3,407.00 | 3,407.00 | 6,091.00 | 6,091.00 | 8,260.00 | 8,260.00 |
| | | | Windows | 1.17 | 1.17 | 587.00 | 587.00 | 562.00 | 562.00 | 537.00 | 537.00 | 6,986.00 | 6,986.00 | 13,249.00 | 13,249.00 | 18,998.00 | 18,998.00 |
| Ded. General Purp. 1:4 c9.4xlarge.4 | 16 | 64 | open Linux | 1.37 | 1.37 | 472.00 | 472.00 | 422.00 | 422.00 | 371.00 | 371.00 | 5,541.00 | 5,541.00 | 9,636.00 | 9,636.00 | 12,702.00 | 12,702.00 |
| | | | Oracle Linux | 1.39 | 1.39 | 480.00 | 480.00 | 430.00 | 430.00 | 380.00 | 380.00 | 5,645.00 | 5,645.00 | 9,845.00 | 9,845.00 | 13,015.00 | 13,015.00 |
| | | | Red Hat | 1.50 | 1.50 | 567.00 | 567.00 | 516.00 | 516.00 | 466.00 | 466.00 | 6,679.00 | 6,679.00 | 11,913.00 | 11,913.00 | 16,118.00 | 16,118.00 |
| | | | SUSE/SAP | 1.64 | 1.64 | 667.00 | 667.00 | 617.00 | 617.00 | 566.00 | 566.00 | 7,881.00 | 7,881.00 | 14,316.00 | 14,316.00 | 19,722.00 | 19,722.00 |
| | | | SUSE Linux | 1.45 | 1.45 | 525.00 | 525.00 | 475.00 | 475.00 | 424.00 | 424.00 | 6,177.00 | 6,177.00 | 10,909.00 | 10,909.00 | 14,611.00 | 14,611.00 |
| | | | Windows | 2.34 | 2.34 | 1,174.00 | 1,174.00 | 1,124.00 | 1,124.00 | 1,074.00 | 1,074.00 | 13,972.00 | 13,972.00 | 26,499.00 | 26,499.00 | 37,996.00 | 37,996.00 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. General Purp. 1:4 c9.8xlarge.4 | 32 | 128 | open Linux | 2.75 | 2.75 | 944.00 | 944.00 | 843.00 | 843.00 | 743.00 | 743.00 | 11,081.00 | 11,081.00 | 19,272.00 | 19,272.00 | 25,404.00 | 25,404.00 |
| | | | Oracle Linux | 2.76 | 2.76 | 952.00 | 952.00 | 852.00 | 852.00 | 751.00 | 751.00 | 11,186.00 | 11,186.00 | 19,481.00 | 19,481.00 | 25,717.00 | 25,717.00 |
| | | | Red Hat | 2.88 | 2.88 | 1,038.00 | 1,038.00 | 938.00 | 938.00 | 838.00 | 838.00 | 12,220.00 | 12,220.00 | 21,549.00 | 21,549.00 | 28,820.00 | 28,820.00 |
| | | | SUSE/SAP | 3.02 | 3.02 | 1,139.00 | 1,139.00 | 1,038.00 | 1,038.00 | 938.00 | 938.00 | 13,421.00 | 13,421.00 | 23,952.00 | 23,952.00 | 32,424.00 | 32,424.00 |
| | | | SUSE Linux | 2.82 | 2.82 | 997.00 | 997.00 | 896.00 | 896.00 | 796.00 | 796.00 | 11,718.00 | 11,718.00 | 20,545.00 | 20,545.00 | 27,313.00 | 27,313.00 |
| | | | Windows | 4.67 | 4.67 | 2,349.00 | 2,349.00 | 2,248.00 | 2,248.00 | 2,148.00 | 2,148.00 | 27,944.00 | 27,944.00 | 52,997.00 | 52,997.00 | 75,992.00 | 75,992.00 |
| Ded. General Purp. 1:4 c9.16xlarge.4 | 64 | 256 | open Linux | 5.50 | 5.50 | 1,887.00 | 1,887.00 | 1,686.00 | 1,686.00 | 1,486.00 | 1,486.00 | 22,162.00 | 22,162.00 | 38,543.00 | 38,543.00 | 50,808.00 | 50,808.00 |
| | | | Oracle Linux | 5.51 | 5.51 | 1,896.00 | 1,896.00 | 1,695.00 | 1,695.00 | 1,494.00 | 1,494.00 | 22,267.00 | 22,267.00 | 38,752.00 | 38,752.00 | 51,121.00 | 51,121.00 |
| | | | Red Hat | 5.63 | 5.63 | 1,982.00 | 1,982.00 | 1,781.00 | 1,781.00 | 1,580.00 | 1,580.00 | 23,301.00 | 23,301.00 | 40,821.00 | 40,821.00 | 54,224.00 | 54,224.00 |
| | | | SUSE/SAP | 5.77 | 5.77 | 2,082.00 | 2,082.00 | 1,881.00 | 1,881.00 | 1,681.00 | 1,681.00 | 24,502.00 | 24,502.00 | 43,223.00 | 43,223.00 | 57,828.00 | 57,828.00 |
| | | | SUSE Linux | 5.57 | 5.57 | 1,940.00 | 1,940.00 | 1,739.00 | 1,739.00 | 1,539.00 | 1,539.00 | 22,799.00 | 22,799.00 | 39,816.00 | 39,816.00 | 52,717.00 | 52,717.00 |
| | | | Windows | 9.35 | 9.35 | 4,697.00 | 4,697.00 | 4,497.00 | 4,497.00 | 4,296.00 | 4,296.00 | 55,888.00 | 55,888.00 | 105,994.00 | 105,994.00 | 151,984.00 | 151,984.00 |
| Ded. General Purp. 1:4 c9.32xlarge.4 | 128 | 512 | open Linux | 11.00 | 11.00 | 3,774.00 | 3,774.00 | 3,373.00 | 3,373.00 | 2,971.00 | 2,971.00 | 44,325.00 | 44,325.00 | 77,087.00 | 77,087.00 | 101,615.00 | 101,615.00 |
| | | | Oracle Linux | 11.01 | 11.01 | 3,783.00 | 3,783.00 | 3,381.00 | 3,381.00 | 2,980.00 | 2,980.00 | 44,429.00 | 44,429.00 | 77,296.00 | 77,296.00 | 101,929.00 | 101,929.00 |
| | | | Red Hat | 11.13 | 11.13 | 3,869.00 | 3,869.00 | 3,467.00 | 3,467.00 | 3,066.00 | 3,066.00 | 45,464.00 | 45,464.00 | 79,364.00 | 79,364.00 | 105,031.00 | 105,031.00 |
| | | | SUSE/SAP | 11.27 | 11.27 | 3,969.00 | 3,969.00 | 3,568.00 | 3,568.00 | 3,166.00 | 3,166.00 | 46,665.00 | 46,665.00 | 81,767.00 | 81,767.00 | 108,635.00 | 108,635.00 |
| | | | SUSE Linux | 11.07 | 11.07 | 3,827.00 | 3,827.00 | 3,426.00 | 3,426.00 | 3,024.00 | 3,024.00 | 44,961.00 | 44,961.00 | 78,360.00 | 78,360.00 | 103,524.00 | 103,524.00 |
| | | | Windows | 18.70 | 18.70 | 9,395.00 | 9,395.00 | 8,993.00 | 8,993.00 | 8,592.00 | 8,592.00 | 111,776.00 | 111,776.00 | 211,988.00 | 211,988.00 | 303,968.00 | 303,968.00 |
| Ded. General Purp. 1:4 c9.48xlarge.4 | 192 | 768 | open Linux | 16.50 | 16.50 | 5,661.00 | 5,661.00 | 5,059.00 | 5,059.00 | 4,457.00 | 4,457.00 | 66,487.00 | 66,487.00 | 115,630.00 | 115,630.00 | 152,423.00 | 152,423.00 |
| | | | Oracle Linux | 16.51 | 16.51 | 5,670.00 | 5,670.00 | 5,068.00 | 5,068.00 | 4,465.00 | 4,465.00 | 66,592.00 | 66,592.00 | 115,839.00 | 115,839.00 | 152,736.00 | 152,736.00 |
| | | | Red Hat | 16.63 | 16.63 | 5,756.00 | 5,756.00 | 5,154.00 | 5,154.00 | 4,551.00 | 4,551.00 | 67,626.00 | 67,626.00 | 117,908.00 | 117,908.00 | 155,839.00 | 155,839.00 |
| | | | SUSE/SAP | 16.77 | 16.77 | 5,856.00 | 5,856.00 | 5,254.00 | 5,254.00 | 4,652.00 | 4,652.00 | 68,827.00 | 68,827.00 | 120,310.00 | 120,310.00 | 159,443.00 | 159,443.00 |
| | | | SUSE Linux | 16.57 | 16.57 | 5,714.00 | 5,714.00 | 5,112.00 | 5,112.00 | 4,510.00 | 4,510.00 | 67,124.00 | 67,124.00 | 116,903.00 | 116,903.00 | 154,332.00 | 154,332.00 |
| | | | Windows | 28.05 | 28.05 | 14,092.00 | 14,092.00 | 13,490.00 | 13,490.00 | 12,888.00 | 12,888.00 | 167,663.00 | 167,663.00 | 317,982.00 | 317,982.00 | 455,951.00 | 455,951.00 |

Back to 3.1.1.1

## 6.2.1.9 Memory optimized m3 & m3n

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m3.medium.8 | 1 | 8 | open Linux | 0.087780 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.102953 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.118127 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.210212 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.138358 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.155020 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.large.8 | 2 | 16 | open Linux | 0.175560 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.205907 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.236254 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.420423 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.276716 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.310039 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.xlarge.8 | 4 | 32 | open Linux | 0.351120 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.381467 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.411814 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.595983 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.452276 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.620078 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.2xlarge.8 | 8 | 64 | open Linux | 0.702240 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.732587 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.823627 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.947103 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.803396 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.24 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.4xlarge.8 | 16 | 128 | open Linux | 1.40 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.43 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.53 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.65 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.51 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.48 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.8xlarge.8 | 32 | 256 | open Linux | 2.81 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.84 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.93 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 3.05 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.91 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 4.96 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3.15xlarge.8 | 60 | 512 | open Linux | 5.37 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 5.40 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 5.49 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 5.62 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 5.47 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 9.49 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m3n.large.8 | 2 | 16 | open Linux | 0.198383 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.232675 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.266967 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.475078 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.312689 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.350345 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3n.xlarge.8 | 4 | 32 | open Linux | 0.396766 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.431057 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.465349 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 0.673461 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.511072 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 0.700688 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3n.2xlarge.8 | 8 | 64 | open Linux | 0.793531 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 0.827823 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 0.930699 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.07 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 0.907837 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 1.40 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3n.4xlarge.8 | 16 | 128 | open Linux | 1.59 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 1.62 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 1.72 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 1.86 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 1.70 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.80 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3n.8xlarge.8 | 32 | 256 | open Linux | 3.17 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 3.21 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 3.31 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 3.45 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 3.29 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 5.61 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Memory-optim. m3n.15xlarge.8 | 60 | 512 | open Linux | 6.07 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 6.11 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 6.21 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 6.35 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 6.19 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 10.72 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.1.1.1

## 6.2.1.10 Memory optimized m4

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m4.medium.8 | 1 | 8 | open Linux | 0.091770 | 0.072498 | 46.89 | 37.04 | 41.54 | 32.82 | 482.00 | 380.78 | 724.00 | 571.96 |
| | | | Oracle Linux | 0.107633 | 0.085030 | 58.47 | 46.19 | 53.12 | 41.96 | 621.00 | 490.59 | 1,001.00 | 790.79 |
| | | | Red Hat | 0.144647 | 0.114271 | 59.63 | 47.11 | 53.12 | 41.96 | 635.00 | 501.65 | 1,001.00 | 790.79 |
| | | | SUSE/SAP | 0.123496 | 0.097562 | 70.05 | 55.34 | 64.70 | 51.11 | 760.00 | 600.40 | 1,279.00 | 1,010.41 |
| | | | SUSE Linux | 0.219767 | 0.173616 | 140.33 | 110.86 | 130.30 | 102.94 | 1,548.00 | 1,222.92 | 2,742.00 | 2,166.18 |
| | | | Windows | 0.162066 | 0.128032 | 98.21 | 77.59 | 92.85 | 73.35 | 1,098.00 | 867.42 | 1,955.00 | 1,544.45 |
| Memory-optim. m4.large.8 | 2 | 16 | open Linux | 0.183540 | 0.144997 | 93.79 | 74.09 | 83.07 | 65.63 | 965.00 | 762.35 | 1,447.00 | 1,143.13 |
| | | | Oracle Linux | 0.215266 | 0.170060 | 116.95 | 92.39 | 106.23 | 83.92 | 1,243.00 | 981.97 | 2,003.00 | 1,582.37 |
| | | | Red Hat | 0.246992 | 0.195124 | 140.11 | 110.69 | 129.39 | 102.22 | 1,521.00 | 1,201.59 | 2,559.00 | 2,021.61 |
| | | | SUSE/SAP | 0.439533 | 0.347231 | 281.00 | 221.99 | 261.00 | 206.19 | 3,095.00 | 2,445.05 | 5,484.00 | 4,332.36 |
| | | | SUSE Linux | 0.289294 | 0.228542 | 119.27 | 94.22 | 106.23 | 83.92 | 1,270.00 | 1,003.30 | 2,003.00 | 1,582.37 |
| | | | Windows | 0.324132 | 0.256064 | 196.42 | 155.17 | 185.70 | 146.70 | 2,196.00 | 1,734.84 | 3,910.00 | 3,088.90 |
| Memory-optim. m4.xlarge.8 | 4 | 32 | open Linux | 0.367080 | 0.289993 | 187.58 | 148.19 | 166.14 | 131.25 | 1,929.00 | 1,523.91 | 2,894.00 | 2,286.26 |
| | | | Oracle Linux | 0.398806 | 0.315057 | 211.00 | 166.69 | 189.30 | 149.55 | 2,207.00 | 1,743.53 | 3,450.00 | 2,725.50 |
| | | | Red Hat | 0.430532 | 0.340120 | 234.00 | 184.86 | 212.00 | 167.48 | 2,485.00 | 1,963.15 | 4,006.00 | 3,164.74 |
| | | | SUSE/SAP | 0.623073 | 0.492228 | 374.00 | 295.46 | 344.00 | 271.76 | 4,060.00 | 3,207.40 | 6,931.00 | 5,475.49 |
| | | | SUSE Linux | 0.472834 | 0.373539 | 213.00 | 168.27 | 189.30 | 149.55 | 2,235.00 | 1,765.65 | 3,450.00 | 2,725.50 |
| | | | Windows | 0.648263 | 0.512128 | 393.00 | 310.47 | 371.00 | 293.09 | 4,393.00 | 3,470.47 | 7,820.00 | 6,177.80 |
| Memory-optim. m4.2xlarge.8 | 8 | 64 | open Linux | 0.734160 | 0.579986 | 375.00 | 296.25 | 332.00 | 262.28 | 3,859.00 | 3,048.61 | 5,788.00 | 4,572.52 |
| | | | Oracle Linux | 0.765886 | 0.605050 | 398.00 | 314.42 | 355.00 | 280.45 | 4,137.00 | 3,268.23 | 6,344.00 | 5,011.76 |
| | | | Red Hat | 0.861065 | 0.680241 | 468.00 | 369.72 | 425.00 | 335.75 | 4,970.00 | 3,926.30 | 8,011.00 | 6,328.69 |
| | | | SUSE/SAP | 0.990153 | 0.782221 | 562.00 | 443.98 | 510.00 | 402.90 | 5,989.00 | 4,731.31 | 9,825.00 | 7,761.75 |
| | | | SUSE Linux | 0.839914 | 0.663532 | 401.00 | 316.79 | 355.00 | 280.45 | 2,582.00 | 2,039.78 | 3,933.00 | 3,107.07 |
| | | | Windows | 1.30 | 1.03 | 786.00 | 620.94 | 743.00 | 586.97 | 8,785.00 | 6,940.15 | 15,641.00 | 12,356.39 |
| Memory-optim. m4.2xlarge.16 | 8 | 128 | open Linux | 0.954960 | 0.754418 | 488.00 | 385.52 | 432.00 | 341.28 | 5,019.00 | 3,965.01 | 7,529.00 | 5,947.91 |
| | | | Oracle Linux | 0.986686 | 0.779482 | 511.00 | 403.69 | 455.00 | 359.45 | 5,297.00 | 4,184.63 | 8,085.00 | 6,387.15 |
| | | | Red Hat | 1.08 | 0.853200 | 581.00 | 458.99 | 525.00 | 414.75 | 6,131.00 | 4,843.49 | 9,752.00 | 7,704.08 |
| | | | SUSE/SAP | 1.69 | 1.34 | 1,022.00 | 807.38 | 966.00 | 763.14 | 11,427.00 | 9,027.33 | 20,345.00 | 16,072.55 |
| | | | SUSE Linux | 1.06 | 0.837400 | 513.00 | 405.27 | 455.00 | 359.45 | 5,325.00 | 4,206.75 | 8,085.00 | 6,387.15 |
| | | | Windows | 1.69 | 1.34 | 1,022.00 | 807.38 | 966.00 | 763.14 | 11,427.00 | 9,027.33 | 20,345.00 | 16,072.55 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m4.2xlarge.32 | 8 | 256 | open Linux | 1.40 | 1.11 | 714.00 | 564.06 | 632.00 | 499.28 | 7,340.00 | 5,798.60 | 11,010.00 | 8,697.90 |
| | | | Oracle Linux | 1.43 | 1.13 | 737.00 | 582.23 | 655.00 | 517.45 | 7,618.00 | 6,018.22 | 11,566.00 | 9,137.14 |
| | | | Red Hat | 1.52 | 1.20 | 806.00 | 636.74 | 725.00 | 572.75 | 8,452.00 | 6,677.08 | 13,234.00 | 10,454.86 |
| | | | SUSE/SAP | 2.47 | 1.95 | 1,495.00 | 1,181.05 | 1,413.00 | 1,116.27 | 16,711.00 | 13,201.69 | 29,753.00 | 23,504.87 |
| | | | SUSE Linux | 1.50 | 1.19 | 739.00 | 583.81 | 655.00 | 517.45 | 7,646.00 | 6,040.34 | 11,566.00 | 9,137.14 |
| | | | Windows | 2.47 | 1.95 | 1,495.00 | 1,181.05 | 1,413.00 | 1,116.27 | 16,711.00 | 13,201.69 | 29,753.00 | 23,504.87 |
| Memory-optim. m4.3xlarge.8 | 12 | 96 | open Linux | 1.10 | 0.869000 | 563.00 | 444.77 | 498.00 | 393.42 | 5,788.00 | 4,572.52 | 8,682.00 | 6,858.78 |
| | | | Oracle Linux | 1.13 | 0.892700 | 586.00 | 462.94 | 522.00 | 412.38 | 6,066.00 | 4,792.14 | 9,238.00 | 7,298.02 |
| | | | Red Hat | 1.23 | 0.971700 | 655.00 | 517.45 | 591.00 | 466.89 | 6,900.00 | 5,451.00 | 10,906.00 | 8,615.74 |
| | | | SUSE/SAP | 1.36 | 1.07 | 750.00 | 592.50 | 676.00 | 534.04 | 7,918.00 | 6,255.22 | 12,719.00 | 10,048.01 |
| | | | SUSE Linux | 1.21 | 0.955900 | 588.00 | 464.52 | 522.00 | 412.38 | 5,303.00 | 4,189.37 | 8,033.00 | 6,346.07 |
| | | | Windows | 1.94 | 1.53 | 1,179.00 | 931.41 | 1,114.00 | 880.06 | 13,178.00 | 10,410.62 | 23,461.00 | 18,534.19 |
| Memory-optim. m4.4xlarge.8 | 16 | 128 | open Linux | 1.47 | 1.16 | 750.00 | 592.50 | 665.00 | 525.35 | 7,717.00 | 6,096.43 | 11,576.00 | 9,145.04 |
| | | | Oracle Linux | 1.50 | 1.19 | 773.00 | 610.67 | 688.00 | 543.52 | 7,995.00 | 6,316.05 | 12,132.00 | 9,584.28 |
| | | | Red Hat | 1.60 | 1.26 | 843.00 | 665.97 | 757.00 | 598.03 | 8,829.00 | 6,974.91 | 13,800.00 | 10,902.00 |
| | | | SUSE/SAP | 1.72 | 1.36 | 937.00 | 740.23 | 842.00 | 665.18 | 9,848.00 | 7,779.92 | 15,613.00 | 12,334.27 |
| | | | SUSE Linux | 1.57 | 1.24 | 776.00 | 613.04 | 688.00 | 543.52 | 8,023.00 | 6,338.17 | 12,132.00 | 9,584.28 |
| | | | Windows | 2.59 | 2.05 | 1,571.00 | 1,241.09 | 1,486.00 | 1,173.94 | 17,570.00 | 13,880.30 | 31,282.00 | 24,712.78 |
| Memory-optim. m4.6xlarge.8 | 24 | 192 | open Linux | 2.20 | 1.74 | 1,125.00 | 888.75 | 997.00 | 787.63 | 11,576.00 | 9,145.04 | 17,364.00 | 13,717.56 |
| | | | Oracle Linux | 2.23 | 1.76 | 1,149.00 | 907.71 | 1,020.00 | 805.80 | 11,854.00 | 9,364.66 | 17,920.00 | 14,156.80 |
| | | | Red Hat | 2.33 | 1.84 | 1,218.00 | 962.22 | 1,089.00 | 860.31 | 12,688.00 | 10,023.52 | 19,588.00 | 15,474.52 |
| | | | SUSE/SAP | 2.46 | 1.94 | 1,312.00 | 1,036.48 | 1,174.00 | 927.46 | 13,707.00 | 10,828.53 | 21,401.00 | 16,906.79 |
| | | | SUSE Linux | 2.31 | 1.82 | 1,151.00 | 909.29 | 1,020.00 | 805.80 | 11,882.00 | 9,386.78 | 17,920.00 | 14,156.80 |
| | | | Windows | 3.89 | 3.07 | 2,357.00 | 1,862.03 | 2,228.00 | 1,760.12 | 26,355.00 | 20,820.45 | 46,922.00 | 37,068.38 |
| Memory-optim. m4.8xlarge.8 | 32 | 256 | open Linux | 2.94 | 2.32 | 1,501.00 | 1,185.79 | 1,329.00 | 1,049.91 | 15,435.00 | 12,193.65 | 23,152.00 | 18,290.08 |
| | | | Oracle Linux | 2.97 | 2.35 | 1,524.00 | 1,203.96 | 1,352.00 | 1,068.08 | 15,713.00 | 12,413.27 | 23,708.00 | 18,729.32 |
| | | | Red Hat | 3.06 | 2.42 | 1,593.00 | 1,258.47 | 1,422.00 | 1,123.38 | 16,547.00 | 13,072.13 | 25,376.00 | 20,047.04 |
| | | | SUSE/SAP | 3.19 | 2.52 | 1,687.00 | 1,332.73 | 1,507.00 | 1,190.53 | 17,565.00 | 13,876.35 | 27,189.00 | 21,479.31 |
| | | | SUSE Linux | 3.04 | 2.40 | 1,526.00 | 1,205.54 | 1,352.00 | 1,068.08 | 15,741.00 | 12,435.39 | 23,708.00 | 18,729.32 |
| | | | Windows | 5.19 | 4.10 | 3,143.00 | 2,482.97 | 2,971.00 | 2,347.09 | 35,140.00 | 27,760.60 | 62,563.00 | 49,424.77 |
| Memory-optim. m4.16xlarge.8 | 64 | 512 | open Linux | 5.87 | 4.64 | 3,001.00 | 2,370.79 | 2,658.00 | 2,099.82 | 30,870.00 | 24,387.30 | 46,305.00 | 36,580.95 |
| | | | Oracle Linux | 5.94 | 4.69 | 3,048.00 | 2,407.92 | 2,705.00 | 2,136.95 | 31,426.00 | 24,826.54 | 47,417.00 | 37,459.43 |
| | | | Red Hat | 6.13 | 4.84 | 3,187.00 | 2,517.73 | 2,844.00 | 2,246.76 | 33,093.00 | 26,143.47 | 50,752.00 | 40,094.08 |
| | | | SUSE/SAP | 6.39 | 5.05 | 3,375.00 | 2,666.25 | 3,013.00 | 2,380.27 | 35,131.00 | 27,753.49 | 54,378.00 | 42,958.62 |
| | | | SUSE Linux | 6.08 | 4.80 | 3,052.00 | 2,411.08 | 2,705.00 | 2,136.95 | 31,481.00 | 24,869.99 | 47,417.00 | 37,459.43 |
| | | | Windows | 10.37 | 8.19 | 6,285.00 | 4,965.15 | 5,942.00 | 4,694.18 | 70,281.00 | 55,521.99 | 125,126.00 | 98,849.54 |

Back to 3.1.1.1

## 6.2.1.11 Memory optimized m7n

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m7n.large.8 | 2 | 16 | open Linux | 0.210672 | 0.166431 | 107.65 | 85.04 | 95.35 | 75.33 | 1,107.00 | 874.53 | 1,661.00 | 1,312.19 |
| | | | Oracle Linux | 0.241019 | 0.190405 | 129.81 | 102.55 | 117.50 | 92.83 | 1,373.00 | 1,084.67 | 2,193.00 | 1,732.47 |
| | | | Red Hat | 0.271366 | 0.214379 | 151.96 | 120.05 | 139.66 | 110.33 | 1,639.00 | 1,294.81 | 2,724.00 | 2,151.96 |
| | | | SUSE/SAP | 0.372046 | 0.293916 | 225.00 | 177.75 | 213.00 | 168.27 | 2,521.00 | 1,991.59 | 4,488.00 | 3,545.52 |
| | | | SUSE Linux | 0.311828 | 0.246344 | 132.02 | 104.30 | 117.50 | 92.83 | 1,400.00 | 1,106.00 | 2,193.00 | 1,732.47 |
| | | | Windows | 0.372046 | 0.293916 | 225.00 | 177.75 | 213.00 | 168.27 | 2,521.00 | 1,991.59 | 4,488.00 | 3,545.52 |
| Memory-optim. m7n.xlarge.8 | 4 | 32 | open Linux | 0.421344 | 0.332862 | 215.00 | 169.85 | 190.70 | 150.65 | 2,215.00 | 1,749.85 | 3,322.00 | 2,624.38 |
| | | | Oracle Linux | 0.451691 | 0.356836 | 237.00 | 187.23 | 213.00 | 168.27 | 2,480.00 | 1,959.20 | 3,854.00 | 3,044.66 |
| | | | Red Hat | 0.482038 | 0.380810 | 260.00 | 205.40 | 235.00 | 185.65 | 2,746.00 | 2,169.34 | 4,385.00 | 3,464.15 |
| | | | SUSE/SAP | 0.744094 | 0.587834 | 451.00 | 356.29 | 426.00 | 336.54 | 5,042.00 | 3,983.18 | 8,976.00 | 7,091.04 |
| | | | SUSE Linux | 0.522500 | 0.412775 | 240.00 | 189.60 | 213.00 | 168.27 | 2,507.00 | 1,980.53 | 3,854.00 | 3,044.66 |
| | | | Windows | 0.744094 | 0.587834 | 451.00 | 356.29 | 426.00 | 336.54 | 5,042.00 | 3,983.18 | 8,976.00 | 7,091.04 |
| Memory-optim. m7n.2xlarge.8 | 8 | 64 | open Linux | 0.842688 | 0.665724 | 431.00 | 340.49 | 381.00 | 300.99 | 4,429.00 | 3,498.91 | 6,644.00 | 5,248.76 |
| | | | Oracle Linux | 0.873035 | 0.689698 | 453.00 | 357.87 | 404.00 | 319.16 | 4,695.00 | 3,709.05 | 7,175.00 | 5,668.25 |
| | | | Red Hat | 0.964075 | 0.761619 | 519.00 | 410.01 | 470.00 | 371.30 | 5,493.00 | 4,922.49 | 8,770.00 | 6,928.30 |
| | | | SUSE/SAP | 1.49 | 1.18 | 902.00 | 712.58 | 853.00 | 673.87 | 10,084.00 | 7,966.36 | 17,953.00 | 14,182.87 |
| | | | SUSE Linux | 0.943844 | 0.745637 | 455.00 | 359.45 | 404.00 | 319.16 | 4,722.00 | 3,730.38 | 7,175.00 | 5,668.25 |
| | | | Windows | 1.49 | 1.18 | 902.00 | 712.58 | 853.00 | 673.87 | 10,084.00 | 7,966.36 | 17,953.00 | 14,182.87 |
| Memory-optim. m7n.3xlarge.8 | 12 | 96 | open Linux | 1.26 | 0.995400 | 646.00 | 510.34 | 572.00 | 451.88 | 6,644.00 | 5,248.76 | 9,966.00 | 7,873.14 |
| | | | Oracle Linux | 1.29 | 1.02 | 668.00 | 527.72 | 594.00 | 469.26 | 6,910.00 | 5,458.90 | 10,497.00 | 8,292.63 |
| | | | Red Hat | 1.39 | 1.10 | 735.00 | 580.65 | 661.00 | 522.19 | 7,707.00 | 6,088.53 | 12,092.00 | 9,552.68 |
| | | | SUSE/SAP | 2.23 | 1.76 | 1,353.00 | 1,068.87 | 1,279.00 | 1,010.41 | 15,126.00 | 11,949.54 | 26,929.00 | 21,273.91 |
| | | | SUSE Linux | 1.37 | 1.08 | 670.00 | 529.30 | 594.00 | 469.26 | 6,936.00 | 5,479.44 | 10,497.00 | 8,292.63 |
| | | | Windows | 2.23 | 1.76 | 1,353.00 | 1,068.87 | 1,279.00 | 1,010.41 | 15,126.00 | 11,949.54 | 26,929.00 | 21,273.91 |
| Memory-optim. m7n.4xlarge.8 | 16 | 128 | open Linux | 1.69 | 1.34 | 861.00 | 680.19 | 763.00 | 602.77 | 8,858.00 | 6,997.82 | 13,288.00 | 10,497.52 |
| | | | Oracle Linux | 1.72 | 1.36 | 883.00 | 697.57 | 785.00 | 620.15 | 9,124.00 | 7,207.96 | 13,819.00 | 10,917.01 |
| | | | Red Hat | 1.81 | 1.43 | 950.00 | 750.50 | 851.00 | 672.29 | 9,922.00 | 7,838.38 | 15,414.00 | 12,177.06 |
| | | | SUSE/SAP | 2.98 | 2.35 | 1,804.00 | 1,425.16 | 1,705.00 | 1,346.95 | 20,167.00 | 15,931.93 | 35,906.00 | 28,365.74 |
| | | | SUSE Linux | 1.79 | 1.41 | 886.00 | 699.94 | 785.00 | 620.15 | 9,151.00 | 7,229.29 | 13,819.00 | 10,917.01 |
| | | | Windows | 2.98 | 2.35 | 1,804.00 | 1,425.16 | 1,705.00 | 1,346.95 | 20,167.00 | 15,931.93 | 35,906.00 | 28,365.74 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m7n.6xlarge.8 | 24 | 192 | open Linux | 2.53 | 2.00 | 1,292.00 | 1,020.68 | 1,144.00 | 903.76 | 13,288.00 | 10,497.52 | 19,931.00 | 15,745.49 |
| | | | Oracle Linux | 2.56 | 2.02 | 1,314.00 | 1,038.06 | 1,166.00 | 921.14 | 13,553.00 | 10,706.87 | 20,463.00 | 16,165.77 |
| | | | Red Hat | 2.65 | 2.09 | 1,380.00 | 1,090.20 | 1,233.00 | 974.07 | 14,351.00 | 11,337.29 | 22,058.00 | 17,425.82 |
| | | | SUSE/SAP | 4.46 | 3.52 | 2,705.00 | 2,136.95 | 2,558.00 | 2,020.82 | 30,251.00 | 23,898.29 | 53,859.00 | 42,548.61 |
| | | | SUSE Linux | 2.63 | 2.08 | 1,316.00 | 1,039.64 | 1,166.00 | 921.14 | 13,580.00 | 10,728.20 | 20,463.00 | 16,165.77 |
| | | | Windows | 4.46 | 3.52 | 2,705.00 | 2,136.95 | 2,558.00 | 2,020.82 | 30,251.00 | 23,898.29 | 53,859.00 | 42,548.61 |
| Memory-optim. m7n.8xlarge.8 | 32 | 256 | open Linux | 3.37 | 2.66 | 1,722.00 | 1,360.38 | 1,526.00 | 1,205.54 | 17,717.00 | 13,996.43 | 26,575.00 | 20,994.25 |
| | | | Oracle Linux | 3.40 | 2.69 | 1,745.00 | 1,378.55 | 1,548.00 | 1,222.92 | 17,983.00 | 14,206.57 | 27,107.00 | 21,414.53 |
| | | | Red Hat | 3.49 | 2.76 | 1,811.00 | 1,430.69 | 1,614.00 | 1,275.06 | 18,780.00 | 14,836.20 | 28,702.00 | 22,674.58 |
| | | | SUSE/SAP | 5.95 | 4.70 | 3,607.00 | 2,849.53 | 3,410.00 | 2,693.90 | 40,335.00 | 31,864.65 | 71,812.00 | 56,731.48 |
| | | | SUSE Linux | 3.47 | 2.74 | 1,747.00 | 1,380.13 | 1,548.00 | 1,222.92 | 18,009.00 | 14,227.11 | 27,107.00 | 21,414.53 |
| | | | Windows | 5.95 | 4.70 | 3,607.00 | 2,849.53 | 3,410.00 | 2,693.90 | 40,335.00 | 31,864.65 | 71,812.00 | 56,731.48 |
| Memory-optim. m7n.12xlarge.8 | 48 | 384 | open Linux | 5.06 | 4.00 | 2,584.00 | 2,041.36 | 2,288.00 | 1,807.52 | 26,575.00 | 20,994.25 | 39,863.00 | 31,491.77 |
| | | | Oracle Linux | 5.09 | 4.02 | 2,606.00 | 2,058.74 | 2,311.00 | 1,825.69 | 26,841.00 | 21,204.39 | 40,394.00 | 31,911.26 |
| | | | Red Hat | 5.18 | 4.09 | 2,672.00 | 2,110.88 | 2,377.00 | 1,877.83 | 27,638.00 | 21,834.02 | 41,989.00 | 33,171.31 |
| | | | SUSE/SAP | 8.93 | 7.05 | 5,411.00 | 4,274.69 | 5,116.00 | 4,041.64 | 60,502.00 | 47,796.58 | 107,717.00 | 85,096.43 |
| | | | SUSE Linux | 5.16 | 4.08 | 2,608.00 | 2,060.32 | 2,311.00 | 1,825.69 | 26,867.00 | 21,224.93 | 40,394.00 | 31,911.26 |
| | | | Windows | 8.93 | 7.05 | 5,411.00 | 4,274.69 | 5,116.00 | 4,041.64 | 60,502.00 | 47,796.58 | 107,717.00 | 85,096.43 |
| Memory-optim. m7n.16xlarge.8 | 64 | 512 | open Linux | 6.74 | 5.32 | 3,445.00 | 2,721.55 | 3,051.00 | 2,410.29 | 35,433.00 | 27,992.07 | 53,150.00 | 41,988.50 |
| | | | Oracle Linux | 6.77 | 5.35 | 3,467.00 | 2,738.93 | 3,073.00 | 2,427.67 | 35,699.00 | 28,202.21 | 53,682.00 | 42,408.78 |
| | | | Red Hat | 6.86 | 5.42 | 3,534.00 | 2,791.86 | 3,140.00 | 2,480.60 | 36,497.00 | 28,832.63 | 55,277.00 | 43,668.83 |
| | | | SUSE/SAP | 11.91 | 9.41 | 7,215.00 | 5,699.85 | 6,821.00 | 5,388.59 | 80,670.00 | 63,729.30 | 143,623.00 | 113,462.17 |
| | | | SUSE Linux | 6.84 | 5.40 | 3,469.00 | 2,740.51 | 3,073.00 | 2,427.67 | 35,726.00 | 28,223.54 | 53,682.00 | 42,408.78 |
| | | | Windows | 11.91 | 9.41 | 7,215.00 | 5,699.85 | 6,821.00 | 5,388.59 | 80,670.00 | 63,729.30 | 143,623.00 | 113,462.17 |
| Memory-optim. m7n.24xlarge.8 | 96 | 768 | open Linux | 10.11 | 7.99 | 5,167.00 | 4,081.93 | 4,577.00 | 3,615.83 | 53,150.00 | 41,988.50 | 79,725.00 | 62,982.75 |
| | | | Oracle Linux | 10.14 | 8.01 | 5,190.00 | 4,100.10 | 4,599.00 | 3,633.21 | 53,416.00 | 42,198.64 | 80,257.00 | 63,403.03 |
| | | | Red Hat | 10.23 | 8.08 | 5,256.00 | 4,152.24 | 4,665.00 | 3,685.35 | 54,213.00 | 42,828.27 | 81,852.00 | 64,663.08 |
| | | | SUSE/SAP | 17.86 | 14.11 | 10,822.00 | 8,549.38 | 10,231.00 | 8,082.49 | 121,005.00 | 95,593.95 | 215,435.00 | 170,193.65 |
| | | | SUSE Linux | 10.21 | 8.07 | 5,192.00 | 4,101.68 | 4,599.00 | 3,633.21 | 53,442.00 | 42,219.18 | 80,257.00 | 63,403.03 |
| | | | Windows | 17.86 | 14.11 | 10,822.00 | 8,549.38 | 10,231.00 | 8,082.49 | 121,005.00 | 95,593.95 | 215,435.00 | 170,193.65 |

Back to 3.1.1.1

## 6.2.1.12 Memory optimized m9

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m9.large.8 | 2 | 16 | open Linux | 0.184752 | 0.184752 | 70.13 | 70.13 | 62.04 | 62.04 | 53.95 | 53.95 | 825.00 | 825.00 | 1,424.00 | 1,424.00 | 1,845.00 | 1,845.00 |
| | | | Oracle Linux | 0.196684 | 0.196684 | 78.84 | 78.84 | 70.75 | 70.75 | 62.66 | 62.66 | 930.00 | 930.00 | 1,633.00 | 1,633.00 | 2,159.00 | 2,159.00 |
| | | | Red Hat | 0.249752 | 0.249752 | 117.58 | 117.58 | 109.49 | 109.49 | 101.40 | 101.40 | 1,395.00 | 1,395.00 | 2,563.00 | 2,563.00 | 3,553.00 | 3,553.00 |
| | | | SUSE/SAP | 0.297355 | 0.297355 | 152.33 | 152.33 | 144.24 | 144.24 | 136.15 | 136.15 | 1,812.00 | 1,812.00 | 3,397.00 | 3,397.00 | 4,804.00 | 4,804.00 |
| | | | SUSE Linux | 0.257410 | 0.257410 | 123.17 | 123.17 | 115.08 | 115.08 | 106.99 | 106.99 | 1,462.00 | 1,462.00 | 2,697.00 | 2,697.00 | 3,754.00 | 3,754.00 |
| | | | Windows | 0.314078 | 0.314078 | 164.54 | 164.54 | 156.45 | 156.45 | 148.36 | 148.36 | 1,958.00 | 1,958.00 | 3,690.00 | 3,690.00 | 5,244.00 | 5,244.00 |
| Memory-optim. m9.xlarge.8 | 4 | 32 | open Linux | 0.369504 | 0.369504 | 140.26 | 140.26 | 124.08 | 124.08 | 107.90 | 107.90 | 1,651.00 | 1,651.00 | 2,848.00 | 2,848.00 | 3,690.00 | 3,690.00 |
| | | | Oracle Linux | 0.381436 | 0.381436 | 148.97 | 148.97 | 132.79 | 132.79 | 116.61 | 116.61 | 1,755.00 | 1,755.00 | 3,057.00 | 3,057.00 | 4,004.00 | 4,004.00 |
| | | | Red Hat | 0.434504 | 0.434504 | 187.71 | 187.71 | 171.53 | 171.53 | 155.35 | 155.35 | 2,220.00 | 2,220.00 | 3,987.00 | 3,987.00 | 5,398.00 | 5,398.00 |
| | | | SUSE/SAP | 0.589614 | 0.589614 | 301.00 | 301.00 | 285.00 | 285.00 | 269.00 | 269.00 | 3,579.00 | 3,579.00 | 6,705.00 | 6,705.00 | 9,474.00 | 9,474.00 |
| | | | SUSE Linux | 0.442162 | 0.442162 | 193.30 | 193.30 | 177.12 | 177.12 | 160.94 | 160.94 | 2,287.00 | 2,287.00 | 4,121.00 | 4,121.00 | 5,599.00 | 5,599.00 |
| | | | Windows | 0.628157 | 0.628157 | 329.00 | 329.00 | 313.00 | 313.00 | 297.00 | 297.00 | 3,917.00 | 3,917.00 | 7,380.00 | 7,380.00 | 10,487.00 | 10,487.00 |
| Memory-optim. m9.2xlarge.8 | 8 | 64 | open Linux | 0.739008 | 0.739008 | 281.00 | 281.00 | 248.00 | 248.00 | 216.00 | 216.00 | 3,302.00 | 3,302.00 | 5,697.00 | 5,697.00 | 7,380.00 | 7,380.00 |
| | | | Oracle Linux | 0.750940 | 0.750940 | 289.00 | 289.00 | 257.00 | 257.00 | 225.00 | 225.00 | 3,406.00 | 3,406.00 | 5,906.00 | 5,906.00 | 7,694.00 | 7,694.00 |
| | | | Red Hat | 0.869008 | 0.869008 | 375.00 | 375.00 | 343.00 | 343.00 | 311.00 | 311.00 | 4,440.00 | 4,440.00 | 7,974.00 | 7,974.00 | 10,796.00 | 10,796.00 |
| | | | SUSE/SAP | 1.01 | 1.01 | 476.00 | 476.00 | 443.00 | 443.00 | 411.00 | 411.00 | 5,642.00 | 5,642.00 | 10,377.00 | 10,377.00 | 14,400.00 | 14,400.00 |
| | | | SUSE Linux | 0.811666 | 0.811666 | 334.00 | 334.00 | 301.00 | 301.00 | 269.00 | 269.00 | 3,938.00 | 3,938.00 | 6,970.00 | 6,970.00 | 9,289.00 | 9,289.00 |
| | | | Windows | 1.26 | 1.26 | 658.00 | 658.00 | 626.00 | 626.00 | 593.00 | 593.00 | 7,833.00 | 7,833.00 | 14,760.00 | 14,760.00 | 20,975.00 | 20,975.00 |
| Memory-optim. m9.4xlarge.8 | 16 | 128 | open Linux | 1.48 | 1.48 | 561.00 | 561.00 | 496.00 | 496.00 | 432.00 | 432.00 | 6,603.00 | 6,603.00 | 11,394.00 | 11,394.00 | 14,760.00 | 14,760.00 |
| | | | Oracle Linux | 1.49 | 1.49 | 570.00 | 570.00 | 505.00 | 505.00 | 440.00 | 440.00 | 6,708.00 | 6,708.00 | 11,603.00 | 11,603.00 | 15,074.00 | 15,074.00 |
| | | | Red Hat | 1.61 | 1.61 | 656.00 | 656.00 | 591.00 | 591.00 | 526.00 | 526.00 | 7,742.00 | 7,742.00 | 13,671.00 | 13,671.00 | 18,176.00 | 18,176.00 |
| | | | SUSE/SAP | 1.75 | 1.75 | 756.00 | 756.00 | 691.00 | 691.00 | 627.00 | 627.00 | 8,943.00 | 8,943.00 | 16,074.00 | 16,074.00 | 21,780.00 | 21,780.00 |
| | | | SUSE Linux | 1.55 | 1.55 | 614.00 | 614.00 | 549.00 | 549.00 | 485.00 | 485.00 | 7,240.00 | 7,240.00 | 12,667.00 | 12,667.00 | 16,669.00 | 16,669.00 |
| | | | Windows | 2.51 | 2.51 | 1,316.00 | 1,316.00 | 1,252.00 | 1,252.00 | 1,187.00 | 1,187.00 | 15,666.00 | 15,666.00 | 29,520.00 | 29,520.00 | 41,950.00 | 41,950.00 |
| Memory-optim. m9.8xlarge.8 | 32 | 256 | open Linux | 2.96 | 2.96 | 1,122.00 | 1,122.00 | 993.00 | 993.00 | 863.00 | 863.00 | 13,206.00 | 13,206.00 | 22,787.00 | 22,787.00 | 29,520.00 | 29,520.00 |
| | | | Oracle Linux | 2.97 | 2.97 | 1,131.00 | 1,131.00 | 1,001.00 | 1,001.00 | 872.00 | 872.00 | 13,311.00 | 13,311.00 | 22,996.00 | 22,996.00 | 29,834.00 | 29,834.00 |
| | | | Red Hat | 3.09 | 3.09 | 1,217.00 | 1,217.00 | 1,088.00 | 1,088.00 | 958.00 | 958.00 | 14,345.00 | 14,345.00 | 25,065.00 | 25,065.00 | 32,936.00 | 32,936.00 |
| | | | SUSE/SAP | 3.22 | 3.22 | 1,317.00 | 1,317.00 | 1,188.00 | 1,188.00 | 1,058.00 | 1,058.00 | 15,546.00 | 15,546.00 | 27,467.00 | 27,467.00 | 36,540.00 | 36,540.00 |
| | | | SUSE Linux | 3.03 | 3.03 | 1,175.00 | 1,175.00 | 1,046.00 | 1,046.00 | 916.00 | 916.00 | 13,843.00 | 13,843.00 | 24,060.00 | 24,060.00 | 31,429.00 | 31,429.00 |
| | | | Windows | 5.03 | 5.03 | 2,633.00 | 2,633.00 | 2,503.00 | 2,503.00 | 2,374.00 | 2,374.00 | 31,333.00 | 31,333.00 | 59,040.00 | 59,040.00 | 83,899.00 | 83,899.00 |
| Memory-optim. m9.16xlarge.8 | 64 | 512 | open Linux | 5.91 | 5.91 | 2,244.00 | 2,244.00 | 1,985.00 | 1,985.00 | 1,726.00 | 1,726.00 | 26,413.00 | 26,413.00 | 45,575.00 | 45,575.00 | 59,040.00 | 59,040.00 |
| | | | Oracle Linux | 5.92 | 5.92 | 2,253.00 | 2,253.00 | 1,994.00 | 1,994.00 | 1,735.00 | 1,735.00 | 26,517.00 | 26,517.00 | 45,784.00 | 45,784.00 | 59,354.00 | 59,354.00 |
| | | | Red Hat | 6.04 | 6.04 | 2,339.00 | 2,339.00 | 2,080.00 | 2,080.00 | 1,821.00 | 1,821.00 | 27,552.00 | 27,552.00 | 47,853.00 | 47,853.00 | 62,456.00 | 62,456.00 |
| | | | SUSE/SAP | 6.18 | 6.18 | 2,439.00 | 2,439.00 | 2,180.00 | 2,180.00 | 1,921.00 | 1,921.00 | 28,753.00 | 28,753.00 | 50,255.00 | 50,255.00 | 66,060.00 | 66,060.00 |
| | | | SUSE Linux | 5.98 | 5.98 | 2,297.00 | 2,297.00 | 2,038.00 | 2,038.00 | 1,779.00 | 1,779.00 | 27,049.00 | 27,049.00 | 46,848.00 | 46,848.00 | 60,949.00 | 60,949.00 |
| | | | Windows | 10.05 | 10.05 | 5,265.00 | 5,265.00 | 5,006.00 | 5,006.00 | 4,747.00 | 4,747.00 | 62,666.00 | 62,666.00 | 118,080.00 | 118,080.00 | 167,798.00 | 167,798.00 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m9.32xlarge.8 | 128 | 1024 | open Linux | 11.82 | 11.82 | 4,488.00 | 4,488.00 | 3,971.00 | 3,971.00 | 3,453.00 | 3,453.00 | 52,825.00 | 52,825.00 | 91,150.00 | 91,150.00 | 118,080.00 | 118,080.00 |
| | | | Oracle Linux | 11.84 | 11.84 | 4,497.00 | 4,497.00 | 3,979.00 | 3,979.00 | 3,461.00 | 3,461.00 | 52,930.00 | 52,930.00 | 91,359.00 | 91,359.00 | 118,394.00 | 118,394.00 |
| | | | Red Hat | 11.95 | 11.95 | 4,583.00 | 4,583.00 | 4,065.00 | 4,065.00 | 3,548.00 | 3,548.00 | 53,964.00 | 53,964.00 | 93,427.00 | 93,427.00 | 121,496.00 | 121,496.00 |
| | | | SUSE/SAP | 12.09 | 12.09 | 4,683.00 | 4,683.00 | 4,166.00 | 4,166.00 | 3,648.00 | 3,648.00 | 55,165.00 | 55,165.00 | 95,830.00 | 95,830.00 | 125,100.00 | 125,100.00 |
| | | | SUSE Linux | 11.90 | 11.90 | 4,541.00 | 4,541.00 | 4,024.00 | 4,024.00 | 3,506.00 | 3,506.00 | 53,462.00 | 53,462.00 | 92,423.00 | 92,423.00 | 119,989.00 | 119,989.00 |
| | | | Windows | 20.10 | 20.10 | 10,531.00 | 10,531.00 | 10,013.00 | 10,013.00 | 9,495.00 | 9,495.00 | 125,331.00 | 125,331.00 | 236,161.00 | 236,161.00 | 335,597.00 | 335,597.00 |
| Memory-optim. m9.48xlarge.8 | 192 | 1504 | open Linux | 17.61 | 17.61 | 6,686.00 | 6,686.00 | 5,914.00 | 5,914.00 | 5,143.00 | 5,143.00 | 78,686.00 | 78,686.00 | 135,773.00 | 135,773.00 | 175,886.00 | 175,886.00 |
| | | | Oracle Linux | 17.62 | 17.62 | 6,694.00 | 6,694.00 | 5,923.00 | 5,923.00 | 5,152.00 | 5,152.00 | 78,791.00 | 78,791.00 | 135,982.00 | 135,982.00 | 176,200.00 | 176,200.00 |
| | | | Red Hat | 17.74 | 17.74 | 6,781.00 | 6,781.00 | 6,009.00 | 6,009.00 | 5,238.00 | 5,238.00 | 79,825.00 | 79,825.00 | 138,050.00 | 138,050.00 | 179,303.00 | 179,303.00 |
| | | | SUSE/SAP | 17.88 | 17.88 | 6,881.00 | 6,881.00 | 6,109.00 | 6,109.00 | 5,338.00 | 5,338.00 | 81,026.00 | 81,026.00 | 140,453.00 | 140,453.00 | 182,906.00 | 182,906.00 |
| | | | SUSE Linux | 17.69 | 17.69 | 6,739.00 | 6,739.00 | 5,967.00 | 5,967.00 | 5,196.00 | 5,196.00 | 79,323.00 | 79,323.00 | 137,046.00 | 137,046.00 | 177,796.00 | 177,796.00 |
| | | | Windows | 29.94 | 29.94 | 15,686.00 | 15,686.00 | 14,914.00 | 14,914.00 | 14,143.00 | 14,143.00 | 186,687.00 | 186,687.00 | 351,774.00 | 351,774.00 | 499,889.00 | 499,889.00 |

Back to 3.1.1.1

# 6.2.1.13 GPU accelerated (NVIDIA T4, V100, A100, A40, H100)

| Name | Additional Information | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GPU Accelerated g6.4xlarge.4 | 1 x T4 GPU | 16 | 64 | open Linux | 1.01 | n.a. | 551.00 | n.a. | 477.00 | n.a. | n.a. | n.a. | 6,431.00 | n.a. | 11,100.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 1.03 | n.a. | 565.00 | n.a. | 490.00 | n.a. | n.a. | n.a. | 6,572.00 | n.a. | 11,355.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 1.24 | n.a. | 664.00 | n.a. | 583.00 | n.a. | n.a. | n.a. | 7,554.00 | n.a. | 13,139.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 1.13 | n.a. | 628.00 | n.a. | 559.00 | n.a. | n.a. | n.a. | 7,448.00 | n.a. | 13,071.00 | n.a. | n.a. | n.a. |
| GPU Accelerated g6.10xlarge.7 | 1 x T4 GPU | 40 | 280 | open Linux | 2.65 | n.a. | 1,479.00 | n.a. | 1,260.00 | n.a. | n.a. | n.a. | 17,909.00 | n.a. | 30,731.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 2.68 | n.a. | 1,493.00 | n.a. | 1,273.00 | n.a. | n.a. | n.a. | 18,049.00 | n.a. | 30,985.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 2.88 | n.a. | 1,593.00 | n.a. | 1,365.00 | n.a. | n.a. | n.a. | 19,031.00 | n.a. | 32,769.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 3.01 | n.a. | 1,704.00 | n.a. | 1,499.00 | n.a. | 935.00 | n.a. | 20,875.00 | n.a. | 36,479.00 | n.a. | n.a. | n.a. |
| GPU Accelerated g6.20xlarge.7 | 2 x T4 GPU | 80 | 560 | open Linux | 5.29 | n.a. | 2,959.00 | n.a. | 2,520.00 | n.a. | n.a. | n.a. | 35,817.00 | n.a. | 61,461.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 5.32 | n.a. | 2,973.00 | n.a. | 2,533.00 | n.a. | n.a. | n.a. | 35,957.00 | n.a. | 61,716.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 5.52 | n.a. | 3,072.00 | n.a. | 2,626.00 | n.a. | n.a. | n.a. | 36,940.00 | n.a. | 63,500.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 6.02 | n.a. | 3,407.00 | n.a. | 2,998.00 | n.a. | n.a. | n.a. | 41,750.00 | n.a. | 72,958.00 | n.a. | n.a. | n.a. |
| GPU Accelerated pi2.2xlarge.4 | 1 x T4 GPU | 8 | 32 | open Linux | 0.722798 from 01.01.2027: 1.08 | 0.621606 from 01.01.2027: 0.928800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 0.753145 from 01.01.2027: 1.13 | 0.647705 from 01.01.2027: 0.971800 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 0.844185 from 01.01.2027: 1.27 | 0.725999 from 01.01.2027: 1.09 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 0.843798 from 01.01.2027: 1.27 | 0.725666 from 01.01.2027: 1.09 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated pi2.3xlarge.4 | 1 x T4 GPU | 12 | 48 | open Linux | 0.891000 from 01.01.2027: 1.33 | 0.766260 from 01.01.2027: 1.14 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 0.924000 from 01.01.2027: 1.39 | 0.794640 from 01.01.2027: 1.20 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 1.01 from 01.01.2027: 1.52 | 0.868600 from 01.01.2027: 1.31 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 0.990000 from 01.01.2027: 1.49 | 0.851400 from 01.01.2027: 1.28 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated pi2.4xlarge.4 | 2 x T4 GPU | 16 | 64 | open Linux | 1.44 from 01.01.2027: 2.17 | 1.24 from 01.01.2027: 1.87 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 1.47 from 01.01.2027: 2.21 | 1.26 from 01.01.2027: 1.90 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 1.56 from 01.01.2027: 2.35 | 1.34 from 01.01.2027: 2.02 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 1.66 from 01.01.2027: 2.50 | 1.43 from 01.01.2027: 2.15 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

| Name | Additional Information | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GPU Accelerated pi2.8xlarge.4 | 4 x T4 GPU | 32 | 128 | open Linux | 2.89 from 01.01.2027: 4.33 | 2.49 from 01.01.2027: 3.77 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 2.93 from 01.01.2027: 4.38 | 2.52 from 01.01.2027: 3.77 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 3.01 from 01.01.2027: 4.52 | 2.59 from 01.01.2027: 3.89 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 2.99 from 01.01.2027: 4.49 | 2.57 from 01.01.2027: 3.86 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated pi5e.2xlarge.4 | 1 x L4 GPU | 8 | 32 | open Linux | 0.748153 | 0.748153 | 410.00 | 410.00 | 355.00 | 355.00 | 306.00 | 306.00 | 4,653.00 | 4,653.00 | 7,996.00 | 7,996.00 | 10,224.00 | 10,224.00 |
| | | | | Windows | 0.948153 | 0.948153 | 556.00 | 556.00 | 501.00 | 501.00 | 452.00 | 452.00 | 6,405.00 | 6,405.00 | 11,500.00 | 11,500.00 | 15,480.00 | 15,480.00 |
| GPU Accelerated pi5e.4xlarge.4 | 1 x L4 GPU | 16 | 64 | open Linux | 0.931333 | 0.931333 | 510.00 | 510.00 | 442.00 | 442.00 | 381.00 | 381.00 | 5,793.00 | 5,793.00 | 9,953.00 | 9,953.00 | 12,727.00 | 12,727.00 |
| | | | | Windows | 1.13 | 1.13 | 656.00 | 656.00 | 588.00 | 588.00 | 527.00 | 527.00 | 7,545.00 | 7,545.00 | 13,457.00 | 13,457.00 | 17,983.00 | 17,983.00 |
| GPU Accelerated pi5e.8xlarge.4 | 2 x L4 GPU | 32 | 128 | open Linux | 1.86 | 1.86 | 1,020.00 | 1,020.00 | 884.00 | 884.00 | 761.00 | 761.00 | 11,585.00 | 11,585.00 | 19,907.00 | 19,907.00 | 25,454.00 | 25,454.00 |
| | | | | Windows | 1.95 | 1.95 | 1,275.00 | 1,275.00 | 1,139.00 | 1,139.00 | 1,017.00 | 1,017.00 | 14,651.00 | 14,651.00 | 26,039.00 | 26,039.00 | 34,652.00 | 34,652.00 |
| GPU Accelerated pi5e.12xlarge.4 | 4 x L4 GPU | 48 | 192 | open Linux | 3.36 | 3.36 | 1,839.00 | 1,839.00 | 1,594.00 | 1,594.00 | 1,373.00 | 1,373.00 | 20,891.00 | 20,891.00 | 35,898.00 | 35,898.00 | 45,902.00 | 45,902.00 |
| | | | | Windows | 3.45 | 3.45 | 2,095.00 | 2,095.00 | 1,849.00 | 1,849.00 | 1,629.00 | 1,629.00 | 23,957.00 | 23,957.00 | 42,030.00 | 42,030.00 | 55,100.00 | 55,100.00 |
| GPU Accelerated pi5e.16xlarge.4 | 4 x L4 GPU | 64 | 256 | open Linux | 3.73 | 3.73 | 2,040.00 | 2,040.00 | 1,768.00 | 1,768.00 | 1,523.00 | 1,523.00 | 23,170.00 | 23,170.00 | 39,813.00 | 39,813.00 | 50,909.00 | 50,909.00 |
| | | | | Windows | 3.82 | 3.82 | 2,295.00 | 2,295.00 | 2,023.00 | 2,023.00 | 1,778.00 | 1,778.00 | 26,236.00 | 26,236.00 | 45,945.00 | 45,945.00 | 60,107.00 | 60,107.00 |
| GPU Accelerated pi5e.24xlarge.4 | 6 x L4 GPU | 96 | 384 | open Linux | 5.59 | 5.59 | 3,059.00 | 3,059.00 | 2,652.00 | 2,652.00 | 2,284.00 | 2,284.00 | 34,755.00 | 34,755.00 | 59,720.00 | 59,720.00 | 76,363.00 | 76,363.00 |
| | | | | Windows | 5.68 | 5.68 | 3,315.00 | 3,315.00 | 2,907.00 | 2,907.00 | 2,540.00 | 2,540.00 | 37,821.00 | 37,821.00 | 65,852.00 | 65,852.00 | 85,561.00 | 85,561.00 |
| GPU Accelerated p2v.2xlarge.8 | 1 x V100 GPU | 8 | 64 | open Linux | 3.11 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 3.14 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 3.36 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 3.57 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2v.4xlarge.8 | 2 x V100 GPU | 16 | 128 | open Linux | 6.23 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 6.26 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 6.47 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 6.69 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2v.8xlarge.8 | 4 x V100 GPU | 32 | 256 | open Linux | 12.45 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 12.48 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 12.70 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 13.37 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2v.16xlarge.8 | 8 x V100 GPU | 64 | 512 | open Linux | 24.91 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 24.94 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 25.15 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 26.74 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2s.2xlarge.8 | 1 x V100 GPU | 8 | 64 | open Linux | 3.40 | 2.92 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 3.43 | 2.95 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 3.67 | 3.16 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 3.90 | 3.35 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2s.4xlarge.8 | 2 x V100 GPU | 16 | 128 | open Linux | 6.80 | 5.85 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 6.84 | 5.88 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 7.07 | 6.08 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 7.30 | 6.28 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2s.8xlarge.8 | 4 x V100 GPU | 32 | 256 | open Linux | 13.61 | 11.70 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 13.64 | 11.73 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 13.87 | 11.93 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 14.61 | 12.56 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p2s.16xlarge.8 | 8 x V100 GPU | 64 | 512 | open Linux | 27.21 | 23.40 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 27.24 | 23.43 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | 27.48 | 23.63 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | 29.22 | 25.13 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| GPU Accelerated p3.2xlarge.8 | 1 x A100 GPU | 8 | 64 | open Linux | 3.90 | 3.35 | 2,050.00 | 1,763.00 | 1,703.00 | 1,464.58 | n.a. | n.a. | 23,370.00 | 20,098.20 | 38,828.00 | 33,392.08 | n.a. | n.a. |
| | | | | Oracle Linux | 3.93 | 3.38 | 2,070.00 | 1,780.20 | 1,723.00 | 1,481.78 | n.a. | n.a. | 23,629.00 | 20,320.94 | 39,400.00 | 33,884.00 | n.a. | n.a. |
| | | | | Red Hat | 4.02 | 3.46 | 2,130.00 | 1,831.80 | 1,784.00 | 1,534.24 | n.a. | n.a. | 24,404.00 | 20,987.44 | 41,114.00 | 35,358.04 | n.a. | n.a. |
| | | | | Windows | 4.53 | 3.90 | 2,473.00 | 2,126.78 | 2,127.00 | 1,829.22 | n.a. | n.a. | 28,808.00 | 24,774.88 | 50,851.00 | 43,731.86 | n.a. | n.a. |
| GPU Accelerated p3.4xlarge.8 | 2 x A100 GPU | 16 | 128 | open Linux | 7.80 | 6.71 | 4,099.00 | 3,525.14 | 3,406.00 | 2,929.16 | n.a. | n.a. | 46,740.00 | 40,196.40 | 77,656.00 | 66,784.16 | n.a. | n.a. |
| | | | | Oracle Linux | 7.83 | 6.73 | 4,119.00 | 3,542.34 | 3,426.00 | 2,946.36 | n.a. | n.a. | 46,999.00 | 40,419.14 | 78,228.00 | 67,276.08 | n.a. | n.a. |
| | | | | Red Hat | 7.92 | 6.81 | 4,180.00 | 3,594.80 | 3,487.00 | 2,998.82 | n.a. | n.a. | 47,774.00 | 41,085.64 | 79,942.00 | 68,750.12 | n.a. | n.a. |
| | | | | Windows | 8.43 | 7.25 | 4,523.00 | 3,889.78 | 3,830.00 | 3,293.80 | n.a. | n.a. | 52,178.00 | 44,873.08 | 89,679.00 | 77,123.94 | n.a. | n.a. |
| GPU Accelerated p3.8xlarge.8 | 4 x A100 GPU | 32 | 256 | open Linux | 15.60 | 13.42 | 8,198.00 | 7,050.28 | 6,812.00 | 5,858.32 | n.a. | n.a. | 93,480.00 | 80,392.80 | 155,312.00 | 133,568.32 | n.a. | n.a. |
| | | | | Oracle Linux | 15.62 | 13.43 | 8,218.00 | 7,067.48 | 6,832.00 | 5,875.52 | n.a. | n.a. | 93,738.00 | 80,614.68 | 155,884.00 | 134,060.24 | n.a. | n.a. |
| | | | | Red Hat | 15.72 | 13.52 | 8,279.00 | 7,119.94 | 6,893.00 | 5,927.98 | n.a. | n.a. | 94,514.00 | 81,282.04 | 157,598.00 | 135,534.28 | n.a. | n.a. |
| | | | | Windows | 16.23 | 13.96 | 8,622.00 | 7,414.92 | 7,236.00 | 6,222.96 | n.a. | n.a. | 98,918.00 | 85,069.48 | 167,335.00 | 143,908.10 | n.a. | n.a. |
| GPU Accelerated p3.16xlarge.8 | 8 x A100 GPU | 64 | 512 | open Linux | 31.19 | 26.82 | 16,397.00 | 14,101.42 | 13,624.00 | 11,716.64 | n.a. | n.a. | 186,960.00 | 160,785.60 | 310,624.00 | 267,136.64 | n.a. | n.a. |
| | | | | Oracle Linux | 31.22 | 26.85 | 16,417.00 | 14,118.62 | 13,644.00 | 11,733.84 | n.a. | n.a. | 187,218.00 | 161,007.48 | 311,196.00 | 267,628.56 | n.a. | n.a. |
| | | | | Red Hat | 31.31 | 26.93 | 16,477.00 | 14,170.22 | 13,705.00 | 11,786.30 | n.a. | n.a. | 187,994.00 | 161,674.84 | 312,910.00 | 269,102.60 | n.a. | n.a. |
| | | | | Windows | 31.82 | 27.37 | 16,820.00 | 14,465.20 | 14,048.00 | 12,081.28 | n.a. | n.a. | 192,398.00 | 165,462.28 | 322,647.00 | 277,476.42 | n.a. | n.a. |
| GPU Accelerated g7.12xlarge.8 | 1 x A40 GPU | 48 | 384 | open Linux | 4.16 | 3.58 | 2,475.00 | 2,128.50 | 1,934.00 | 1,663.24 | n.a. | n.a. | 27,412.00 | 23,574.32 | 40,798.00 | 35,086.28 | n.a. | n.a. |
| | | | | Oracle Linux | 4.18 | 3.59 | 2,495.00 | 2,145.70 | 1,954.00 | 1,680.44 | n.a. | n.a. | 27,654.00 | 23,782.44 | 41,281.00 | 35,501.66 | n.a. | n.a. |
| | | | | Red Hat | 4.25 | 3.66 | 2,556.00 | 2,198.16 | 2,015.00 | 1,732.90 | n.a. | n.a. | 28,379.00 | 24,405.94 | 42,731.00 | 36,748.66 | n.a. | n.a. |
| | | | | Windows | 4.62 | 3.97 | 2,899.00 | 2,493.14 | 2,358.00 | 2,027.88 | n.a. | n.a. | 32,496.00 | 27,946.56 | 50,965.00 | 43,829.90 | n.a. | n.a. |
| GPU Accelerated g7.24xlarge.8 | 2 x A40 GPU | 96 | 768 | open Linux | 8.33 | 7.16 | 4,950.00 | 4,257.00 | 3,868.00 | 3,326.48 | n.a. | n.a. | 54,825.00 | 47,149.50 | 81,596.00 | 70,172.56 | n.a. | n.a. |
| | | | | Oracle Linux | 8.34 | 7.17 | 4,970.00 | 4,274.20 | 3,888.00 | 3,343.68 | n.a. | n.a. | 55,066.00 | 47,356.76 | 82,079.00 | 70,587.94 | n.a. | n.a. |
| | | | | Red Hat | 8.42 | 7.24 | 5,031.00 | 4,326.66 | 3,949.00 | 3,396.14 | n.a. | n.a. | 55,791.00 | 47,980.26 | 83,529.00 | 71,834.94 | n.a. | n.a. |
| | | | | Windows | 8.79 | 7.56 | 5,374.00 | 4,621.64 | 4,292.00 | 3,691.12 | n.a. | n.a. | 59,908.00 | 51,520.88 | 91,763.00 | 78,916.18 | n.a. | n.a. |

| Name | Additional Information | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GPU Accelerated g7v.2xlarge.8 | 1/6 x A40 GPU | 8 | 64 | open Linux | 0.696000 | n.a. | 413.00 | n.a. | 322.00 | n.a. | n.a. | n.a. | 4,569.00 | n.a. | 6,800.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 0.712000 | n.a. | 433.00 | n.a. | 342.00 | n.a. | n.a. | n.a. | 4,810.00 | n.a. | 7,283.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 0.784000 | n.a. | 493.00 | n.a. | 403.00 | n.a. | n.a. | n.a. | 5,535.00 | n.a. | 8,733.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 1.16 | n.a. | 836.00 | n.a. | 746.00 | n.a. | n.a. | n.a. | 9,652.00 | n.a. | 16,967.00 | n.a. | n.a. | n.a. |
| GPU Accelerated g7v.4xlarge.8 | 1/3 x A40 GPU | 16 | 128 | open Linux | 1.38 | n.a. | 825.00 | n.a. | 645.00 | n.a. | n.a. | n.a. | 9,137.00 | n.a. | 13,599.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 1.41 | n.a. | 845.00 | n.a. | 665.00 | n.a. | n.a. | n.a. | 9,379.00 | n.a. | 14,083.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 1.47 | n.a. | 906.00 | n.a. | 725.00 | n.a. | n.a. | n.a. | 10,104.00 | n.a. | 15,533.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 1.85 | n.a. | 1,249.00 | n.a. | 1,068.00 | n.a. | n.a. | n.a. | 14,221.00 | n.a. | 23,767.00 | n.a. | n.a. | n.a. |
| GPU Accelerated g7v.6xlarge.8 | 1/2 x A40 GPU | 24 | 192 | open Linux | 1.95 | n.a. | 1,139.00 | n.a. | 884.00 | n.a. | n.a. | n.a. | 12,668.00 | n.a. | 18,835.00 | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | 3.17 | n.a. | 2,063.00 | n.a. | 1,666.00 | n.a. | n.a. | n.a. | 22,443.00 | n.a. | 33,683.00 | n.a. | n.a. | n.a. |
| | | | | Red Hat | 3.23 | n.a. | 2,123.00 | n.a. | 1,726.00 | n.a. | n.a. | n.a. | 23,168.00 | n.a. | 35,133.00 | n.a. | n.a. | n.a. |
| | | | | Windows | 3.61 | n.a. | 2,466.00 | n.a. | 2,069.00 | n.a. | n.a. | n.a. | 27,285.00 | n.a. | 43,367.00 | n.a. | n.a. | n.a. |
| GPU Accelerated p5s.5xlarge.12 | 1 x H100 | 20 | 240 | open Linux | 5.22 | n.a. | 3,051.00 | n.a. | 2,555.00 | n.a. | 2,135.00 | n.a. | 35,691.00 | n.a. | 59,485.00 | n.a. | 74,127.00 | n.a. |
| | | | | Windows | 6.34 | n.a. | 3,866.00 | n.a. | 3,370.00 | n.a. | 2,951.00 | n.a. | 45,474.00 | n.a. | 79,052.00 | n.a. | 103,477.00 | n.a. |
| GPU Accelerated p5s.10xlarge.12 | 2 x H100 | 40 | 480 | open Linux | 10.45 | n.a. | 6,101.00 | n.a. | 5,110.00 | n.a. | 4,271.00 | n.a. | 71,382.00 | n.a. | 118,970.00 | n.a. | 148,254.00 | n.a. |
| | | | | Windows | 12.68 | n.a. | 7,732.00 | n.a. | 6,740.00 | n.a. | 5,901.00 | n.a. | 90,949.00 | n.a. | 158,103.00 | n.a. | 206,955.00 | n.a. |
| GPU Accelerated p5s.20xlarge.12 | 4 x H100 | 80 | 960 | open Linux | 20.89 | n.a. | 12,202.00 | n.a. | 10,219.00 | n.a. | 8,541.00 | n.a. | 142,764.00 | n.a. | 237,939.00 | n.a. | 296,509.00 | n.a. |
| | | | | Windows | 25.36 | n.a. | 15,463.00 | n.a. | 13,480.00 | n.a. | 11,803.00 | n.a. | 181,897.00 | n.a. | 316,206.00 | n.a. | 413,909.00 | n.a. |
| GPU Accelerated p5s.40xlarge.12 | 8 x H100 | 160 | 1920 | open Linux | 41.79 | n.a. | 24,404.00 | n.a. | 20,438.00 | n.a. | 17,083.00 | n.a. | 285,527.00 | n.a. | 475,878.00 | n.a. | 593,018.00 | n.a. |
| | | | | Windows | 50.72 | n.a. | 30,926.00 | n.a. | 26,961.00 | n.a. | 23,605.00 | n.a. | 363,794.00 | n.a. | 632,412.00 | n.a. | 827,819.00 | n.a. |
| GPU Accelerated p5e.10xlarge.12 | 2 x H100 NVL | 40 | 480 | open Linux | 11.59 | n.a. | 6,747.00 | n.a. | 5,629.00 | n.a. | 4,725.00 | n.a. | 76,921.00 | n.a. | 128,332.00 | n.a. | 154,709.00 | n.a. |
| | | | | Windows | 16.76 | n.a. | 10,524.00 | n.a. | 9,406.00 | n.a. | 8,502.00 | n.a. | 122,243.00 | n.a. | 218,974.00 | n.a. | 290,673.00 | n.a. |
| GPU Accelerated p5e.20xlarge.12 | 4 x H100 NVL | 80 | 960 | open Linux | 23.18 | n.a. | 13,495.00 | n.a. | 11,258.00 | n.a. | 9,450.00 | n.a. | 153,843.00 | n.a. | 256,664.00 | n.a. | 309,418.00 | n.a. |
| | | | | Windows | 33.53 | n.a. | 21,048.00 | n.a. | 18,811.00 | n.a. | 17,004.00 | n.a. | 244,485.00 | n.a. | 437,948.00 | n.a. | 581,345.00 | n.a. |
| GPU Accelerated p5e.40xlarge.12 | 8 x H100 NVL | 160 | 1920 | open Linux | 46.36 | n.a. | 26,990.00 | n.a. | 22,515.00 | n.a. | 18,900.00 | n.a. | 307,686.00 | n.a. | 513,327.00 | n.a. | 618,837.00 | n.a. |
| | | | | Windows | 67.06 | n.a. | 42,097.00 | n.a. | 37,622.00 | n.a. | 34,007.00 | n.a. | 488,970.00 | n.a. | 875,897.00 | n.a. | 1,162,691.00 | n.a. |

- 1) pi2, g6 and g7 is only offered in reserved and reserved upfront on request.
- 2) p5s and p5e are only offered on request.

Back to ??

## 6.2.1.14 Large memory III + VI

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Large Memory e3.7xlarge.12 | 28 | 348 | open Linux | 2.24 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 2.27 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 2.36 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 2.64 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 2.34 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 2.90 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Large Memory e3.14xlarge.12 | 56 | 696 | open Linux | 4.47 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 4.50 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 4.59 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 4.88 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 4.57 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 5.13 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Large Memory e3.26xlarge.14 | 104 | 1466 | open Linux | 9.08 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 9.11 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 9.21 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 9.49 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 9.19 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 9.74 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Large Memory e3.52xlarge.14 | 208 | 2932 | open Linux | 18.17 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Oracle Linux | 18.20 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Red Hat | 18.29 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE/SAP | 18.58 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | SUSE Linux | 18.27 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | | | Windows | 18.83 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.1.1.1

## 6.2.1.15 Disk intensive II

| Name | vCPU | GiB RAM | Additional Information | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Disk Intensive d2.xlarge.8 | 4 | 32 | 2x 1.675 GiB SAS | open Linux | 0.611125 | n.a. | 280.00 | n.a. | 257.00 | n.a. | 2,798.00 | n.a. | 5,037.00 | n.a. |
| | | | | Oracle Linux | 0.631356 | n.a. | 295.00 | n.a. | 272.00 | n.a. | 2,984.00 | n.a. | 5,408.00 | n.a. |
| | | | | Red Hat | 0.671818 | n.a. | 326.00 | n.a. | 303.00 | n.a. | 3,354.00 | n.a. | 6,149.00 | n.a. |
| | | | | SUSE Linux | 0.712281 | n.a. | 342.00 | n.a. | 318.00 | n.a. | 3,447.00 | n.a. | 6,149.00 | n.a. |
| | | | | Windows | 0.672238 | n.a. | 326.00 | n.a. | 303.00 | n.a. | 3,358.00 | n.a. | 6,156.00 | n.a. |
| Disk Intensive d2.2xlarge.8 | 8 | 64 | 4x 1.675 GiB SAS | open Linux | 1.22 | n.a. | 560.00 | n.a. | 513.00 | n.a. | 5,597.00 | n.a. | 10,074.00 | n.a. |
| | | | | Oracle Linux | 1.24 | n.a. | 575.00 | n.a. | 528.00 | n.a. | 5,782.00 | n.a. | 10,445.00 | n.a. |
| | | | | Red Hat | 1.34 | n.a. | 652.00 | n.a. | 606.00 | n.a. | 6,708.00 | n.a. | 12,298.00 | n.a. |
| | | | | SUSE Linux | 1.32 | n.a. | 621.00 | n.a. | 575.00 | n.a. | 6,245.00 | n.a. | 11,186.00 | n.a. |
| | | | | Windows | 1.34 | n.a. | 653.00 | n.a. | 606.00 | n.a. | 6,716.00 | n.a. | 12,313.00 | n.a. |
| Disk Intensive d2.4xlarge.8 | 16 | 128 | 8x 1.675 GiB SAS | open Linux | 2.44 | n.a. | 1,119.00 | n.a. | 1,026.00 | n.a. | 11,194.00 | n.a. | 20,148.00 | n.a. |
| | | | | Oracle Linux | 2.46 | n.a. | 1,135.00 | n.a. | 1,042.00 | n.a. | 11,379.00 | n.a. | 20,519.00 | n.a. |
| | | | | Red Hat | 2.57 | n.a. | 1,212.00 | n.a. | 1,119.00 | n.a. | 12,305.00 | n.a. | 22,372.00 | n.a. |
| | | | | SUSE Linux | 2.55 | n.a. | 1,181.00 | n.a. | 1,088.00 | n.a. | 11,842.00 | n.a. | 21,260.00 | n.a. |
| | | | | Windows | 2.69 | n.a. | 1,306.00 | n.a. | 1,213.00 | n.a. | 13,432.00 | n.a. | 24,626.00 | n.a. |
| Disk Intensive d2.6xlarge.8 | 24 | 192 | 12x 1.675 GiB SAS | open Linux | 3.67 | n.a. | 1,679.00 | n.a. | 1,539.00 | n.a. | 16,790.00 | n.a. | 30,223.00 | n.a. |
| | | | | Oracle Linux | 3.69 | n.a. | 1,694.00 | n.a. | 1,555.00 | n.a. | 16,976.00 | n.a. | 30,593.00 | n.a. |
| | | | | Red Hat | 3.79 | n.a. | 1,772.00 | n.a. | 1,632.00 | n.a. | 17,902.00 | n.a. | 32,446.00 | n.a. |
| | | | | SUSE Linux | 3.77 | n.a. | 1,741.00 | n.a. | 1,601.00 | n.a. | 17,439.00 | n.a. | 31,334.00 | n.a. |
| | | | | Windows | 4.03 | n.a. | 1,959.00 | n.a. | 1,819.00 | n.a. | 20,148.00 | n.a. | 36,939.00 | n.a. |
| Disk Intensive d2.8xlarge.8 | 32 | 256 | 16x 1.675 GiB SAS | open Linux | 4.89 | n.a. | 2,239.00 | n.a. | 2,052.00 | n.a. | 22,387.00 | n.a. | 40,297.00 | n.a. |
| | | | | Oracle Linux | 4.91 | n.a. | 2,254.00 | n.a. | 2,068.00 | n.a. | 22,572.00 | n.a. | 40,667.00 | n.a. |
| | | | | Red Hat | 5.01 | n.a. | 2,331.00 | n.a. | 2,145.00 | n.a. | 23,499.00 | n.a. | 42,520.00 | n.a. |
| | | | | SUSE Linux | 4.99 | n.a. | 2,300.00 | n.a. | 2,114.00 | n.a. | 23,036.00 | n.a. | 41,409.00 | n.a. |
| | | | | Windows | 5.38 | n.a. | 2,612.00 | n.a. | 2,425.00 | n.a. | 26,865.00 | n.a. | 49,252.00 | n.a. |
| Disk Intensive d2.15xlarge.9 | 60 | 540 | 24x 1.675 GiB SAS | open Linux | 8.35 | n.a. | 3,824.00 | n.a. | 3,505.00 | n.a. | 38,239.00 | n.a. | 68,830.00 | n.a. |
| | | | | Oracle Linux | 8.37 | n.a. | 3,839.00 | n.a. | 3,521.00 | n.a. | 38,424.00 | n.a. | 69,201.00 | n.a. |
| | | | | Red Hat | 8.47 | n.a. | 3,917.00 | n.a. | 3,598.00 | n.a. | 39,351.00 | n.a. | 71,054.00 | n.a. |
| | | | | SUSE Linux | 8.45 | n.a. | 3,886.00 | n.a. | 3,567.00 | n.a. | 38,887.00 | n.a. | 69,942.00 | n.a. |
| | | | | Windows | 9.19 | n.a. | 4,461.00 | n.a. | 4,143.00 | n.a. | 45,887.00 | n.a. | 84,126.00 | n.a. |

Back to 3.1.1.1

## 6.2.1.16 Ultra-High I/O

| Name | vCPU | GiB RAM | Additional Information | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ultra-high I/O i3.2xlarge.4 | 8 | 32 | 1 x 3.2 TiB NVMe | open Linux | n.a. | 1.08 | n.a. | 591.00 | n.a. | 551.00 | n.a. | 6,737.00 | n.a. | 12,563.00 |
| | | | | Oracle Linux | n.a. | 1.10 | n.a. | 605.00 | n.a. | 566.00 | n.a. | 6,897.00 | n.a. | 12,905.00 |
| | | | | Red Hat | n.a. | 1.20 | n.a. | 679.00 | n.a. | 640.00 | n.a. | 7,741.00 | n.a. | 14,592.00 |
| | | | | SUSE/SAP | n.a. | 1.32 | n.a. | 769.00 | n.a. | 721.00 | n.a. | 8,767.00 | n.a. | 16,439.00 |
| | | | | SUSE Linux | n.a. | 1.18 | n.a. | 650.00 | n.a. | 610.00 | n.a. | 7,410.00 | n.a. | 13,908.00 |
| | | | | Windows | n.a. | 1.78 | n.a. | 1,040.00 | n.a. | 978.00 | n.a. | 11,856.00 | n.a. | 22,298.00 |
| Ultra-high I/O i3.4xlarge.4 | 16 | 64 | 2 x 3.2 TiB NVMe | open Linux | n.a. | 2.16 | n.a. | 1,181.00 | n.a. | 1,103.00 | n.a. | 13,463.00 | n.a. | 25,148.00 |
| | | | | Oracle Linux | n.a. | 2.18 | n.a. | 1,196.00 | n.a. | 1,117.00 | n.a. | 13,634.00 | n.a. | 25,468.00 |
| | | | | Red Hat | n.a. | 2.28 | n.a. | 1,270.00 | n.a. | 1,191.00 | n.a. | 14,478.00 | n.a. | 27,155.00 |
| | | | | SUSE/SAP | n.a. | 2.40 | n.a. | 1,360.00 | n.a. | 1,272.00 | n.a. | 15,504.00 | n.a. | 29,002.00 |
| | | | | SUSE Linux | n.a. | 2.26 | n.a. | 1,240.00 | n.a. | 1,162.00 | n.a. | 14,136.00 | n.a. | 26,494.00 |
| | | | | Windows | n.a. | 2.33 | n.a. | 1,339.00 | n.a. | 1,260.00 | n.a. | 15,265.00 | n.a. | 28,728.00 |
| Ultra-high I/O i3.8xlarge.4 | 32 | 128 | 4 x 3.2 TiB NVMe | open Linux | n.a. | 4.32 | n.a. | 2,363.00 | n.a. | 2,205.00 | n.a. | 26,938.00 | n.a. | 50,274.00 |
| | | | | Oracle Linux | n.a. | 4.34 | n.a. | 2,377.00 | n.a. | 2,220.00 | n.a. | 27,098.00 | n.a. | 50,616.00 |
| | | | | Red Hat | n.a. | 4.44 | n.a. | 2,451.00 | n.a. | 2,294.00 | n.a. | 27,941.00 | n.a. | 52,303.00 |
| | | | | SUSE/SAP | n.a. | 4.56 | n.a. | 2,541.00 | n.a. | 2,375.00 | n.a. | 28,967.00 | n.a. | 54,150.00 |
| | | | | SUSE Linux | n.a. | 4.42 | n.a. | 2,422.00 | n.a. | 2,264.00 | n.a. | 27,611.00 | n.a. | 51,619.00 |
| | | | | Windows | n.a. | 4.53 | n.a. | 2,678.00 | n.a. | 2,520.00 | n.a. | 30,529.00 | n.a. | 57,456.00 |
| Ultra-high I/O i3.12xlarge.4 | 48 | 192 | 6 x 3.2 TiB NVMe | open Linux | n.a. | 6.47 | n.a. | 3,544.00 | n.a. | 3,308.00 | n.a. | 40,402.00 | n.a. | 75,422.00 |
| | | | | Oracle Linux | n.a. | 6.49 | n.a. | 3,559.00 | n.a. | 3,322.00 | n.a. | 40,573.00 | n.a. | 75,742.00 |
| | | | | Red Hat | n.a. | 6.59 | n.a. | 3,633.00 | n.a. | 3,396.00 | n.a. | 41,416.00 | n.a. | 77,429.00 |
| | | | | SUSE/SAP | n.a. | 6.72 | n.a. | 3,723.00 | n.a. | 3,478.00 | n.a. | 42,442.00 | n.a. | 79,298.00 |
| | | | | SUSE Linux | n.a. | 6.57 | n.a. | 3,603.00 | n.a. | 3,367.00 | n.a. | 41,074.00 | n.a. | 76,768.00 |
| | | | | Windows | n.a. | 6.90 | n.a. | 4,016.00 | n.a. | 3,780.00 | n.a. | 45,782.00 | n.a. | 86,184.00 |
| Ultra-high I/O i3.16xlarge.4 | 64 | 256 | 8 x 3.2 TiB NVMe | open Linux | n.a. | 8.63 | n.a. | 4,725.00 | n.a. | 4,410.00 | n.a. | 53,865.00 | n.a. | 100,548.00 |
| | | | | Oracle Linux | n.a. | 8.65 | n.a. | 4,740.00 | n.a. | 4,425.00 | n.a. | 54,036.00 | n.a. | 100,890.00 |
| | | | | Red Hat | n.a. | 8.75 | n.a. | 4,814.00 | n.a. | 4,499.00 | n.a. | 54,880.00 | n.a. | 102,577.00 |
| | | | | SUSE/SAP | n.a. | 8.88 | n.a. | 4,904.00 | n.a. | 4,580.00 | n.a. | 55,906.00 | n.a. | 104,424.00 |
| | | | | SUSE Linux | n.a. | 8.73 | n.a. | 4,784.00 | n.a. | 4,469.00 | n.a. | 54,538.00 | n.a. | 101,893.00 |
| | | | | Windows | n.a. | 9.28 | n.a. | 5,355.00 | n.a. | 5,040.00 | n.a. | 61,047.00 | n.a. | 114,912.00 |

| Name | vCPU | GiB RAM | Additional Information | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ultra-high I/O i3.2xlarge.8 | 8 | 64 | 1 x 3.2 TiB NVMe | open Linux | n.a. | 1.18 | n.a. | 648.00 | n.a. | 605.00 | n.a. | 7,387.00 | n.a. | 13,794.00 |
| | | | | Oracle Linux | n.a. | 1.20 | n.a. | 663.00 | n.a. | 620.00 | n.a. | 7,558.00 | n.a. | 14,136.00 |
| | | | | Red Hat | n.a. | 1.31 | n.a. | 737.00 | n.a. | 694.00 | n.a. | 8,402.00 | n.a. | 15,823.00 |
| | | | | SUSE/SAP | n.a. | 1.43 | n.a. | 827.00 | n.a. | 775.00 | n.a. | 9,428.00 | n.a. | 17,670.00 |
| | | | | SUSE Linux | n.a. | 1.29 | n.a. | 708.00 | n.a. | 664.00 | n.a. | 8,071.00 | n.a. | 15,139.00 |
| | | | | Windows | n.a. | 2.01 | n.a. | 1,171.00 | n.a. | 1,102.00 | n.a. | 13,349.00 | n.a. | 25,126.00 |
| Ultra-high I/O i3.4xlarge.8 | 16 | 128 | 2 x 3.2 TiB NVMe | open Linux | n.a. | 2.37 | n.a. | 1,297.00 | n.a. | 1,210.00 | n.a. | 14,786.00 | n.a. | 27,588.00 |
| | | | | Oracle Linux | n.a. | 2.39 | n.a. | 1,312.00 | n.a. | 1,225.00 | n.a. | 14,957.00 | n.a. | 27,930.00 |
| | | | | Red Hat | n.a. | 2.49 | n.a. | 1,386.00 | n.a. | 1,299.00 | n.a. | 15,800.00 | n.a. | 29,617.00 |
| | | | | SUSE/SAP | n.a. | 2.61 | n.a. | 1,476.00 | n.a. | 1,380.00 | n.a. | 16,826.00 | n.a. | 31,464.00 |
| | | | | SUSE Linux | n.a. | 2.47 | n.a. | 1,356.00 | n.a. | 1,270.00 | n.a. | 15,458.00 | n.a. | 28,956.00 |
| | | | | Windows | n.a. | 2.56 | n.a. | 1,470.00 | n.a. | 1,383.00 | n.a. | 16,758.00 | n.a. | 31,532.00 |
| Ultra-high I/O i3.8xlarge.8 | 32 | 256 | 4 x 3.2 TiB NVMe | open Linux | n.a. | 4.74 | n.a. | 2,594.00 | n.a. | 2,421.00 | n.a. | 29,572.00 | n.a. | 55,199.00 |
| | | | | Oracle Linux | n.a. | 4.76 | n.a. | 2,609.00 | n.a. | 2,436.00 | n.a. | 29,743.00 | n.a. | 55,541.00 |
| | | | | Red Hat | n.a. | 4.86 | n.a. | 2,683.00 | n.a. | 2,510.00 | n.a. | 30,586.00 | n.a. | 57,228.00 |
| | | | | SUSE/SAP | n.a. | 4.98 | n.a. | 2,773.00 | n.a. | 2,591.00 | n.a. | 31,612.00 | n.a. | 59,075.00 |
| | | | | SUSE Linux | n.a. | 4.84 | n.a. | 2,653.00 | n.a. | 2,480.00 | n.a. | 30,244.00 | n.a. | 56,544.00 |
| | | | | Windows | n.a. | 4.97 | n.a. | 2,940.00 | n.a. | 2,767.00 | n.a. | 33,516.00 | n.a. | 63,088.00 |
| Ultra-high I/O i3.12xlarge.8 | 48 | 384 | 6 x 3.2 TiB NVMe | open Linux | n.a. | 7.11 | n.a. | 3,891.00 | n.a. | 3,631.00 | n.a. | 44,357.00 | n.a. | 82,787.00 |
| | | | | Oracle Linux | n.a. | 7.13 | n.a. | 3,906.00 | n.a. | 3,646.00 | n.a. | 44,528.00 | n.a. | 83,129.00 |
| | | | | Red Hat | n.a. | 7.23 | n.a. | 3,979.00 | n.a. | 3,720.00 | n.a. | 45,361.00 | n.a. | 84,816.00 |
| | | | | SUSE/SAP | n.a. | 7.35 | n.a. | 4,070.00 | n.a. | 3,801.00 | n.a. | 46,398.00 | n.a. | 86,663.00 |
| | | | | SUSE Linux | n.a. | 7.21 | n.a. | 3,950.00 | n.a. | 3,691.00 | n.a. | 45,030.00 | n.a. | 84,155.00 |
| | | | | Windows | n.a. | 7.58 | n.a. | 4,410.00 | n.a. | 4,150.00 | n.a. | 50,274.00 | n.a. | 94,620.00 |
| Ultra-high I/O i3.16xlarge.8 | 64 | 512 | 8 x 3.2 TiB NVMe | open Linux | n.a. | 9.48 | n.a. | 5,188.00 | n.a. | 4,842.00 | n.a. | 59,143.00 | n.a. | 110,398.00 |
| | | | | Oracle Linux | n.a. | 9.50 | n.a. | 5,203.00 | n.a. | 4,857.00 | n.a. | 59,314.00 | n.a. | 110,740.00 |
| | | | | Red Hat | n.a. | 9.60 | n.a. | 5,276.00 | n.a. | 4,931.00 | n.a. | 60,146.00 | n.a. | 112,427.00 |
| | | | | SUSE/SAP | n.a. | 9.72 | n.a. | 5,367.00 | n.a. | 5,012.00 | n.a. | 61,184.00 | n.a. | 114,274.00 |
| | | | | SUSE Linux | n.a. | 9.58 | n.a. | 5,247.00 | n.a. | 4,901.00 | n.a. | 59,816.00 | n.a. | 111,743.00 |
| | | | | Windows | n.a. | 10.19 | n.a. | 5,880.00 | n.a. | 5,534.00 | n.a. | 67,032.00 | n.a. | 126,175.00 |
| Ultra-high I/O i3m.2xlarge.8 | 8 | 64 | n. a. | open Linux | n.a. | 0.943336 | n.a. | 516.00 | n.a. | 482.00 | n.a. | 5,882.00 | n.a. | 10,990.00 |
| | | | | Oracle Linux | n.a. | 0.963567 | n.a. | 531.00 | n.a. | 497.00 | n.a. | 6,053.00 | n.a. | 11,332.00 |
| | | | | Red Hat | n.a. | 1.06 | n.a. | 605.00 | n.a. | 571.00 | n.a. | 6,897.00 | n.a. | 13,019.00 |
| | | | | SUSE/SAP | n.a. | 1.19 | n.a. | 695.00 | n.a. | 652.00 | n.a. | 7,923.00 | n.a. | 14,866.00 |
| | | | | SUSE Linux | n.a. | 1.04 | n.a. | 576.00 | n.a. | 541.00 | n.a. | 6,566.00 | n.a. | 12,335.00 |
| | | | | Windows | n.a. | 1.04 | n.a. | 585.00 | n.a. | 551.00 | n.a. | 6,669.00 | n.a. | 12,563.00 |
| Ultra-high I/O i3m.4xlarge.8 | 16 | 128 | n. a. | open Linux | n.a. | 1.89 | n.a. | 1,033.00 | n.a. | 964.00 | n.a. | 11,776.00 | n.a. | 21,979.00 |
| | | | | Oracle Linux | n.a. | 1.91 | n.a. | 1,048.00 | n.a. | 979.00 | n.a. | 11,947.00 | n.a. | 22,321.00 |
| | | | | Red Hat | n.a. | 2.01 | n.a. | 1,122.00 | n.a. | 1,053.00 | n.a. | 12,791.00 | n.a. | 24,008.00 |
| | | | | SUSE/SAP | n.a. | 2.13 | n.a. | 1,212.00 | n.a. | 1,134.00 | n.a. | 13,817.00 | n.a. | 25,855.00 |
| | | | | SUSE Linux | n.a. | 1.99 | n.a. | 1,092.00 | n.a. | 1,023.00 | n.a. | 12,449.00 | n.a. | 23,324.00 |
| | | | | Windows | n.a. | 1.98 | n.a. | 1,171.00 | n.a. | 1,102.00 | n.a. | 13,349.00 | n.a. | 25,126.00 |
| Ultra-high I/O i3m.8xlarge.8 | 32 | 192 | n. a. | open Linux | n.a. | 3.08 | n.a. | 1,686.00 | n.a. | 1,574.00 | n.a. | 19,220.00 | n.a. | 35,887.00 |
| | | | | Oracle Linux | n.a. | 3.10 | n.a. | 1,701.00 | n.a. | 1,589.00 | n.a. | 19,391.00 | n.a. | 36,229.00 |
| | | | | Red Hat | n.a. | 3.20 | n.a. | 1,775.00 | n.a. | 1,662.00 | n.a. | 20,235.00 | n.a. | 37,894.00 |
| | | | | SUSE/SAP | n.a. | 3.32 | n.a. | 1,865.00 | n.a. | 1,744.00 | n.a. | 21,261.00 | n.a. | 39,763.00 |
| | | | | SUSE Linux | n.a. | 3.18 | n.a. | 1,745.00 | n.a. | 1,633.00 | n.a. | 19,893.00 | n.a. | 37,232.00 |
| | | | | Windows | n.a. | 3.27 | n.a. | 1,911.00 | n.a. | 1,799.00 | n.a. | 21,785.00 | n.a. | 41,017.00 |
| Ultra-high I/O i3m.12xlarge.8 | 48 | 256 | n. a. | open Linux | n.a. | 4.51 | n.a. | 2,472.00 | n.a. | 2,307.00 | n.a. | 28,181.00 | n.a. | 52,600.00 |
| | | | | Oracle Linux | n.a. | 4.53 | n.a. | 2,486.00 | n.a. | 2,322.00 | n.a. | 28,340.00 | n.a. | 52,942.00 |
| | | | | Red Hat | n.a. | 4.64 | n.a. | 2,560.00 | n.a. | 2,395.00 | n.a. | 29,184.00 | n.a. | 54,606.00 |
| | | | | SUSE/SAP | n.a. | 4.76 | n.a. | 2,650.00 | n.a. | 2,477.00 | n.a. | 30,210.00 | n.a. | 56,476.00 |
| | | | | SUSE Linux | n.a. | 4.62 | n.a. | 2,531.00 | n.a. | 2,366.00 | n.a. | 28,853.00 | n.a. | 53,945.00 |
| | | | | Windows | n.a. | 4.82 | n.a. | 2,801.00 | n.a. | 2,636.00 | n.a. | 31,931.00 | n.a. | 60,101.00 |
| Ultra-high I/O i3m.15xlarge.8 | 60 | 512 | n. a. | open Linux | n.a. | 6.58 | n.a. | 3,604.00 | n.a. | 3,364.00 | n.a. | n.a. | n.a. | n.a. |
| | | | | Oracle Linux | n.a. | 6.60 | n.a. | 3,619.00 | n.a. | 3,378.00 | n.a. | n.a. | n.a. | n.a. |
| | | | | Red Hat | n.a. | 6.70 | n.a. | 3,692.00 | n.a. | 3,452.00 | n.a. | n.a. | n.a. | n.a. |
| | | | | SUSE/SAP | n.a. | 6.83 | n.a. | 3,783.00 | n.a. | 3,533.00 | n.a. | n.a. | n.a. | n.a. |
| | | | | SUSE Linux | n.a. | 6.68 | n.a. | 3,663.00 | n.a. | 3,423.00 | n.a. | n.a. | n.a. | n.a. |
| | | | | Windows | n.a. | 7.03 | n.a. | 4,084.00 | n.a. | 3,844.00 | n.a. | n.a. | n.a. | n.a. |
| Ultra-high I/O i3m.16xlarge.8 | 64 | 512 | n. a. | open Linux | n.a. | 6.58 | n.a. | 3,604.00 | n.a. | 3,364.00 | n.a. | 41,086.00 | n.a. | 76,699.00 |
| | | | | Oracle Linux | n.a. | 6.60 | n.a. | 3,619.00 | n.a. | 3,378.00 | n.a. | 41,257.00 | n.a. | 77,018.00 |
| | | | | Red Hat | n.a. | 6.70 | n.a. | 3,692.00 | n.a. | 3,452.00 | n.a. | 42,089.00 | n.a. | 78,706.00 |
| | | | | SUSE/SAP | n.a. | 6.83 | n.a. | 3,783.00 | n.a. | 3,533.00 | n.a. | 43,126.00 | n.a. | 80,552.00 |
| | | | | SUSE Linux | n.a. | 6.68 | n.a. | 3,663.00 | n.a. | 3,423.00 | n.a. | 41,758.00 | n.a. | 78,044.00 |
| | | | | Windows | n.a. | 7.03 | n.a. | 4,084.00 | n.a. | 3,844.00 | n.a. | 46,558.00 | n.a. | 87,643.00 |

Back to 3.1.1.1

# 6.2.1.17 Flexible purpose - x1

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x1.large.2 | 2 | 4 | open Linux | 0.062466 | n.a. |
| | | | Oracle Linux | 0.074397 | n.a. |
| | | | Red Hat | 0.127466 | n.a. |
| | | | SUSE/SAP | 0.175068 | n.a. |
| | | | SUSE Linux | 0.107342 | n.a. |
| | | | Windows | 0.093699 | n.a. |
| Flexible purpose x1.slarge.2 | 3 | 6 | open Linux | 0.093699 | n.a. |
| | | | Oracle Linux | 0.105630 | n.a. |
| | | | Red Hat | 0.158699 | n.a. |
| | | | SUSE/SAP | 0.313808 | n.a. |
| | | | SUSE Linux | 0.138575 | n.a. |
| | | | Windows | 0.140548 | n.a. |
| Flexible purpose x1.xlarge.2 | 4 | 8 | open Linux | 0.124932 | n.a. |
| | | | Oracle Linux | 0.136863 | n.a. |
| | | | Red Hat | 0.189932 | n.a. |
| | | | SUSE/SAP | 0.345041 | n.a. |
| | | | SUSE Linux | 0.169808 | n.a. |
| | | | Windows | 0.187397 | n.a. |
| Flexible purpose x1.2slarge.2 | 6 | 12 | open Linux | 0.187397 | n.a. |
| | | | Oracle Linux | 0.199329 | n.a. |
| | | | Red Hat | 0.317397 | n.a. |
| | | | SUSE/SAP | 0.454521 | n.a. |
| | | | SUSE Linux | 0.260055 | n.a. |
| | | | Windows | 0.281096 | n.a. |
| Flexible purpose x1.3xlarge.2 | 12 | 24 | open Linux | 0.374795 | n.a. |
| | | | Oracle Linux | 0.386726 | n.a. |
| | | | Red Hat | 0.504795 | n.a. |
| | | | SUSE/SAP | 0.641918 | n.a. |
| | | | SUSE Linux | 0.447452 | n.a. |
| | | | Windows | 0.562192 | n.a. |
| Flexible purpose x1.2xlarge.2 | 8 | 16 | open Linux | 0.249863 | n.a. |
| | | | Oracle Linux | 0.261795 | n.a. |
| | | | Red Hat | 0.379863 | n.a. |
| | | | SUSE/SAP | 0.516986 | n.a. |
| | | | SUSE Linux | 0.322521 | n.a. |
| | | | Windows | 0.374795 | n.a. |
| Flexible purpose x1.large.3 | 2 | 6 | open Linux | 0.067671 | n.a. |
| | | | Oracle Linux | 0.079603 | n.a. |
| | | | Red Hat | 0.132671 | n.a. |
| | | | SUSE/SAP | 0.180274 | n.a. |
| | | | SUSE Linux | 0.112548 | n.a. |
| | | | Windows | 0.101507 | n.a. |
| Flexible purpose x1.slarge.3 | 3 | 9 | open Linux | 0.101507 | n.a. |
| | | | Oracle Linux | 0.113438 | n.a. |
| | | | Red Hat | 0.166507 | n.a. |
| | | | SUSE/SAP | 0.321616 | n.a. |
| | | | SUSE Linux | 0.174164 | n.a. |
| | | | Windows | 0.152260 | n.a. |
| Flexible purpose x1.xlarge.3 | 4 | 12 | open Linux | 0.135342 | n.a. |
| | | | Oracle Linux | 0.147274 | n.a. |
| | | | Red Hat | 0.200342 | n.a. |
| | | | SUSE/SAP | 0.355452 | n.a. |
| | | | SUSE Linux | 0.208000 | n.a. |
| | | | Windows | 0.203014 | n.a. |
| Flexible purpose x1.2slarge.3 | 6 | 18 | open Linux | 0.203014 | n.a. |
| | | | Oracle Linux | 0.214945 | n.a. |
| | | | Red Hat | 0.333014 | n.a. |
| | | | SUSE/SAP | 0.470137 | n.a. |
| | | | SUSE Linux | 0.275671 | n.a. |
| | | | Windows | 0.304521 | n.a. |
| Flexible purpose x1.3xlarge.3 | 12 | 36 | open Linux | 0.406027 | n.a. |
| | | | Oracle Linux | 0.417959 | n.a. |
| | | | Red Hat | 0.536027 | n.a. |
| | | | SUSE/SAP | 0.673151 | n.a. |
| | | | SUSE Linux | 0.478685 | n.a. |
| | | | Windows | 0.609041 | n.a. |
| Flexible purpose x1.2xlarge.3 | 8 | 24 | open Linux | 0.270685 | n.a. |
| | | | Oracle Linux | 0.282616 | n.a. |
| | | | Red Hat | 0.400685 | n.a. |
| | | | SUSE/SAP | 0.537808 | n.a. |
| | | | SUSE Linux | 0.343342 | n.a. |
| | | | Windows | 0.406027 | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x1.large.4 | 2 | 8 | open Linux | 0.072877 | n.a. |
| | | | Oracle Linux | 0.084808 | n.a. |
| | | | Red Hat | 0.137877 | n.a. |
| | | | SUSE/SAP | 0.185479 | n.a. |
| | | | SUSE Linux | 0.117753 | n.a. |
| | | | Windows | 0.109315 | n.a. |
| Flexible purpose x1.slarge.4 | 3 | 12 | open Linux | 0.109315 | n.a. |
| | | | Oracle Linux | 0.121247 | n.a. |
| | | | Red Hat | 0.174315 | n.a. |
| | | | SUSE/SAP | 0.329425 | n.a. |
| | | | SUSE Linux | 0.181973 | n.a. |
| | | | Windows | 0.163973 | n.a. |
| Flexible purpose x1.xlarge.4 | 4 | 16 | open Linux | 0.145753 | n.a. |
| | | | Oracle Linux | 0.157685 | n.a. |
| | | | Red Hat | 0.210753 | n.a. |
| | | | SUSE/SAP | 0.365863 | n.a. |
| | | | SUSE Linux | 0.218411 | n.a. |
| | | | Windows | 0.218630 | n.a. |
| Flexible purpose x1.2slarge.4 | 6 | 24 | open Linux | 0.218630 | n.a. |
| | | | Oracle Linux | 0.230562 | n.a. |
| | | | Red Hat | 0.348630 | n.a. |
| | | | SUSE/SAP | 0.485753 | n.a. |
| | | | SUSE Linux | 0.291288 | n.a. |
| | | | Windows | 0.327945 | n.a. |
| Flexible purpose x1.3xlarge.4 | 12 | 48 | open Linux | 0.437260 | n.a. |
| | | | Oracle Linux | 0.449192 | n.a. |
| | | | Red Hat | 0.567260 | n.a. |
| | | | SUSE/SAP | 0.704384 | n.a. |
| | | | SUSE Linux | 0.509918 | n.a. |
| | | | Windows | 0.655890 | n.a. |
| Flexible purpose x1.2xlarge.4 | 8 | 32 | open Linux | 0.291507 | n.a. |
| | | | Oracle Linux | 0.303438 | n.a. |
| | | | Red Hat | 0.421507 | n.a. |
| | | | SUSE/SAP | 0.558630 | n.a. |
| | | | SUSE Linux | 0.364164 | n.a. |
| | | | Windows | 0.437260 | n.a. |
| Flexible purpose x1e.large.2 | 2 | 4 | open Linux | 0.057534 | n.a. |
| | | | Oracle Linux | 0.065886 | n.a. |
| | | | Red Hat | 0.103034 | n.a. |
| | | | SUSE/SAP | 0.136356 | n.a. |
| | | | SUSE Linux | 0.088948 | n.a. |
| | | | Windows | 0.086301 | n.a. |
| Flexible purpose x1e.slarge.2 | 3 | 6 | open Linux | 0.086301 | n.a. |
| | | | Oracle Linux | 0.094653 | n.a. |
| | | | Red Hat | 0.131801 | n.a. |
| | | | SUSE/SAP | 0.240378 | n.a. |
| | | | SUSE Linux | 0.117715 | n.a. |
| | | | Windows | 0.129452 | n.a. |
| Flexible purpose x1e.xlarge.2 | 4 | 8 | open Linux | 0.115068 | n.a. |
| | | | Oracle Linux | 0.123421 | n.a. |
| | | | Red Hat | 0.160568 | n.a. |
| | | | SUSE/SAP | 0.269145 | n.a. |
| | | | SUSE Linux | 0.146482 | n.a. |
| | | | Windows | 0.172603 | n.a. |
| Flexible purpose x1e.2slarge.2 | 6 | 12 | open Linux | 0.172603 | n.a. |
| | | | Oracle Linux | 0.180955 | n.a. |
| | | | Red Hat | 0.263603 | n.a. |
| | | | SUSE/SAP | 0.359589 | n.a. |
| | | | SUSE Linux | 0.223463 | n.a. |
| | | | Windows | 0.258904 | n.a. |
| Flexible purpose x1e.2xlarge.2 | 8 | 16 | open Linux | 0.230137 | n.a. |
| | | | Oracle Linux | 0.238489 | n.a. |
| | | | Red Hat | 0.321137 | n.a. |
| | | | SUSE/SAP | 0.417123 | n.a. |
| | | | SUSE Linux | 0.280997 | n.a. |
| | | | Windows | 0.345205 | n.a. |
| Flexible purpose x1e.3xlarge.2 | 12 | 24 | open Linux | 0.345205 | n.a. |
| | | | Oracle Linux | 0.353558 | n.a. |
| | | | Red Hat | 0.436205 | n.a. |
| | | | SUSE/SAP | 0.532192 | n.a. |
| | | | SUSE Linux | 0.396066 | n.a. |
| | | | Windows | 0.517808 | n.a. |
| Flexible purpose x1e.large.3 | 2 | 6 | open Linux | 0.062329 | n.a. |
| | | | Oracle Linux | 0.070681 | n.a. |
| | | | Red Hat | 0.107829 | n.a. |
| | | | SUSE/SAP | 0.141151 | n.a. |
| | | | SUSE Linux | 0.093742 | n.a. |
| | | | Windows | 0.093493 | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x1e.slarge.3 | 3 | 9 | open Linux | 0.093493 | n.a. |
| | | | Oracle Linux | 0.101845 | n.a. |
| | | | Red Hat | 0.138993 | n.a. |
| | | | SUSE/SAP | 0.247570 | n.a. |
| | | | SUSE Linux | 0.144353 | n.a. |
| | | | Windows | 0.140240 | n.a. |
| Flexible purpose x1e.xlarge.3 | 4 | 12 | open Linux | 0.124658 | n.a. |
| | | | Oracle Linux | 0.133010 | n.a. |
| | | | Red Hat | 0.170158 | n.a. |
| | | | SUSE/SAP | 0.278734 | n.a. |
| | | | SUSE Linux | 0.175518 | n.a. |
| | | | Windows | 0.186986 | n.a. |
| Flexible purpose x1e.2slarge.3 | 6 | 18 | open Linux | 0.186986 | n.a. |
| | | | Oracle Linux | 0.195338 | n.a. |
| | | | Red Hat | 0.277986 | n.a. |
| | | | SUSE/SAP | 0.373973 | n.a. |
| | | | SUSE Linux | 0.237847 | n.a. |
| | | | Windows | 0.280479 | n.a. |
| Flexible purpose x1e.2xlarge.3 | 8 | 24 | open Linux | 0.249315 | n.a. |
| | | | Oracle Linux | 0.257667 | n.a. |
| | | | Red Hat | 0.340315 | n.a. |
| | | | SUSE/SAP | 0.436301 | n.a. |
| | | | SUSE Linux | 0.300175 | n.a. |
| | | | Windows | 0.373973 | n.a. |
| Flexible purpose x1e.3xlarge.3 | 12 | 36 | open Linux | 0.373973 | n.a. |
| | | | Oracle Linux | 0.382325 | n.a. |
| | | | Red Hat | 0.464973 | n.a. |
| | | | SUSE/SAP | 0.560959 | n.a. |
| | | | SUSE Linux | 0.424833 | n.a. |
| | | | Windows | 0.560959 | n.a. |
| Flexible purpose x1e.large.4 | 2 | 8 | open Linux | 0.067123 | n.a. |
| | | | Oracle Linux | 0.075475 | n.a. |
| | | | Red Hat | 0.112623 | n.a. |
| | | | SUSE/SAP | 0.145945 | n.a. |
| | | | SUSE Linux | 0.098537 | n.a. |
| | | | Windows | 0.100685 | n.a. |
| Flexible purpose x1e.slarge.4 | 3 | 12 | open Linux | 0.100685 | n.a. |
| | | | Oracle Linux | 0.109037 | n.a. |
| | | | Red Hat | 0.146185 | n.a. |
| | | | SUSE/SAP | 0.254762 | n.a. |
| | | | SUSE Linux | 0.151545 | n.a. |
| | | | Windows | 0.151027 | n.a. |
| Flexible purpose x1e.xlarge.4 | 4 | 16 | open Linux | 0.134247 | n.a. |
| | | | Oracle Linux | 0.142599 | n.a. |
| | | | Red Hat | 0.179747 | n.a. |
| | | | SUSE/SAP | 0.288323 | n.a. |
| | | | SUSE Linux | 0.185107 | n.a. |
| | | | Windows | 0.201370 | n.a. |
| Flexible purpose x1e.2slarge.4 | 6 | 24 | open Linux | 0.201370 | n.a. |
| | | | Oracle Linux | 0.209722 | n.a. |
| | | | Red Hat | 0.292370 | n.a. |
| | | | SUSE/SAP | 0.388356 | n.a. |
| | | | SUSE Linux | 0.252230 | n.a. |
| | | | Windows | 0.302055 | n.a. |
| Flexible purpose x1e.2xlarge.4 | 8 | 32 | open Linux | 0.268493 | n.a. |
| | | | Oracle Linux | 0.276845 | n.a. |
| | | | Red Hat | 0.359493 | n.a. |
| | | | SUSE/SAP | 0.455479 | n.a. |
| | | | SUSE Linux | 0.319353 | n.a. |
| | | | Windows | 0.402740 | n.a. |
| Flexible purpose x1e.3xlarge.4 | 12 | 48 | open Linux | 0.402740 | n.a. |
| | | | Oracle Linux | 0.411092 | n.a. |
| | | | Red Hat | 0.493740 | n.a. |
| | | | SUSE/SAP | 0.589726 | n.a. |
| | | | SUSE Linux | 0.453600 | n.a. |
| | | | Windows | 0.604110 | n.a. |
| Flexible purpose x1m.large.8 | 2 | 16 | open Linux | 0.079989 | n.a. |
| | | | Oracle Linux | 0.091921 | n.a. |
| | | | Red Hat | 0.144989 | n.a. |
| | | | SUSE/SAP | 0.192592 | n.a. |
| | | | SUSE Linux | 0.152647 | n.a. |
| | | | Windows | 0.119984 | n.a. |
| Flexible purpose x1m.slarge.8 | 3 | 24 | open Linux | 0.119984 | n.a. |
| | | | Oracle Linux | 0.131915 | n.a. |
| | | | Red Hat | 0.184984 | n.a. |
| | | | SUSE/SAP | 0.340093 | n.a. |
| | | | SUSE Linux | 0.192641 | n.a. |
| | | | Windows | 0.179975 | n.a. |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x1m.xlarge.8 | 4 | 32 | open Linux | 0.159978 | n.a. |
| | | | Oracle Linux | 0.171910 | n.a. |
| | | | Red Hat | 0.224978 | n.a. |
| | | | SUSE/SAP | 0.380088 | n.a. |
| | | | SUSE Linux | 0.232636 | n.a. |
| | | | Windows | 0.239967 | n.a. |
| Flexible purpose x1m.2slarge.8 | 6 | 48 | open Linux | 0.239967 | n.a. |
| | | | Oracle Linux | 0.251899 | n.a. |
| | | | Red Hat | 0.369967 | n.a. |
| | | | SUSE/SAP | 0.507090 | n.a. |
| | | | SUSE Linux | 0.312625 | n.a. |
| | | | Windows | 0.359951 | n.a. |
| Flexible purpose x1m.2xlarge.8 | 8 | 64 | open Linux | 0.319956 | n.a. |
| | | | Oracle Linux | 0.331888 | n.a. |
| | | | Red Hat | 0.449956 | n.a. |
| | | | SUSE/SAP | 0.587079 | n.a. |
| | | | SUSE Linux | 0.392614 | n.a. |
| | | | Windows | 0.479934 | n.a. |
| Flexible purpose x1m.3xlarge.8 | 12 | 96 | open Linux | 0.479934 | n.a. |
| | | | Oracle Linux | 0.491866 | n.a. |
| | | | Red Hat | 0.609934 | n.a. |
| | | | SUSE/SAP | 0.747058 | n.a. |
| | | | SUSE Linux | 0.552592 | n.a. |
| | | | Windows | 0.719901 | n.a. |

Back to 3.1.1.1

## 6.2.1.18 Flexible purpose - x2

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x2.large.2 | 2 | 4 | open Linux | 0.065205 | 0.065205 |
| | | | Oracle Linux | 0.077137 | 0.077137 |
| | | | Red Hat | 0.130205 | 0.130205 |
| | | | SUSE/SAP | 0.177808 | 0.177808 |
| | | | SUSE Linux | 0.110082 | 0.110082 |
| | | | Windows | 0.097808 | 0.097808 |
| Flexible purpose x2.slarge.2 | 3 | 6 | open Linux | 0.097808 | 0.097808 |
| | | | Oracle Linux | 0.109740 | 0.109740 |
| | | | Red Hat | 0.162808 | 0.162808 |
| | | | SUSE/SAP | 0.317918 | 0.317918 |
| | | | SUSE Linux | 0.142685 | 0.142685 |
| | | | Windows | 0.146712 | 0.146712 |
| Flexible purpose x2.xlarge.2 | 4 | 8 | open Linux | 0.130411 | 0.130411 |
| | | | Oracle Linux | 0.142342 | 0.142342 |
| | | | Red Hat | 0.195411 | 0.195411 |
| | | | SUSE/SAP | 0.350521 | 0.350521 |
| | | | SUSE Linux | 0.175288 | 0.175288 |
| | | | Windows | 0.195616 | 0.195616 |
| Flexible purpose x2.2xlarge.2 | 8 | 16 | open Linux | 0.260822 | 0.260822 |
| | | | Oracle Linux | 0.272753 | 0.272753 |
| | | | Red Hat | 0.390822 | 0.390822 |
| | | | SUSE/SAP | 0.527945 | 0.527945 |
| | | | SUSE Linux | 0.333479 | 0.333479 |
| | | | Windows | 0.391233 | 0.391233 |
| Flexible purpose x2.3xlarge.2 | 12 | 24 | open Linux | 0.391233 | 0.391233 |
| | | | Oracle Linux | 0.403164 | 0.403164 |
| | | | Red Hat | 0.521233 | 0.521233 |
| | | | SUSE/SAP | 0.658356 | 0.658356 |
| | | | SUSE Linux | 0.463890 | 0.463890 |
| | | | Windows | 0.586849 | 0.586849 |
| Flexible purpose x2.large.3 | 2 | 6 | open Linux | 0.070411 | 0.070411 |
| | | | Oracle Linux | 0.082342 | 0.082342 |
| | | | Red Hat | 0.135411 | 0.135411 |
| | | | SUSE/SAP | 0.183014 | 0.183014 |
| | | | SUSE Linux | 0.115288 | 0.115288 |
| | | | Windows | 0.105616 | 0.105616 |
| Flexible purpose x2.slarge.3 | 3 | 9 | open Linux | 0.105616 | 0.105616 |
| | | | Oracle Linux | 0.117548 | 0.117548 |
| | | | Red Hat | 0.170616 | 0.170616 |
| | | | SUSE/SAP | 0.325726 | 0.325726 |
| | | | SUSE Linux | 0.178274 | 0.178274 |
| | | | Windows | 0.158425 | 0.158425 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x2.xlarge.3 | 4 | 12 | open Linux | 0.140822 | 0.140822 |
| | | | Oracle Linux | 0.152753 | 0.152753 |
| | | | Red Hat | 0.205822 | 0.205822 |
| | | | SUSE/SAP | 0.360932 | 0.360932 |
| | | | SUSE Linux | 0.213479 | 0.213479 |
| | | | Windows | 0.211233 | 0.211233 |
| Flexible purpose x2.2xlarge.3 | 8 | 24 | open Linux | 0.281644 | 0.281644 |
| | | | Oracle Linux | 0.293575 | 0.293575 |
| | | | Red Hat | 0.411644 | 0.411644 |
| | | | SUSE/SAP | 0.548767 | 0.548767 |
| | | | SUSE Linux | 0.354301 | 0.354301 |
| | | | Windows | 0.422466 | 0.422466 |
| Flexible purpose x2.3xlarge.3 | 12 | 36 | open Linux | 0.422466 | 0.422466 |
| | | | Oracle Linux | 0.434397 | 0.434397 |
| | | | Red Hat | 0.552466 | 0.552466 |
| | | | SUSE/SAP | 0.689589 | 0.689589 |
| | | | SUSE Linux | 0.495123 | 0.495123 |
| | | | Windows | 0.633699 | 0.633699 |
| Flexible purpose x2.large.4 | 2 | 8 | open Linux | 0.075616 | 0.075616 |
| | | | Oracle Linux | 0.087548 | 0.087548 |
| | | | Red Hat | 0.140616 | 0.140616 |
| | | | SUSE/SAP | 0.188219 | 0.188219 |
| | | | SUSE Linux | 0.120493 | 0.120493 |
| | | | Windows | 0.113425 | 0.113425 |
| Flexible purpose x2.slarge.4 | 3 | 12 | open Linux | 0.113425 | 0.113425 |
| | | | Oracle Linux | 0.125356 | 0.125356 |
| | | | Red Hat | 0.178425 | 0.178425 |
| | | | SUSE/SAP | 0.333534 | 0.333534 |
| | | | SUSE Linux | 0.186082 | 0.186082 |
| | | | Windows | 0.170137 | 0.170137 |
| Flexible purpose x2.xlarge.4 | 4 | 16 | open Linux | 0.151233 | 0.151233 |
| | | | Oracle Linux | 0.163164 | 0.163164 |
| | | | Red Hat | 0.216233 | 0.216233 |
| | | | SUSE/SAP | 0.371342 | 0.371342 |
| | | | SUSE Linux | 0.223890 | 0.223890 |
| | | | Windows | 0.226849 | 0.226849 |
| Flexible purpose x2.2xlarge.4 | 8 | 32 | open Linux | 0.302466 | 0.302466 |
| | | | Oracle Linux | 0.314397 | 0.314397 |
| | | | Red Hat | 0.432466 | 0.432466 |
| | | | SUSE/SAP | 0.569589 | 0.569589 |
| | | | SUSE Linux | 0.375123 | 0.375123 |
| | | | Windows | 0.453699 | 0.453699 |
| Flexible purpose x2.3xlarge.4 | 12 | 48 | open Linux | 0.453699 | 0.453699 |
| | | | Oracle Linux | 0.465630 | 0.465630 |
| | | | Red Hat | 0.583699 | 0.583699 |
| | | | SUSE/SAP | 0.720822 | 0.720822 |
| | | | SUSE Linux | 0.526356 | 0.526356 |
| | | | Windows | 0.680548 | 0.680548 |
| Flexible purpose x2e.large.2 | 2 | 4 | open Linux | 0.086301 | 0.086301 |
| | | | Oracle Linux | 0.098233 | 0.098233 |
| | | | Red Hat | 0.151301 | 0.151301 |
| | | | SUSE/SAP | 0.198904 | 0.198904 |
| | | | SUSE Linux | 0.131178 | 0.131178 |
| | | | Windows | 0.129452 | 0.129452 |
| Flexible purpose x2e.slarge.2 | 3 | 6 | open Linux | 0.129452 | 0.129452 |
| | | | Oracle Linux | 0.141384 | 0.141384 |
| | | | Red Hat | 0.194452 | 0.194452 |
| | | | SUSE/SAP | 0.349562 | 0.349562 |
| | | | SUSE Linux | 0.174329 | 0.174329 |
| | | | Windows | 0.194178 | 0.194178 |
| Flexible purpose x2e.xlarge.2 | 4 | 8 | open Linux | 0.172603 | 0.172603 |
| | | | Oracle Linux | 0.184534 | 0.184534 |
| | | | Red Hat | 0.237603 | 0.237603 |
| | | | SUSE/SAP | 0.392712 | 0.392712 |
| | | | SUSE Linux | 0.217479 | 0.217479 |
| | | | Windows | 0.258904 | 0.258904 |
| Flexible purpose x2e.2xlarge.2 | 8 | 16 | open Linux | 0.345205 | 0.345205 |
| | | | Oracle Linux | 0.357137 | 0.357137 |
| | | | Red Hat | 0.475205 | 0.475205 |
| | | | SUSE/SAP | 0.612329 | 0.612329 |
| | | | SUSE Linux | 0.417863 | 0.417863 |
| | | | Windows | 0.517808 | 0.517808 |
| Flexible purpose x2e.3xlarge.2 | 12 | 24 | open Linux | 0.517808 | 0.517808 |
| | | | Oracle Linux | 0.529740 | 0.529740 |
| | | | Red Hat | 0.647808 | 0.647808 |
| | | | SUSE/SAP | 0.784932 | 0.784932 |
| | | | SUSE Linux | 0.590466 | 0.590466 |
| | | | Windows | 0.776712 | 0.776712 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x2e.large.3 | 2 | 6 | open Linux | 0.093493 | 0.093493 |
| | | | Oracle Linux | 0.105425 | 0.105425 |
| | | | Red Hat | 0.158493 | 0.158493 |
| | | | SUSE/SAP | 0.206096 | 0.206096 |
| | | | SUSE Linux | 0.138370 | 0.138370 |
| | | | Windows | 0.140240 | 0.140240 |
| Flexible purpose x2e.slarge.3 | 3 | 9 | open Linux | 0.140240 | 0.140240 |
| | | | Oracle Linux | 0.152171 | 0.152171 |
| | | | Red Hat | 0.205240 | 0.205240 |
| | | | SUSE/SAP | 0.360349 | 0.360349 |
| | | | SUSE Linux | 0.212897 | 0.212897 |
| | | | Windows | 0.210360 | 0.210360 |
| Flexible purpose x2.xlarge.3 | 4 | 12 | open Linux | 0.140822 | 0.140822 |
| | | | Oracle Linux | 0.152753 | 0.152753 |
| | | | Red Hat | 0.205822 | 0.205822 |
| | | | SUSE/SAP | 0.360932 | 0.360932 |
| | | | SUSE Linux | 0.213479 | 0.213479 |
| | | | Windows | 0.211233 | 0.211233 |
| Flexible purpose x2e.2xlarge.3 | 8 | 24 | open Linux | 0.373973 | 0.373973 |
| | | | Oracle Linux | 0.385904 | 0.385904 |
| | | | Red Hat | 0.503973 | 0.503973 |
| | | | SUSE/SAP | 0.641096 | 0.641096 |
| | | | SUSE Linux | 0.446630 | 0.446630 |
| | | | Windows | 0.560959 | 0.560959 |
| Flexible purpose x2e.3xlarge.3 | 12 | 36 | open Linux | 0.560959 | 0.560959 |
| | | | Oracle Linux | 0.572890 | 0.572890 |
| | | | Red Hat | 0.690959 | 0.690959 |
| | | | SUSE/SAP | 0.828082 | 0.828082 |
| | | | SUSE Linux | 0.633616 | 0.633616 |
| | | | Windows | 0.841438 | 0.841438 |
| Flexible purpose x2e.large.4 | 2 | 8 | open Linux | 0.100685 | 0.100685 |
| | | | Oracle Linux | 0.112616 | 0.112616 |
| | | | Red Hat | 0.165685 | 0.165685 |
| | | | SUSE/SAP | 0.213288 | 0.213288 |
| | | | SUSE Linux | 0.145562 | 0.145562 |
| | | | Windows | 0.151027 | 0.151027 |
| Flexible purpose x2e.slarge.4 | 3 | 12 | open Linux | 0.151027 | 0.151027 |
| | | | Oracle Linux | 0.162959 | 0.162959 |
| | | | Red Hat | 0.216027 | 0.216027 |
| | | | SUSE/SAP | 0.371137 | 0.371137 |
| | | | SUSE Linux | 0.223685 | 0.223685 |
| | | | Windows | 0.226541 | 0.226541 |
| Flexible purpose x2e.xlarge.4 | 4 | 16 | open Linux | 0.201370 | 0.201370 |
| | | | Oracle Linux | 0.213301 | 0.213301 |
| | | | Red Hat | 0.266370 | 0.266370 |
| | | | SUSE/SAP | 0.421479 | 0.421479 |
| | | | SUSE Linux | 0.274027 | 0.274027 |
| | | | Windows | 0.302055 | 0.302055 |
| Flexible purpose x2e.2xlarge.4 | 8 | 32 | open Linux | 0.402740 | 0.402740 |
| | | | Oracle Linux | 0.414671 | 0.414671 |
| | | | Red Hat | 0.532740 | 0.532740 |
| | | | SUSE/SAP | 0.669863 | 0.669863 |
| | | | SUSE Linux | 0.475397 | 0.475397 |
| | | | Windows | 0.604110 | 0.604110 |
| Flexible purpose x2e.3xlarge.4 | 12 | 48 | open Linux | 0.604110 | 0.604110 |
| | | | Oracle Linux | 0.616041 | 0.616041 |
| | | | Red Hat | 0.734110 | 0.734110 |
| | | | SUSE/SAP | 0.871233 | 0.871233 |
| | | | SUSE Linux | 0.676767 | 0.676767 |
| | | | Windows | 0.906164 | 0.906164 |
| Flexible purpose x2m.large.8 | 2 | 16 | open Linux | 0.083988 | 0.083988 |
| | | | Oracle Linux | 0.095920 | 0.095920 |
| | | | Red Hat | 0.148988 | 0.148988 |
| | | | SUSE/SAP | 0.196591 | 0.196591 |
| | | | SUSE Linux | 0.156646 | 0.156646 |
| | | | Windows | 0.125983 | 0.125983 |
| Flexible purpose x2m.slarge.8 | 3 | 24 | open Linux | 0.125983 | 0.125983 |
| | | | Oracle Linux | 0.137914 | 0.137914 |
| | | | Red Hat | 0.190983 | 0.190983 |
| | | | SUSE/SAP | 0.346092 | 0.346092 |
| | | | SUSE Linux | 0.198640 | 0.198640 |
| | | | Windows | 0.188974 | 0.188974 |
| Flexible purpose x2m.xlarge.8 | 4 | 32 | open Linux | 0.167977 | 0.167977 |
| | | | Oracle Linux | 0.179909 | 0.179909 |
| | | | Red Hat | 0.232977 | 0.232977 |
| | | | SUSE/SAP | 0.388087 | 0.388087 |
| | | | SUSE Linux | 0.240635 | 0.240635 |
| | | | Windows | 0.251965 | 0.251965 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x2m.2slarge.8 | 6 | 48 | open Linux | 0.251965 | 0.251965 |
| | | | Oracle Linux | 0.263897 | 0.263897 |
| | | | Red Hat | 0.381965 | 0.381965 |
| | | | SUSE/SAP | 0.519089 | 0.519089 |
| | | | SUSE Linux | 0.324623 | 0.324623 |
| | | | Windows | 0.377948 | 0.377948 |
| Flexible purpose x2m.2xlarge.8 | 8 | 64 | open Linux | 0.335954 | 0.335954 |
| | | | Oracle Linux | 0.347886 | 0.347886 |
| | | | Red Hat | 0.465954 | 0.465954 |
| | | | SUSE/SAP | 0.603077 | 0.603077 |
| | | | SUSE Linux | 0.408612 | 0.408612 |
| | | | Windows | 0.503931 | 0.503931 |
| Flexible purpose x2m.3xlarge.8 | 12 | 96 | open Linux | 0.503931 | 0.503931 |
| | | | Oracle Linux | 0.515862 | 0.515862 |
| | | | Red Hat | 0.633931 | 0.633931 |
| | | | SUSE/SAP | 0.771054 | 0.771054 |
| | | | SUSE Linux | 0.576589 | 0.576589 |
| | | | Windows | 0.755896 | 0.755896 |
| Flexible purpose x2ne.large.2 | 2 | 4 | open Linux | 0.065205 | 0.065205 |
| | | | Oracle Linux | 0.077137 | 0.077137 |
| | | | Red Hat | 0.130205 | 0.130205 |
| | | | SUSE/SAP | 0.177808 | 0.177808 |
| | | | SUSE Linux | 0.110082 | 0.110082 |
| | | | Windows | 0.097808 | 0.097808 |
| Flexible purpose x2ne.slarge.2 | 3 | 6 | open Linux | 0.097808 | 0.097808 |
| | | | Oracle Linux | 0.109740 | 0.109740 |
| | | | Red Hat | 0.162808 | 0.162808 |
| | | | SUSE/SAP | 0.317918 | 0.317918 |
| | | | SUSE Linux | 0.142685 | 0.142685 |
| | | | Windows | 0.146712 | 0.146712 |
| Flexible purpose x2ne.xlarge.2 | 4 | 8 | open Linux | 0.130411 | 0.130411 |
| | | | Oracle Linux | 0.142342 | 0.142342 |
| | | | Red Hat | 0.195411 | 0.195411 |
| | | | SUSE/SAP | 0.350521 | 0.350521 |
| | | | SUSE Linux | 0.175288 | 0.175288 |
| | | | Windows | 0.195616 | 0.195616 |
| Flexible purpose x2ne.2slarge.2 | 6 | 12 | open Linux | 0.195616 | 0.195616 |
| | | | Oracle Linux | 0.207548 | 0.207548 |
| | | | Red Hat | 0.325616 | 0.325616 |
| | | | SUSE/SAP | 0.462740 | 0.462740 |
| | | | SUSE Linux | 0.268274 | 0.268274 |
| | | | Windows | 0.293425 | 0.293425 |
| Flexible purpose x2ne.2xlarge.2 | 8 | 16 | open Linux | 0.260822 | 0.260822 |
| | | | Oracle Linux | 0.272753 | 0.272753 |
| | | | Red Hat | 0.390822 | 0.390822 |
| | | | SUSE/SAP | 0.527945 | 0.527945 |
| | | | SUSE Linux | 0.333479 | 0.333479 |
| | | | Windows | 0.391233 | 0.391233 |
| Flexible purpose x2ne.3xlarge.2 | 12 | 24 | open Linux | 0.391233 | 0.391233 |
| | | | Oracle Linux | 0.403164 | 0.403164 |
| | | | Red Hat | 0.521233 | 0.521233 |
| | | | SUSE/SAP | 0.658356 | 0.658356 |
| | | | SUSE Linux | 0.463890 | 0.463890 |
| | | | Windows | 0.586849 | 0.586849 |
| Flexible purpose x2ne.large.3 | 2 | 6 | open Linux | 0.070411 | 0.070411 |
| | | | Oracle Linux | 0.082342 | 0.082342 |
| | | | Red Hat | 0.135411 | 0.135411 |
| | | | SUSE/SAP | 0.183014 | 0.183014 |
| | | | SUSE Linux | 0.115288 | 0.115288 |
| | | | Windows | 0.105616 | 0.105616 |
| Flexible purpose x2ne.slarge.3 | 3 | 9 | open Linux | 0.105616 | 0.105616 |
| | | | Oracle Linux | 0.117548 | 0.117548 |
| | | | Red Hat | 0.170616 | 0.170616 |
| | | | SUSE/SAP | 0.325726 | 0.325726 |
| | | | SUSE Linux | 0.178274 | 0.178274 |
| | | | Windows | 0.158425 | 0.158425 |
| Flexible purpose x2ne.xlarge.3 | 4 | 12 | open Linux | 0.140822 | 0.140822 |
| | | | Oracle Linux | 0.152753 | 0.152753 |
| | | | Red Hat | 0.205822 | 0.205822 |
| | | | SUSE/SAP | 0.360932 | 0.360932 |
| | | | SUSE Linux | 0.213479 | 0.213479 |
| | | | Windows | 0.211233 | 0.211233 |
| Flexible purpose x2ne.2slarge.3 | 6 | 18 | open Linux | 0.211233 | 0.211233 |
| | | | Oracle Linux | 0.223164 | 0.223164 |
| | | | Red Hat | 0.341233 | 0.341233 |
| | | | SUSE/SAP | 0.478356 | 0.478356 |
| | | | SUSE Linux | 0.283890 | 0.283890 |
| | | | Windows | 0.316849 | 0.316849 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| Flexible purpose x2ne.2xlarge.3 | 8 | 24 | open Linux | 0.281644 | 0.281644 |
| | | | Oracle Linux | 0.293575 | 0.293575 |
| | | | Red Hat | 0.411644 | 0.411644 |
| | | | SUSE/SAP | 0.548767 | 0.548767 |
| | | | SUSE Linux | 0.354301 | 0.354301 |
| | | | Windows | 0.422466 | 0.422466 |
| Flexible purpose x2ne.3xlarge.3 | 12 | 36 | open Linux | 0.422466 | 0.422466 |
| | | | Oracle Linux | 0.434397 | 0.434397 |
| | | | Red Hat | 0.552466 | 0.552466 |
| | | | SUSE/SAP | 0.689589 | 0.689589 |
| | | | SUSE Linux | 0.495123 | 0.495123 |
| | | | Windows | 0.633699 | 0.633699 |
| Flexible purpose x2ne.large.4 | 2 | 8 | open Linux | 0.075616 | 0.075616 |
| | | | Oracle Linux | 0.087548 | 0.087548 |
| | | | Red Hat | 0.140616 | 0.140616 |
| | | | SUSE/SAP | 0.188219 | 0.188219 |
| | | | SUSE Linux | 0.120493 | 0.120493 |
| | | | Windows | 0.113425 | 0.113425 |
| Flexible purpose x2ne.slarge.4 | 3 | 12 | open Linux | 0.113425 | 0.113425 |
| | | | Oracle Linux | 0.125356 | 0.125356 |
| | | | Red Hat | 0.178425 | 0.178425 |
| | | | SUSE/SAP | 0.333534 | 0.333534 |
| | | | SUSE Linux | 0.186082 | 0.186082 |
| | | | Windows | 0.170137 | 0.170137 |
| Flexible purpose x2ne.xlarge.4 | 4 | 16 | open Linux | 0.151233 | 0.151233 |
| | | | Oracle Linux | 0.163164 | 0.163164 |
| | | | Red Hat | 0.216233 | 0.216233 |
| | | | SUSE/SAP | 0.371342 | 0.371342 |
| | | | SUSE Linux | 0.223890 | 0.223890 |
| | | | Windows | 0.226849 | 0.226849 |
| Flexible purpose x2ne.2slarge.4 | 6 | 24 | open Linux | 0.226849 | 0.226849 |
| | | | Oracle Linux | 0.238781 | 0.238781 |
| | | | Red Hat | 0.356849 | 0.356849 |
| | | | SUSE/SAP | 0.493973 | 0.493973 |
| | | | SUSE Linux | 0.299507 | 0.299507 |
| | | | Windows | 0.340274 | 0.340274 |
| Flexible purpose x2ne.2xlarge.4 | 8 | 32 | open Linux | 0.302466 | 0.302466 |
| | | | Oracle Linux | 0.314397 | 0.314397 |
| | | | Red Hat | 0.432466 | 0.432466 |
| | | | SUSE/SAP | 0.569589 | 0.569589 |
| | | | SUSE Linux | 0.375123 | 0.375123 |
| | | | Windows | 0.453699 | 0.453699 |
| Flexible purpose x2ne.3xlarge.4 | 12 | 48 | open Linux | 0.453699 | 0.453699 |
| | | | Oracle Linux | 0.465630 | 0.465630 |
| | | | Red Hat | 0.583699 | 0.583699 |
| | | | SUSE/SAP | 0.720822 | 0.720822 |
| | | | SUSE Linux | 0.526356 | 0.526356 |
| | | | Windows | 0.680548 | 0.680548 |

Back to
3.1.1.1

## 6.2.1.19 Physical Elastic Cloud Server

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BM General Purpose c7t.28xl Linux | 112 | 512 | open Linux | 6.99 | n.a. | 4,050.00 | n.a. | 3,544.00 | n.a. | 45,566.00 | n.a. | 78,980.00 | n.a. |
| Ded. General Purp. 1:2 c9.144xl.2 | 384 | 768 | open Linux | 26.58 | 26.58 | 9,119.00 | 9,119.00 | 8,149.00 | 8,149.00 | 107,103.00 | 107,103.00 | 186,265.00 | 186,265.00 |
| | | | Oracle Linux | 26.59 | 26.59 | 9,128.00 | 9,128.00 | 8,158.00 | 8,158.00 | 107,207.00 | 107,207.00 | 186,474.00 | 186,474.00 |
| | | | Red Hat | 26.71 | 26.71 | 9,214.00 | 9,214.00 | 8,244.00 | 8,244.00 | 108,241.00 | 108,241.00 | 188,543.00 | 188,543.00 |
| | | | SUSE/SAP | 26.85 | 26.85 | 9,314.00 | 9,314.00 | 8,344.00 | 8,344.00 | 109,443.00 | 109,443.00 | 190,945.00 | 190,945.00 |
| | | | SUSE Linux | 26.65 | 26.65 | 9,172.00 | 9,172.00 | 8,202.00 | 8,202.00 | 107,739.00 | 107,739.00 | 187,538.00 | 187,538.00 |
| | | | Windows | 45.18 | 45.18 | 22,701.00 | 22,701.00 | 21,731.00 | 21,731.00 | 270,085.00 | 270,085.00 | 512,229.00 | 512,229.00 |
| Ded. General Purp. 1:4 c9.144xl.4 | 384 | 1536 | open Linux | 33.00 | 33.00 | 11,322.00 | 11,322.00 | 10,118.00 | 10,118.00 | 132,974.00 | 132,974.00 | 231,260.00 | 231,260.00 |
| | | | Oracle Linux | 33.01 | 33.01 | 11,331.00 | 11,331.00 | 10,126.00 | 10,126.00 | 133,079.00 | 133,079.00 | 231,469.00 | 231,469.00 |
| | | | Red Hat | 33.13 | 33.13 | 11,417.00 | 11,417.00 | 10,213.00 | 10,213.00 | 134,113.00 | 134,113.00 | 233,538.00 | 233,538.00 |
| | | | SUSE/SAP | 33.27 | 33.27 | 11,517.00 | 11,517.00 | 10,313.00 | 10,313.00 | 135,314.00 | 135,314.00 | 235,940.00 | 235,940.00 |
| | | | SUSE Linux | 33.07 | 33.07 | 11,375.00 | 11,375.00 | 10,171.00 | 10,171.00 | 133,611.00 | 133,611.00 | 232,533.00 | 232,533.00 |
| | | | Windows | 56.10 | 56.10 | 28,185.00 | 28,185.00 | 26,980.00 | 26,980.00 | 335,327.00 | 335,327.00 | 635,965.00 | 635,965.00 |

| Name | vCPU | GiB RAM | Operating System | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Memory-optim. m9.144xl.8 | 384 | 3072 | open Linux | 35.47 | 35.47 | 13,465.00 | 13,465.00 | 11,912.00 | 11,912.00 | 158,476.00 | 158,476.00 | 273,450.00 | 273,450.00 |
| | | | Oracle Linux | 35.48 | 35.48 | 13,474.00 | 13,474.00 | 11,920.00 | 11,920.00 | 158,581.00 | 158,581.00 | 273,659.00 | 273,659.00 |
| | | | Red Hat | 35.60 | 35.60 | 13,560.00 | 13,560.00 | 12,007.00 | 12,007.00 | 159,615.00 | 159,615.00 | 275,727.00 | 275,727.00 |
| | | | SUSE/SAP | 35.74 | 35.74 | 13,660.00 | 13,660.00 | 12,107.00 | 12,107.00 | 160,816.00 | 160,816.00 | 278,130.00 | 278,130.00 |
| | | | SUSE Linux | 35.55 | 35.55 | 13,518.00 | 13,518.00 | 11,965.00 | 11,965.00 | 159,113.00 | 159,113.00 | 274,722.00 | 274,722.00 |
| | | | Windows | 60.30 | 60.30 | 31,592.00 | 31,592.00 | 30,038.00 | 30,038.00 | 375,993.00 | 375,993.00 | 708,483.00 | 708,483.00 |

The physical flavors für c9/m9 are only offered on request.

Back to 3.1.1.2

## 6.2.2 Dedicated Host

| Name | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro | EU-DE Reserved Upfront 36 months in euro | EU-NL Reserved Upfront 36 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ded. Host s2-medium | 72 | 328 | 3.19 | n.a. | 1,648.00 | n.a. | 1,213.00 | n.a. | n.a. | n.a. | 18,456.00 | n.a. | 28,701.00 | n.a. | n.a. | n.a. |
| Ded. Host s2 | 144 | 704 | 10.42 | n.a. | 5,339.00 | n.a. | 4,703.00 | n.a. | n.a. | n.a. | 60,264.00 | n.a. | 103,555.00 | n.a. | n.a. | n.a. |
| Ded. Host s3 | 264 | 702 | n.a. | 7.38 | n.a. | 3,371.20 | n.a. | 2,865.52 | n.a. | n.a. | n.a. | 37,080.62 | n.a. | 67,419.70 | n.a. | n.a. |
| Ded. Host s7n | 276 | 912 | 16.63 | 13.30 | 8,739.00 | 6,991.00 | 7,647.00 | 6,117.00 | n.a. | n.a. | 104,870.00 | 83,892.00 | 183,522.00 | 146,808.00 | n.a. | n.a. |
| Ded. Host c3 | 60 | 256 | 4.97 | n.a. | 2,650.00 | n.a. | 2,347.00 | n.a. | n.a. | n.a. | 27,258.00 | n.a. | 40,888.00 | n.a. | n.a. | n.a. |
| Ded. Host c4 | 74 | 296 | 6.11 | 5.25 | 3,256.00 | 2,800.16 | 2,884.00 | 2,480.24 | n.a. | n.a. | 33,495.00 | n.a. | 50,243.00 | n.a. | n.a. | n.a. |
| Ded. Host c7n | 98 | 392 | 9.40 | 6.00 | 4,942.00 | 4,380.00 | 4,324.00 | 3,153.60 | n.a. | n.a. | 59,300.00 | 52,560.00 | 103,775.00 | 75,686.40 | n.a. | n.a. |
| Ded. Host c9 | 376 | 752 | 26.03 | 26.03 | 8,929.00 | 8,929.00 | 7,979.00 | 7,979.00 | 8,913.00 | 8,913.00 | 104,871.00 | 104,871.00 | 182,385.00 | 182,385.00 | 240,418.00 | 240,418.00 |
| Ded. Host c9 pro | 376 | 1504 | 32.31 | 32.31 | 11,086.00 | 11,086.00 | 9,907.00 | 9,907.00 | 8,727.00 | 8,727.00 | 130,204.00 | 130,204.00 | 226,442.00 | 226,442.00 | 298,494.00 | 298,494.00 |
| Ded. Host m3 | 60 | 512 | 5.90 | n.a. | 3,145.00 | n.a. | 2,785.00 | n.a. | n.a. | n.a. | 32,345.00 | n.a. | 48,517.00 | n.a. | n.a. | n.a. |
| Ded. Host m4 | 76 | 608 | 7.00 | 6.02 | 3,732.00 | 3,209.52 | 3,305.00 | 2,842.30 | n.a. | n.a. | 38,384.00 | 33,010.24 | 57,577.00 | 49,516.22 | n.a. | n.a. |
| Ded. Host m7n | 98 | 784 | 9.19 | 7.99 | 4,832.00 | 4,200.00 | 4,228.00 | 3,675.00 | n.a. | n.a. | 57,982.00 | 50,400.00 | 101,468.00 | 88,200.00 | n.a. | n.a. |
| Ded. Host m9 | 376 | 3008 | 34.73 | 34.73 | 13,185.00 | 13,185.00 | 11,663.00 | 11,663.00 | 10,142.00 | 10,142.00 | 155,175.00 | 155,175.00 | 267,753.00 | 267,753.00 | 346,860.00 | 346,860.00 |
| Ded. Host i3 | 92 | 324 | n.a. | 11.01 | n.a. | 6,029.96 | n.a. | 5,627.96 | n.a. | n.a. | n.a. | 67,535.52 | n.a. | 125,423.10 | n.a. | n.a. |
| Ded. Host i3 pro | 80 | 640 | n.a. | 12.44 | n.a. | 6,809.00 | n.a. | 6,355.00 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Ded. Host i3m | 64 | 512 | n.a. | 7.92 | n.a. | 4,338.00 | n.a. | 4,049.00 | n.a. | n.a. | n.a. | 48,590.00 | n.a. | 90,239.00 | n.a. | n.a. |

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| License Open Linux VM on Ded. Host | 0.000000 | 0.000000 |
| License Oracle VM on Ded. Host | 0.049354 | 0.042444 |
| License Red Hat VM on Ded. Host | 0.057389 | 0.049355 |
| License SUSE for SAP VM on Ded. Host | 0.087231 | 0.075019 |
| License Suse VM on Ded. Host | 0.054519 | 0.046886 |
| License Windows VM on Ded. Host | 0.076780 | 0.066031 |

The DEH flavors for c9/m9 are only offered on request.

Back to 3.1.2

## 6.2.3 Auto Scaling

This service is free of charge.
3.1.3

## 6.2.4 Image Management Service

The Image Management Service itself is free of charge, however the stored images will be charged by the standard Object Storage Space.
Back to 3.1.4

## 6.2.5 FunctionGraph

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| FG execution duration in GiB hours | 0.045000 | n.a. |
| FG spare execution duration in GiB hours | 0.025000 | n.a. |
| FG Requests per million | 0.153000 | n.a. |

Back to 3.1.5

# 6.3 Databases

## 6.3.1 Relational Database Service

### 6.3.1.1 MySQL

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS MySQL GP 1 vCPU 2 GiB RAM | db.n1.medium.2.mys | 1 | 2 | 0.033915 | 0.030524 | 18.82 | 16.94 | 17.33 | 15.60 | 193.11 | 173.80 | 321.00 | 288.90 |
| RDS MySQL GP 1 vCPU 4 GiB RAM | db.n1.medium.4.mysql | 1 | 4 | 0.072434 | 0.065191 | 40.19 | 36.17 | 37.01 | 33.31 | 412.00 | 370.80 | 685.00 | 616.50 |
| RDS MySQL GP 2 vCPU 4 GiB RAM | db.n1.large.2.mysql | 2 | 4 | 0.107680 | 0.096912 | 59.74 | 53.77 | 55.02 | 49.52 | 613.00 | 551.70 | 1,019.00 | 917.10 |
| RDS MySQL GP 2 vCPU 8 GiB RAM | db.n1.large.4.mysql | 2 | 8 | 0.176358 | 0.158722 | 97.84 | 88.06 | 90.12 | 81.11 | 1,004.00 | 903.60 | 1,668.00 | 1,501.20 |
| RDS MySQL GP 4 vCPU 8 GiB RAM | db.n1.xlarge.2.mysql | 4 | 8 | 0.193316 | 0.173984 | 107.25 | 96.53 | 98.78 | 88.90 | 1,101.00 | 990.90 | 1,829.00 | 1,646.10 |
| RDS MySQL GP 8 vCPU 32 GiB RAM | db.n1.2xlarge.4.mysql | 8 | 32 | 0.707128 | 0.636415 | 392.00 | 352.80 | 361.00 | 324.90 | 4,026.00 | 3,623.40 | 6,690.00 | 6,021.00 |
| RDS MySQL GP 8 vCPU 16 GiB RAM | db.n1.2xlarge.2.mysql | 8 | 16 | 0.386631 | 0.347968 | 215.00 | 193.50 | 197.57 | 177.81 | 2,201.00 | 1,980.90 | 3,658.00 | 3,292.20 |
| RDS MySQL GP 4 vCPU 16 GiB RAM | db.n1.xlarge.4.mysql | 4 | 16 | 0.353564 | 0.318208 | 196.16 | 176.54 | 180.67 | 162.60 | 2,013.00 | 1,811.70 | 3,345.00 | 3,010.50 |
| RDS MySQL D 1 vCPU 2 GiB RAM | db.c2.medium.mysql | 1 | 2 | 0.039900 | 0.035910 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D 1 vCPU 4 GiB RAM | db.s1.medium.mysql | 1 | 4 | 0.085216 | 0.076694 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D 2 vCPU 4 GiB RAM | db.x1.large.2.mysql | 2 | 4 | 0.126683 | 0.114015 | 70.28 | 63.25 | 64.73 | 58.26 | 721.00 | 648.90 | 1,199.00 | 1,079.10 |
| RDS MySQL D 2 vCPU 8 GiB RAM | db.x1.large.4.mysql | 2 | 8 | 0.207480 | 0.186732 | 115.11 | 103.60 | 106.02 | 95.42 | 1,181.00 | 1,062.90 | 1,963.00 | 1,766.70 |
| RDS MySQL D 2 vCPU 16 GiB RAM | db.x1.large.8.mysql | 2 | 16 | 0.277904 | 0.250114 | 154.18 | 138.76 | 142.01 | 127.81 | 1,582.00 | 1,423.80 | 2,629.00 | 2,366.10 |
| RDS MySQL D 4 vCPU 8 GiB RAM | db.x1.xlarge.2.mysql | 4 | 8 | 0.227430 | 0.204687 | 126.18 | 113.56 | 116.22 | 104.60 | 1,295.00 | 1,165.50 | 2,152.00 | 1,936.80 |
| RDS MySQL D 4 vCPU 16 GiB RAM | db.x1.xlarge.4.mysql | 4 | 16 | 0.415958 | 0.374362 | 231.00 | 207.90 | 213.00 | 191.70 | 2,368.00 | 2,131.20 | 3,935.00 | 3,541.50 |
| RDS MySQL D 4 vCPU 32 GiB RAM | db.x1.xlarge.8.mysql | 4 | 32 | 0.608475 | 0.547628 | 338.00 | 304.20 | 311.00 | 279.90 | 3,465.00 | 3,118.50 | 5,757.00 | 5,181.30 |
| RDS MySQL D 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.mysql | 8 | 16 | 0.454860 | 0.409374 | 252.00 | 226.80 | 232.00 | 208.80 | 2,590.00 | 2,331.00 | 4,303.00 | 3,872.70 |
| RDS MySQL D 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.mysql | 8 | 32 | 0.831915 | 0.748724 | 462.00 | 415.80 | 425.00 | 382.50 | 4,737.00 | 4,263.30 | 7,871.00 | 7,083.90 |
| RDS MySQL D 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.mysql | 8 | 64 | 1.14 | 1.03 | 631.00 | 567.90 | 581.00 | 522.90 | 6,475.00 | 5,827.50 | 10,758.00 | 9,682.20 |
| RDS MySQL D 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.mysql | 16 | 32 | 0.909720 | 0.818748 | 505.00 | 454.50 | 465.00 | 418.50 | 5,180.00 | 4,662.00 | 8,607.00 | 7,746.30 |
| RDS MySQL D 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.mysql | 16 | 64 | 1.66 | 1.49 | 923.00 | 830.70 | 850.00 | 765.00 | 9,474.00 | 8,526.60 | 15,741.00 | 14,166.90 |
| RDS MySQL D 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.mysql | 16 | 128 | 2.27 | 2.04 | 1,262.00 | 1,135.80 | 1,162.00 | 1,045.80 | 12,950.00 | 11,655.00 | 21,517.00 | 19,365.30 |
| RDS MySQL D 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.mysql | 32 | 64 | 1.82 | 1.64 | 1,009.00 | 908.10 | 930.00 | 837.00 | 10,360.00 | 9,324.00 | 17,213.00 | 15,491.70 |
| RDS MySQL D 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.mysql | 32 | 128 | 3.33 | 3.00 | 1,846.00 | 1,661.40 | 1,700.00 | 1,530.00 | 18,948.00 | 17,053.20 | 31,482.00 | 28,333.80 |
| RDS MySQL D 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.mysql | 32 | 256 | 4.55 | 4.10 | 2,524.00 | 2,271.60 | 2,324.00 | 2,091.60 | 25,900.00 | 23,310.00 | 43,033.00 | 38,729.70 |

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS MySQL D 60 vCPU 128 GiB RAM | n. a. | 60 | 128 | 3.64 | 3.28 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D 60 vCPU 256 GiB RAM | n. a. | 60 | 256 | 5.43 | 4.89 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D 60 vCPU 512 GiB RAM | n. a. | 60 | 512 | 9.10 | 8.19 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D 64 vCPU 128 GiB RAM | db.x1.16xlarge.2.mysql | 64 | 128 | 3.92 | 3.53 | 2,019.00 | 1,817.10 | 1,859.00 | 1,673.10 | 20,720.00 | 18,648.00 | 34,427.00 | 30,984.30 |
| RDS MySQL D 64 vCPU 256 GiB RAM | db.x1.16xlarge.4.mysql | 64 | 256 | 5.43 | 4.89 | 3,692.00 | 3,322.80 | 3,401.00 | 3,060.90 | 37,895.00 | 34,105.50 | 62,965.00 | 56,668.50 |
| RDS MySQL D 64 vCPU 512 GiB RAM | db.x1.16xlarge.8.mysql | 64 | 512 | 9.10 | 8.19 | 5,047.00 | 4,542.30 | 4,649.00 | 4,184.10 | 51,799.00 | 46,619.10 | 86,067.00 | 77,460.30 |
| RDS MySQL GP HA 1 vCPU 2 GiB RAM | db.n1.medium.2.ha.mysql | 1 | 2 | 0.067830 | 0.061047 | 37.63 | 33.87 | 34.66 | 31.19 | 386.00 | 347.40 | 642.00 | 577.80 |
| RDS MySQL GP HA 1 vCPU 4 GiB RAM | db.n1.medium.4.ha.mysql | 1 | 4 | 0.144868 | 0.130381 | 80.37 | 72.33 | 74.03 | 66.63 | 825.00 | 742.50 | 1,371.00 | 1,233.90 |
| RDS MySQL GP HA 2 vCPU 4 GiB RAM | db.n1.large.2.ha.mysql | 2 | 4 | 0.215360 | 0.193824 | 119.48 | 107.53 | 110.05 | 99.05 | 1,226.00 | 1,103.40 | 2,037.00 | 1,833.30 |
| RDS MySQL GP HA 2 vCPU 8 GiB RAM | db.n1.large.4.ha.mysql | 2 | 8 | 0.352716 | 0.317444 | 195.69 | 176.12 | 180.24 | 162.22 | 2,008.00 | 1,807.20 | 3,337.00 | 3,003.30 |
| RDS MySQL GP HA 4 vCPU 8 GiB RAM | db.n1.xlarge.2.ha.mysql | 4 | 8 | 0.386631 | 0.347968 | 215.00 | 193.50 | 197.57 | 177.81 | 2,201.00 | 1,980.90 | 3,658.00 | 3,292.20 |
| RDS MySQL GP HA 4 vCPU 16 GiB RAM | db.n1.xlarge.4.ha.mysql | 4 | 16 | 0.707128 | 0.636415 | 392.00 | 352.80 | 361.00 | 324.90 | 4,026.00 | 3,623.40 | 6,690.00 | 6,021.00 |
| RDS MySQL GP HA 8 vCPU 16 GiB RAM | db.n1.2xlarge.2.ha.mysql | 8 | 16 | 0.773262 | 0.695936 | 429.00 | 386.10 | 395.00 | 355.50 | 4,403.00 | 3,962.70 | 7,316.00 | 6,584.40 |
| RDS MySQL GP HA 8 vCPU 32 GiB RAM | db.n1.2xlarge.4.ha.mysql | 8 | 32 | 1.41 | 1.27 | 785.00 | 706.50 | 723.00 | 650.70 | 8,053.00 | 7,247.70 | 13,380.00 | 12,042.00 |
| RDS MySQL D HA 1 vCPU 2 GiB RAM | db.c2.medium.ha.mysql | 1 | 2 | 0.079800 | 0.071820 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D HA 1 vCPU 4 GiB RAM | db.s1.medium.ha.mysql | 1 | 4 | 0.170433 | 0.153390 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D HA 2 vCPU 4 GiB RAM | db.x1.large.2.ha.mysql | 2 | 4 | 0.253365 | 0.228029 | 140.57 | 126.51 | 129.47 | 116.52 | 1,443.00 | 1,298.70 | 2,397.00 | 2,157.30 |
| RDS MySQL D HA 2 vCPU 8 GiB RAM | db.x1.large.4.ha.mysql | 2 | 8 | 0.414960 | 0.373464 | 230.00 | 207.00 | 212.00 | 190.80 | 2,363.00 | 2,126.70 | 3,926.00 | 3,533.40 |
| RDS MySQL D HA 2 vCPU 16 GiB RAM | db.x1.large.8.ha.mysql | 2 | 16 | 0.555807 | 0.500226 | 308.00 | 277.20 | 284.00 | 255.60 | 3,165.00 | 2,848.50 | 5,258.00 | 4,732.20 |
| RDS MySQL D HA 4 vCPU 8 GiB RAM | db.x1.xlarge.2.ha.mysql | 4 | 8 | 0.454860 | 0.409374 | 252.00 | 226.80 | 232.00 | 208.80 | 2,590.00 | 2,331.00 | 4,303.00 | 3,872.70 |
| RDS MySQL D HA 4 vCPU 16 GiB RAM | db.x1.xlarge.4.ha.mysql | 4 | 16 | 0.831915 | 0.748724 | 462.00 | 415.80 | 425.00 | 382.50 | 4,737.00 | 4,263.30 | 7,871.00 | 7,083.90 |
| RDS MySQL D HA 4 vCPU 32 GiB RAM | db.x1.xlarge.8.ha.mysql | 4 | 32 | 1.22 | 1.10 | 675.00 | 607.50 | 622.00 | 559.80 | 6,929.00 | 6,236.10 | 11,513.00 | 10,361.70 |
| RDS MySQL D HA 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.ha.mysql | 8 | 16 | 0.909720 | 0.818748 | 505.00 | 454.50 | 465.00 | 418.50 | 5,180.00 | 4,662.00 | 8,607.00 | 7,746.30 |
| RDS MySQL D HA 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.ha.mysql | 8 | 32 | 1.66 | 1.49 | 923.00 | 830.70 | 850.00 | 765.00 | 9,474.00 | 8,526.60 | 15,741.00 | 14,166.90 |
| RDS MySQL D HA 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.ha.mysql | 8 | 64 | 2.27 | 2.04 | 1,262.00 | 1,135.80 | 1,162.00 | 1,045.80 | 12,950.00 | 11,655.00 | 21,517.00 | 19,365.30 |
| RDS MySQL D HA 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.ha.mysql | 16 | 32 | 1.82 | 1.64 | 1,009.00 | 908.10 | 930.00 | 837.00 | 10,360.00 | 9,324.00 | 17,213.00 | 15,491.70 |
| RDS MySQL D HA 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.ha.mysql | 16 | 64 | 3.33 | 3.00 | 1,846.00 | 1,661.40 | 1,700.00 | 1,530.00 | 18,948.00 | 17,053.20 | 31,482.00 | 28,333.80 |
| RDS MySQL D HA 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.ha.mysql | 16 | 128 | 4.55 | 4.10 | 2,524.00 | 2,271.60 | 2,324.00 | 2,091.60 | 25,900.00 | 23,310.00 | 43,033.00 | 38,729.70 |
| RDS MySQL D HA 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.ha.mysql | 32 | 64 | 3.64 | 3.28 | 2,019.00 | 1,817.10 | 1,859.00 | 1,673.10 | 20,720.00 | 18,648.00 | 34,427.00 | 30,984.30 |
| RDS MySQL D HA 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.ha.mysql | 32 | 128 | 6.66 | 5.99 | 3,692.00 | 3,322.80 | 3,401.00 | 3,060.90 | 37,895.00 | 34,105.50 | 62,965.00 | 56,668.50 |
| RDS MySQL D HA 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.ha.mysql | 32 | 256 | 9.10 | 8.19 | 5,047.00 | 4,542.30 | 4,649.00 | 4,184.10 | 51,799.00 | 46,619.10 | 86,067.00 | 77,460.30 |
| RDS MySQL D HA 60 vCPU 128 GiB RAM | n. a. | 60 | 128 | 7.28 | 6.55 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D HA 60 vCPU 256 GiB RAM | n. a. | 60 | 256 | 10.86 | 9.77 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D HA 60 vCPU 512 GiB RAM | n. a. | 60 | 512 | 18.20 | 16.38 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS MySQL D HA 64 vCPU 128 GiB RAM | db.x1.16xlarge.2.ha.mysql | 64 | 128 | 7.84 | 7.06 | 4,038.00 | 3,634.20 | 3,719.00 | 3,347.10 | 41,440.00 | 37,296.00 | 68,853.00 | 61,967.70 |
| RDS MySQL D HA 64 vCPU 256 GiB RAM | db.x1.16xlarge.4.ha.mysql | 64 | 256 | 10.86 | 9.77 | 7,385.00 | 6,646.50 | 6,802.00 | 6,121.80 | 75,791.00 | 68,211.90 | 125,929.00 | 113,336.10 |
| RDS MySQL D HA 64 vCPU 512 GiB RAM | db.x1.16xlarge.8.ha.mysql | 64 | 512 | 18.20 | 16.38 | 10,094.00 | 9,084.60 | 9,297.00 | 8,367.30 | 103,599.00 | 93,239.10 | 172,134.00 | 154,920.60 |

Existing or new general- enhanced instances (flavor names starting with db.s1, db.c2., db.c3, db.m1. or db.m3), if available, are billed as dedicated flavors (designated in the pricing table as D, with flavor names starting with db.x1 in the pricing table with the same CPUs and RAM). If this general- enhanced flavor does not exist as a corresponding dedicated flavor, the instance is billed as a general- purpose flavor (designated in the pricing table as GP with flavor names starting with db.n1).

Back to 3.2.1

# 6.3.1.2 PostgreSQL

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS PostgreSQL GP 1 vCPU 2 GiB RAM | db.n1.medium.2.pg | 1 | 2 | 0.035611 | 0.032050 | 19.76 | 17.78 | 18.20 | 16.38 | 203.00 | 182.70 | 337.00 | 303.30 |
| RDS PostgreSQL GP 1 vCPU 4 GiB RAM | db.n1.medium.4.pg | 1 | 4 | 0.076055 | 0.068450 | 42.20 | 37.98 | 38.86 | 34.97 | 433.00 | 389.70 | 720.00 | 648.00 |
| RDS PostgreSQL GP 2 vCPU 4 GiB RAM | db.n1.large.2.pg | 2 | 4 | 0.113065 | 0.101759 | 62.73 | 56.46 | 57.78 | 52.00 | 644.00 | 579.60 | 1,070.00 | 963.00 |
| RDS PostgreSQL GP 2 vCPU 8 GiB RAM | db.n1.large.4.pg | 2 | 8 | 0.185176 | 0.166658 | 102.74 | 92.47 | 94.62 | 85.16 | 1,054.00 | 948.60 | 1,752.00 | 1,576.80 |
| RDS PostgreSQL GP 4 vCPU 8 GiB RAM | db.n1.xlarge.2.pg | 4 | 8 | 0.202981 | 0.182683 | 112.61 | 101.35 | 103.72 | 93.35 | 1,156.00 | 1,040.40 | 1,920.00 | 1,728.00 |
| RDS PostgreSQL GP 4 vCPU 16 GiB RAM | db.n1.xlarge.4.pg | 4 | 16 | 0.371243 | 0.334119 | 206.00 | 185.40 | 189.70 | 170.73 | 2,114.00 | 1,902.60 | 3,512.00 | 3,160.80 |
| RDS PostgreSQL GP 8 vCPU 16 GiB RAM | db.n1.2xlarge.2.pg | 8 | 16 | 0.405963 | 0.365367 | 225.00 | 202.50 | 207.00 | 186.30 | 2,312.00 | 2,080.80 | 3,841.00 | 3,456.90 |
| RDS PostgreSQL GP 8 vCPU 32 GiB RAM | db.n1.2xlarge.4.pg | 8 | 32 | 0.742484 | 0.668236 | 412.00 | 370.80 | 379.00 | 341.10 | 4,228.00 | 3,805.20 | 7,024.00 | 6,321.60 |
| RDS PostgreSQL D 1 vCPU 2 GiB RAM | db.c2.medium.pg | 1 | 2 | 0.041895 | 0.037706 | 23.24 | 20.92 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS PostgreSQL D 1 vCPU 4 GiB RAM | db.s1.medium.pg | 1 | 4 | 0.089477 | 0.080529 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS PostgreSQL D 2 vCPU 4 GiB RAM | db.x1.large.2.pg | 2 | 4 | 0.133017 | 0.119715 | 73.80 | 66.42 | 67.97 | 61.17 | 757.00 | 681.30 | 1,258.00 | 1,132.20 |
| RDS PostgreSQL D 2 vCPU 8 GiB RAM | db.x1.large.4.pg | 2 | 8 | 0.217854 | 0.196069 | 120.87 | 108.78 | 111.32 | 100.19 | 1,240.00 | 1,116.00 | 2,061.00 | 1,854.90 |
| RDS PostgreSQL D 2 vCPU 16 GiB RAM | db.x1.large.8.pg | 2 | 16 | 0.291799 | 0.262619 | 161.89 | 145.70 | 149.11 | 134.20 | 1,662.00 | 1,495.80 | 2,761.00 | 2,484.90 |
| RDS PostgreSQL D 4 vCPU 8 GiB RAM | db.x1.xlarge.2.pg | 4 | 8 | 0.238802 | 0.214922 | 132.49 | 119.24 | 122.03 | 109.83 | 1,360.00 | 1,224.00 | 2,259.00 | 2,033.10 |
| RDS PostgreSQL D 4 vCPU 16 GiB RAM | db.x1.xlarge.4.pg | 4 | 16 | 0.436756 | 0.393080 | 242.00 | 217.80 | 223.00 | 200.70 | 2,487.00 | 2,238.30 | 4,132.00 | 3,718.80 |
| RDS PostgreSQL D 4 vCPU 32 GiB RAM | db.x1.xlarge.8.pg | 4 | 32 | 0.638899 | 0.575009 | 354.00 | 318.60 | 326.00 | 293.40 | 3,638.00 | 3,274.20 | 6,044.00 | 5,439.60 |
| RDS PostgreSQL D 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.pg | 8 | 16 | 0.477603 | 0.429843 | 265.00 | 238.50 | 244.00 | 219.60 | 2,719.00 | 2,447.10 | 4,519.00 | 4,067.10 |
| RDS PostgreSQL D 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.pg | 8 | 32 | 0.873511 | 0.786160 | 485.00 | 436.50 | 446.00 | 401.40 | 4,974.00 | 4,476.60 | 8,264.00 | 7,437.60 |
| RDS PostgreSQL D 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.pg | 8 | 64 | 1.19 | 1.07 | 662.00 | 595.80 | 610.00 | 549.00 | 6,799.00 | 6,119.10 | 11,296.00 | 10,166.40 |
| RDS PostgreSQL D 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.pg | 16 | 32 | 0.955206 | 0.859685 | 530.00 | 477.00 | 488.00 | 439.20 | 5,439.00 | 4,895.10 | 9,037.00 | 8,133.30 |
| RDS PostgreSQL D 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.pg | 16 | 64 | 1.75 | 1.58 | 969.00 | 872.10 | 893.00 | 803.70 | 9,948.00 | 8,953.20 | 16,528.00 | 14,875.20 |
| RDS PostgreSQL D 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.pg | 16 | 128 | 2.39 | 2.15 | 1,325.00 | 1,192.50 | 1,220.00 | 1,098.00 | 13,597.00 | 12,237.30 | 22,593.00 | 20,333.70 |
| RDS PostgreSQL D 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.pg | 32 | 64 | 1.91 | 1.72 | 1,060.00 | 954.00 | 976.00 | 878.40 | 10,878.00 | 9,790.20 | 18,074.00 | 16,266.60 |
| RDS PostgreSQL D 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.pg | 32 | 128 | 3.49 | 3.14 | 1,938.00 | 1,744.20 | 1,785.00 | 1,606.50 | 19,895.00 | 17,905.50 | 33,056.00 | 29,750.40 |
| RDS PostgreSQL D 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.pg | 32 | 256 | 4.78 | 4.30 | 2,650.00 | 2,385.00 | 2,441.00 | 2,196.90 | 27,195.00 | 24,475.50 | 45,185.00 | 40,666.50 |
| RDS PostgreSQL D 60 vCPU 128 GiB RAM | n. a. | 60 | 128 | 3.82 | 3.44 | 2,120.00 | 1,908.00 | 1,952.00 | 1,756.80 | 21,756.00 | 19,580.40 | 36,148.00 | 32,533.20 |
| RDS PostgreSQL D 60 vCPU 256 GiB RAM | n. a. | 60 | 256 | 6.99 | 6.29 | 3,877.00 | 3,489.30 | 3,571.00 | 3,213.90 | 39,790.00 | 35,811.00 | 66,113.00 | 59,501.70 |
| RDS PostgreSQL D 60 vCPU 512 GiB RAM | n. a. | 60 | 512 | 9.55 | 8.60 | 5,299.00 | 4,769.10 | 4,881.00 | 4,392.90 | 54,389.00 | 48,950.10 | 90,370.00 | 81,333.00 |
| RDS PostgreSQL D 64 vCPU 128 GiB RAM | db.x1.16xlarge.2.pg | 64 | 128 | 3.82 | 3.44 | 2,120.00 | 1,908.00 | 1,952.00 | 1,756.80 | 21,756.00 | 19,580.40 | 36,148.00 | 32,533.20 |
| RDS PostgreSQL D 64 vCPU 256 GiB RAM | db.x1.16xlarge.4.pg | 64 | 256 | 6.99 | 6.29 | 3,877.00 | 3,489.30 | 3,571.00 | 3,213.90 | 39,790.00 | 35,811.00 | 66,113.00 | 59,501.70 |
| RDS PostgreSQL D 64 vCPU 512 GiB RAM | db.x1.16xlarge.8.pg | 64 | 512 | 9.55 | 8.60 | 5,299.00 | 4,769.10 | 4,881.00 | 4,392.90 | 54,389.00 | 48,950.10 | 90,370.00 | 81,333.00 |
| RDS PostgreSQL D 96 vCPU 768 GiB RAM | db.x1.24xlarge.8.pg | 96 | 768 | 14.33 | 12.90 | 7,949.00 | 7,154.10 | 7,322.00 | 6,589.80 | 81,584.00 | 73,425.60 | 135,555.00 | 121,999.50 |
| RDS PostgreSQL GP HA 1 vCPU 2 GiB RAM | db.n1.medium.2.ha.pg | 1 | 2 | 0.071222 | 0.064100 | 39.51 | 35.56 | 36.39 | 32.75 | 406.00 | 365.40 | 674.00 | 606.60 |
| RDS PostgreSQL GP HA 1 vCPU 4 GiB RAM | db.n1.medium.4.ha.pg | 1 | 4 | 0.152111 | 0.136900 | 84.39 | 75.95 | 77.73 | 69.96 | 866.00 | 779.40 | 1,439.00 | 1,295.10 |
| RDS PostgreSQL GP HA 2 vCPU 4 GiB RAM | db.n1.large.2.ha.pg | 2 | 4 | 0.226129 | 0.203516 | 125.46 | 112.91 | 115.55 | 104.00 | 1,288.00 | 1,159.20 | 2,139.00 | 1,925.10 |
| RDS PostgreSQL GP HA 2 vCPU 8 GiB RAM | db.n1.large.4.ha.pg | 2 | 8 | 0.370352 | 0.333317 | 205.00 | 184.50 | 189.25 | 170.33 | 2,109.00 | 1,898.10 | 3,504.00 | 3,153.60 |
| RDS PostgreSQL GP HA 4 vCPU 8 GiB RAM | db.n1.xlarge.2.ha.pg | 4 | 8 | 0.405963 | 0.365367 | 225.00 | 202.50 | 207.00 | 186.30 | 2,312.00 | 2,080.80 | 3,841.00 | 3,456.90 |
| RDS PostgreSQL GP HA 4 vCPU 16 GiB RAM | db.n1.xlarge.4.ha.pg | 4 | 16 | 0.742485 | 0.668237 | 412.00 | 370.80 | 379.00 | 341.10 | 4,228.00 | 3,805.20 | 7,025.00 | 6,322.50 |
| RDS PostgreSQL GP HA 8 vCPU 16 GiB RAM | db.n1.2xlarge.2.ha.pg | 8 | 16 | 0.811925 | 0.730733 | 450.00 | 405.00 | 415.00 | 373.50 | 4,623.00 | 4,160.70 | 7,681.00 | 6,912.90 |
| RDS PostgreSQL GP HA 8 vCPU 32 GiB RAM | db.n1.2xlarge.4.ha.pg | 8 | 32 | 1.48 | 1.33 | 824.00 | 741.60 | 759.00 | 683.10 | 8,455.00 | 7,609.50 | 14,049.00 | 12,644.10 |
| RDS PostgreSQL D HA 1 vCPU 2 GiB RAM | db.c2.medium.ha.pg | 1 | 2 | 0.083790 | 0.075411 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS PostgreSQL D HA 1 vCPU 4 GiB RAM | db.s1.medium.ha.pg | 1 | 4 | 0.178954 | 0.161059 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| RDS PostgreSQL D HA 2 vCPU 4 GiB RAM | db.x1.large.2.ha.pg | 2 | 4 | 0.266034 | 0.239431 | 147.60 | 132.84 | 135.94 | 122.35 | 1,515.00 | 1,363.50 | 2,517.00 | 2,265.30 |
| RDS PostgreSQL D HA 2 vCPU 8 GiB RAM | db.x1.large.4.ha.pg | 2 | 8 | 0.435708 | 0.392137 | 242.00 | 217.80 | 223.00 | 200.70 | 2,481.00 | 2,232.90 | 4,122.00 | 3,709.80 |
| RDS PostgreSQL D HA 2 vCPU 16 GiB RAM | db.x1.large.8.ha.pg | 2 | 16 | 0.583598 | 0.525238 | 324.00 | 291.60 | 298.00 | 268.20 | 3,323.00 | 2,990.70 | 5,521.00 | 4,968.90 |
| RDS PostgreSQL D HA 4 vCPU 8 GiB RAM | db.x1.xlarge.2.ha.pg | 4 | 8 | 0.477603 | 0.429843 | 265.00 | 238.50 | 244.00 | 219.60 | 2,719.00 | 2,447.10 | 4,519.00 | 4,067.10 |
| RDS PostgreSQL D HA 4 vCPU 16 GiB RAM | db.x1.xlarge.4.ha.pg | 4 | 16 | 0.873512 | 0.786161 | 485.00 | 436.50 | 446.00 | 401.40 | 4,974.00 | 4,476.60 | 8,264.00 | 7,437.60 |
| RDS PostgreSQL D HA 4 vCPU 32 GiB RAM | db.x1.xlarge.8.ha.pg | 4 | 32 | 1.28 | 1.15 | 709.00 | 638.10 | 653.00 | 587.70 | 7,276.00 | 6,548.40 | 12,089.00 | 10,880.10 |
| RDS PostgreSQL D HA 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.ha.pg | 8 | 16 | 0.955206 | 0.859685 | 530.00 | 477.00 | 488.00 | 439.20 | 5,439.00 | 4,895.10 | 9,037.00 | 8,133.30 |

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS PostgreSQL D HA 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.ha.pg | 8 | 32 | 1.75 | 1.58 | 969.00 | 872.10 | 893.00 | 803.70 | 9,948.00 | 8,953.20 | 16,528.00 | 14,875.20 |
| RDS PostgreSQL D HA 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.ha.pg | 8 | 64 | 2.39 | 2.15 | 1,325.00 | 1,192.50 | 1,220.00 | 1,098.00 | 13,597.00 | 12,237.30 | 22,593.00 | 20,333.70 |
| RDS PostgreSQL D HA 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.ha.pg | 16 | 32 | 1.91 | 1.72 | 1,060.00 | 954.00 | 976.00 | 878.40 | 10,878.00 | 9,790.20 | 18,074.00 | 16,266.60 |
| RDS PostgreSQL D HA 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.ha.pg | 16 | 64 | 3.49 | 3.14 | 1,938.00 | 1,744.20 | 1,785.00 | 1,606.50 | 19,895.00 | 17,905.50 | 33,056.00 | 29,750.40 |
| RDS PostgreSQL D HA 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.ha.pg | 32 | 64 | 3.82 | 3.44 | 2,120.00 | 1,908.00 | 1,952.00 | 1,756.80 | 21,756.00 | 19,580.40 | 36,148.00 | 32,533.20 |
| RDS PostgreSQL D HA 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.ha.pg | 16 | 128 | 4.78 | 4.30 | 2,650.00 | 2,385.00 | 2,441.00 | 2,196.90 | 27,195.00 | 24,475.50 | 45,185.00 | 40,666.50 |
| RDS PostgreSQL D HA 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.ha.pg | 32 | 128 | 6.99 | 6.29 | 3,877.00 | 3,489.30 | 3,571.00 | 3,213.90 | 39,790.00 | 35,811.00 | 66,113.00 | 59,501.70 |
| RDS PostgreSQL D HA 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.ha.pg | 32 | 256 | 9.55 | 8.60 | 5,299.00 | 4,769.10 | 4,881.00 | 4,392.90 | 54,389.00 | 48,950.10 | 90,370.00 | 81,333.00 |
| RDS PostgreSQL D HA 60 vCPU 128 GiB RAM | n. a. | 60 | 128 | 7.64 | 6.88 | 4,240.00 | 3,816.00 | 3,905.00 | 3,514.50 | 43,512.00 | 39,160.80 | 72,296.00 | 65,066.40 |
| RDS PostgreSQL D HA 60 vCPU 256 GiB RAM | n. a. | 60 | 256 | 13.98 | 12.58 | 7,754.00 | 6,978.60 | 7,142.00 | 6,427.80 | 79,580.00 | 71,622.00 | 132,226.00 | 119,003.40 |
| RDS PostgreSQL D HA 60 vCPU 512 GiB RAM | n. a. | 60 | 512 | 19.10 | 17.19 | 10,599.00 | 9,539.10 | 9,762.00 | 8,785.80 | 108,779.00 | 97,901.10 | 180,740.00 | 162,666.00 |
| RDS PostgreSQL D HA 64 vCPU 128 GiB RAM | db.x1.16xlarge.2.ha.pg | 64 | 128 | 7.64 | 6.88 | 4,240.00 | 3,816.00 | 3,905.00 | 3,514.50 | 43,512.00 | 39,160.80 | 72,296.00 | 65,066.40 |
| RDS PostgreSQL D HA 64 vCPU 256 GiB RAM | db.x1.16xlarge.4.ha.pg | 64 | 256 | 13.98 | 12.58 | 7,754.00 | 6,978.60 | 7,142.00 | 6,427.80 | 79,580.00 | 71,622.00 | 132,226.00 | 119,003.40 |
| RDS PostgreSQL D HA 64 vCPU 512 GiB RAM | db.x1.16xlarge.8.ha.pg | 64 | 512 | 19.10 | 17.19 | 10,599.00 | 9,539.10 | 9,762.00 | 8,785.80 | 108,779.00 | 97,901.10 | 180,740.00 | 162,666.00 |
| RDS PostgreSQL D HA 96 vCPU 768 GiB RAM | db.x1.24xlarge.8.ha.pg | 96 | 768 | 28.66 | 25.79 | 15,898.00 | 14,308.20 | 14,643.00 | 13,178.70 | 163,168.00 | 146,851.20 | 271,110.00 | 243,999.00 |

Existing or new general- enhanced instances (flavor names starting with db.s1, db.c2., db.c3, db.m1. or db.m3), if available, are billed as dedicated flavors (designated in the pricing table as D, with flavor names starting with db.x1 in the pricing table with the same CPUs and RAM). If this general- enhanced flavor does not exist as a corresponding dedicated flavor, the instance is billed as a general- purpose flavor (designated in the pricing table as GP with flavor names starting with db.n1).

Back to 3.2.1

### 6.3.1.3 Microsoft SQL Server

One licence is required per two vCPUs. In the case of High Availability Clusters, it should be noted that it is an active/ passive cluster, so the number of vCPUs of the active instance is used to calculate the required licenses.

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS MSSQL GP 2 vCPU 4 GiB RAM | n. a. | 2 | 4 | 0.254013 | 0.228612 | 157.62 | 141.86 | 135.36 | 121.82 | 1,602.00 | 1,441.80 | 2,937.00 | 2,643.30 |
| RDS MSSQL GP 2 vCPU 8 GiB RAM | n. a. | 2 | 8 | 0.454550 | 0.409095 | 282.00 | 253.80 | 242.00 | 217.80 | 2,867.00 | 2,580.30 | 5,256.00 | 4,730.40 |
| RDS MSSQL GP 4 vCPU 8 GiB RAM | n. a. | 4 | 8 | 0.508027 | 0.457224 | 315.00 | 283.50 | 271.00 | 243.90 | 3,204.00 | 2,883.60 | 5,874.00 | 5,286.60 |
| RDS MSSQL GP 4 vCPU 16 GiB RAM | n. a. | 4 | 16 | 0.909100 | 0.818190 | 564.00 | 507.60 | 484.00 | 435.60 | 5,734.00 | 5,160.60 | 10,512.00 | 9,460.80 |
| RDS MSSQL GP 8 vCPU 16 GiB RAM | n. a. | 8 | 16 | 1.37 | 1.23 | 851.00 | 765.90 | 731.00 | 657.90 | 8,651.00 | 7,785.90 | 15,861.00 | 14,274.90 |
| RDS MSSQL GP 8 vCPU 32 GiB RAM | n. a. | 8 | 32 | 2.11 | 1.90 | 1,310.00 | 1,179.00 | 1,125.00 | 1,012.50 | 13,313.00 | 11,981.70 | 24,408.00 | 21,967.20 |
| RDS MSSQL D 2 vCPU 4 GiB RAM | db.x1.large.2.mssql | 2 | 4 | 0.298839 | 0.268955 | 185.43 | 166.89 | 159.25 | 143.33 | 1,885.00 | 1,696.50 | 3,456.00 | 3,110.40 |
| RDS MSSQL D 2 vCPU 8 GiB RAM | db.x1.large.4.mssql | 2 | 8 | 0.534765 | 0.481289 | 332.00 | 298.80 | 285.00 | 256.50 | 3,373.00 | 3,035.70 | 6,184.00 | 5,565.60 |
| RDS MSSQL D 2 vCPU 16 GiB RAM | db.x1.large.8.mssql | 2 | 16 | 0.768510 | 0.691659 | 477.00 | 429.30 | 410.00 | 369.00 | 4,847.00 | 4,362.30 | 8,886.00 | 7,997.40 |
| RDS MSSQL D 4 vCPU 8 GiB RAM | db.x1.xlarge.2.mssql | 4 | 8 | 0.597678 | 0.537910 | 371.00 | 333.90 | 319.00 | 287.10 | 3,770.00 | 3,393.00 | 6,911.00 | 6,219.90 |
| RDS MSSQL D 4 vCPU 16 GiB RAM | db.x1.xlarge.4.mssql | 4 | 16 | 1.07 | 0.963000 | 664.00 | 597.60 | 570.00 | 513.00 | 6,746.00 | 6,071.40 | 12,367.00 | 11,130.30 |
| RDS MSSQL D 4 vCPU 32 GiB RAM | db.x1.xlarge.8.mssql | 4 | 32 | 1.54 | 1.39 | 954.00 | 858.60 | 819.00 | 737.10 | 9,694.00 | 8,724.60 | 17,773.00 | 15,995.70 |
| RDS MSSQL D 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.mssql | 8 | 16 | 1.61 | 1.45 | 1,001.00 | 900.90 | 860.00 | 774.00 | 10,178.00 | 9,160.20 | 18,660.00 | 16,794.00 |
| RDS MSSQL D 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.mssql | 8 | 32 | 2.48 | 2.23 | 1,541.00 | 1,386.90 | 1,323.00 | 1,190.70 | 15,663.00 | 14,096.70 | 28,715.00 | 25,843.50 |
| RDS MSSQL D 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.mssql | 8 | 64 | 3.05 | 2.75 | 1,893.00 | 1,703.70 | 1,626.00 | 1,463.40 | 19,243.00 | 17,318.70 | 35,278.00 | 31,750.20 |
| RDS MSSQL D 8 vCPU 128 GiB RAM | db.x1.2xlarge.16.mssql | 8 | 128 | 3.32 | 2.99 | 2,060.00 | 1,854.00 | 1,769.00 | 1,592.10 | 20,940.00 | 18,846.00 | 38,390.00 | 34,551.00 |
| RDS MSSQL D 8 vCPU 256 GiB RAM | db.x1.2xlarge.32.mssql | 8 | 256 | 3.59 | 3.23 | 2,228.00 | 2,005.20 | 1,913.00 | 1,721.70 | 22,643.00 | 20,378.70 | 41,512.00 | 37,360.80 |
| RDS MSSQL D 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.mssql | 16 | 32 | 3.23 | 2.91 | 2,003.00 | 1,802.70 | 1,720.00 | 1,548.00 | 20,356.00 | 18,320.40 | 37,320.00 | 33,588.00 |
| RDS MSSQL D 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.mssql | 16 | 64 | 4.97 | 4.47 | 3,082.00 | 2,773.80 | 2,647.00 | 2,382.30 | 31,325.00 | 28,192.50 | 57,430.00 | 51,687.00 |
| RDS MSSQL D 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.mssql | 16 | 128 | 6.10 | 5.49 | 3,786.00 | 3,407.40 | 3,252.00 | 2,926.80 | 38,485.00 | 34,636.50 | 70,556.00 | 63,500.40 |

| Name | Flavor Type | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RDS MSSQL D 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.mssql | 32 | 64 | 6.45 | 5.81 | 4,005.00 | 3,604.50 | 3,440.00 | 3,096.00 | 40,713.00 | 36,641.70 | 74,640.00 | 67,176.00 |
| RDS MSSQL D 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.mssql | 32 | 128 | 9.93 | 8.94 | 6,164.00 | 5,547.60 | 5,293.00 | 4,763.70 | 62,651.00 | 56,385.90 | 114,860.00 | 103,374.00 |
| RDS MSSQL D 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.mssql | 32 | 256 | 12.20 | 10.98 | 7,572.00 | 6,814.80 | 6,503.00 | 5,852.70 | 76,970.00 | 69,273.00 | 141,112.00 | 127,000.80 |
| RDS MSSQL D 60 vCPU 128 GiB RAM | db.x1.16xlarge.2.mssql | 60 | 128 | 12.10 | 10.89 | 7,510.00 | 6,759.00 | 6,450.00 | 5,805.00 | 76,336.00 | 68,702.40 | 139,949.00 | 125,954.10 |
| RDS MSSQL D 60 vCPU 256 GiB RAM | db.x1.16xlarge.8.mssql | 60 | 256 | 18.62 | 16.76 | 11,557.00 | 10,401.30 | 9,925.00 | 8,932.50 | 117,470.00 | 105,723.00 | 215,362.00 | 193,825.80 |
| RDS MSSQL D 60 vCPU 512 GiB RAM | db.x1.16xlarge.4.mssql | 60 | 512 | 22.88 | 20.59 | 14,198.00 | 12,778.20 | 12,194.00 | 10,974.60 | 144,319.00 | 129,887.10 | 264,586.00 | 238,127.40 |
| RDS MSSQL GP HA 2 vCPU 4 GiB RAM | n. a. | 2 | 4 | 0.508027 | 0.457224 | 315.00 | 283.50 | 271.00 | 243.90 | 3,204.00 | 2,883.60 | 5,874.00 | 5,286.60 |
| RDS MSSQL GP HA 2 vCPU 8 GiB RAM | n. a. | 2 | 8 | 0.909100 | 0.818190 | 564.00 | 507.60 | 484.00 | 435.60 | 5,734.00 | 5,160.60 | 10,512.00 | n.a. |
| RDS MSSQL GP HA 4 vCPU 8 GiB RAM | n. a. | 4 | 8 | 1.02 | 0.918000 | 630.00 | 567.00 | 541.00 | 486.90 | 6,408.00 | 5,767.20 | 11,749.00 | 10,574.10 |
| RDS MSSQL GP HA 4 vCPU 16 GiB RAM | n. a. | 4 | 16 | 1.82 | 1.64 | 1,128.00 | 1,015.20 | 969.00 | 872.10 | 11,468.00 | 10,321.20 | 21,024.00 | 18,921.60 |
| RDS MSSQL GP HA 8 vCPU 16 GiB RAM | n. a. | 8 | 16 | 2.74 | 2.47 | 1,702.00 | 1,531.80 | 1,462.00 | 1,315.80 | 17,303.00 | 15,572.70 | 31,722.00 | 28,549.80 |
| RDS MSSQL GP HA 8 vCPU 32 GiB RAM | n. a. | 8 | 32 | 4.22 | 3.80 | 2,620.00 | 2,358.00 | 2,250.00 | 2,025.00 | 26,627.00 | 23,964.30 | 48,815.00 | 43,933.50 |
| RDS MSSQL D HA 2 vCPU 4 GiB RAM | db.x1.large.2.ha.mssql | 2 | 4 | 0.597678 | 0.537910 | 371.00 | 333.90 | 319.00 | 287.10 | 3,770.00 | 3,393.00 | 6,911.00 | 6,219.90 |
| RDS MSSQL D HA 2 vCPU 8 GiB RAM | db.x1.large.4.ha.mssql | 2 | 8 | 1.07 | 0.963000 | 664.00 | 597.60 | 570.00 | 513.00 | 6,746.00 | 6,071.40 | 12,367.00 | 11,130.30 |
| RDS MSSQL D HA 2 vCPU 16 GiB RAM | db.x1.large.8.ha.mssql | 2 | 16 | 1.54 | 1.39 | 954.00 | 858.60 | 819.00 | 737.10 | 9,694.00 | 8,724.60 | 17,773.00 | 15,995.70 |
| RDS MSSQL D HA 4 vCPU 8 GiB RAM | db.x1.xlarge.2.ha.mssql | 4 | 8 | 1.20 | 1.08 | 742.00 | 667.80 | 637.00 | 573.30 | 7,539.00 | 6,785.10 | 13,822.00 | 12,439.80 |
| RDS MSSQL D HA 4 vCPU 16 GiB RAM | db.x1.xlarge.4.ha.mssql | 4 | 16 | 2.14 | 1.93 | 1,327.00 | 1,194.30 | 1,140.00 | 1,026.00 | 13,491.00 | 12,141.90 | 24,734.00 | 22,260.60 |
| RDS MSSQL D HA 4 vCPU 32 GiB RAM | db.x1.xlarge.8.ha.mssql | 4 | 32 | 3.07 | 2.76 | 1,907.00 | 1,716.30 | 1,638.00 | 1,474.20 | 19,389.00 | 17,450.10 | 35,546.00 | 31,991.40 |
| RDS MSSQL D HA 8 vCPU 16 GiB RAM | db.x1.2xlarge.2.ha.mssql | 8 | 16 | 3.23 | 2.91 | 2,003.00 | 1,802.70 | 1,720.00 | 1,548.00 | 20,356.00 | 18,320.40 | 37,320.00 | 33,588.00 |
| RDS MSSQL D HA 8 vCPU 32 GiB RAM | db.x1.2xlarge.4.ha.mssql | 8 | 32 | 4.97 | 4.47 | 3,082.00 | 2,773.80 | 2,647.00 | 2,382.30 | 31,325.00 | 28,192.50 | 57,430.00 | 51,687.00 |
| RDS MSSQL D HA 8 vCPU 64 GiB RAM | db.x1.2xlarge.8.ha.mssql | 8 | 64 | 6.10 | 5.49 | 3,786.00 | 3,407.40 | 3,252.00 | 2,926.80 | 38,485.00 | 34,636.50 | 70,556.00 | 63,500.40 |
| RDS MSSQL D HA 8 vCPU 128 GiB RAM | db.x1.2xlarge.16.ha.mssql | 8 | 128 | 6.64 | 5.98 | 4,120.00 | 3,708.00 | 3,538.00 | 3,184.20 | 41,879.00 | 37,691.10 | 76,779.00 | 69,101.10 |
| RDS MSSQL D HA 8 vCPU 256 GiB RAM | db.x1.2xlarge.32.ha.mssql | 8 | 256 | 7.18 | 6.46 | 4,455.00 | 4,009.50 | 3,826.00 | 3,443.40 | 45,286.00 | 40,757.40 | 83,024.00 | 74,721.60 |
| RDS MSSQL D HA 16 vCPU 32 GiB RAM | db.x1.4xlarge.2.ha.mssql | 16 | 32 | 6.45 | 5.81 | 4,005.00 | 3,604.50 | 3,440.00 | 3,096.00 | 40,713.00 | 36,641.70 | 74,640.00 | 67,176.00 |
| RDS MSSQL D HA 16 vCPU 64 GiB RAM | db.x1.4xlarge.4.ha.mssql | 16 | 64 | 9.93 | 8.94 | 6,164.00 | 5,547.60 | 5,293.00 | 4,763.70 | 62,651.00 | 56,385.90 | 114,860.00 | 103,374.00 |
| RDS MSSQL D HA 16 vCPU 128 GiB RAM | db.x1.4xlarge.8.ha.mssql | 16 | 128 | 12.20 | 10.98 | 7,572.00 | 6,814.80 | 6,503.00 | 5,852.70 | 76,970.00 | 69,273.00 | 141,112.00 | 127,000.80 |
| RDS MSSQL D HA 32 vCPU 64 GiB RAM | db.x1.8xlarge.2.ha.mssql | 32 | 64 | 12.91 | 11.62 | 8,011.00 | 7,209.90 | 6,880.00 | 6,192.00 | 81,425.00 | 73,282.50 | 149,279.00 | 134,351.10 |
| RDS MSSQL D HA 32 vCPU 128 GiB RAM | db.x1.8xlarge.4.ha.mssql | 32 | 128 | 19.87 | 17.88 | 12,327.00 | 11,094.30 | 10,587.00 | 9,528.30 | 125,302.00 | 112,771.80 | 229,720.00 | 206,748.00 |
| RDS MSSQL D HA 32 vCPU 256 GiB RAM | db.x1.8xlarge.8.ha.mssql | 32 | 256 | 24.41 | 21.97 | 15,145.00 | 13,630.50 | 13,007.00 | 11,706.30 | 153,941.00 | 138,546.90 | 282,225.00 | 254,002.50 |
| RDS MSSQL D HA 60 vCPU 128 GiB RAM | db.x1.16xlarge.2.ha.mssql | 60 | 128 | 24.21 | 21.79 | 15,020.00 | 13,518.00 | 12,899.00 | 11,609.10 | 152,672.00 | 137,404.80 | 279,899.00 | 251,909.10 |
| RDS MSSQL D HA 60 vCPU 256 GiB RAM | db.x1.16xlarge.8.ha.mssql | 60 | 256 | 37.25 | 33.53 | 23,113.00 | 20,801.70 | 19,850.00 | 17,865.00 | 234,941.00 | 211,446.90 | 430,724.00 | 387,651.60 |
| RDS MSSQL D HA 60 vCPU 512 GiB RAM | db.x1.16xlarge.4.ha.mssql | 60 | 512 | 45.76 | 41.18 | 28,396.00 | 25,556.40 | 24,387.00 | 21,948.30 | 288,639.00 | 259,775.10 | 529,171.00 | 476,253.90 |

Existing or new general- enhanced instances (flavor names starting with db.s1, db.c2., db.c3, db.m1. or db.m3), if available, are billed as dedicated flavors (designated in the pricing table as D, with flavor names starting with db.x1 in the pricing table with the same CPUs and RAM). If this general- enhanced flavor does not exist as a corresponding dedicated flavor, the instance is billed as a general- purpose flavor (designated in the pricing table as GP with flavor names starting with db.n1).

Lizenzkosten Microsoft SQL Server:

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| License MSSQL 2017 SE | 0.000000 | 0.000000 |
| License MSSQL 2017 EE | 0.330000 | 0.297000 |
| License MSSQL 2019 SE | 0.000000 | 0.000000 |
| License MSSQL 2019 EE | 0.330000 | 0.297000 |
| License MSSQL 2022 SE | 0.000000 | 0.000000 |
| License MSSQL 2022 EE | 0.330000 | 0.297000 |

Back to 3.2.1

### 6.3.1.4 Relational Database Service – Storage & Backup

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| RDS EVS Common I/O | GiB/month | 0.050600 | n.a. |
| RDS EVS Common I/O HA | | 0.101200 | n.a. |
| RDS EVS GP SSD v2 space | GiB/month | 0.082000 | 0.073800 |
| RDS EVS GP SSD v2 space HA | GiB/month | 0.164000 | 0.147600 |
| RDS EVS GP SSD v2 IOPS | Piece | 0.005000 | 0.004500 |
| RDS EVS GP SSD v2 IOPS HA | GiB/month | 0.010000 | 0.009000 |
| RDS EVS GP SSD v2 MBPS | GiB/month | 0.040000 | 0.036000 |
| RDS EVS GP SSD v2 MBPS HA | GiB/month | 0.080000 | 0.072000 |
| RDS EVS Ultra-high I/O | GiB/month | 0.110000 | 0.099000 |
| RDS EVS Ultra-high I/O HA | | 0.220000 | 0.198000 |
| RDS EVS Extreme SSD | GiB/month | 0.308000 | n.a. |
| RDS EVS Extreme SSD HA | | 0.616000 | n.a. |
| RDS Backup Space | GiB/month | 0.085800 | 0.077220 |

*Ultra High I/O also called Cloud SSD

Back to 3.2.1

## 6.3.2 Distributed Cache Service

### 6.3.2.1 Distributed Cache Service basierend auf Redis 3.x

| Name | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|
| DCS Single Node 0.125 GiB | 0.125 | h | 0.001976 | 0.001778 |
| DCS Single Node 0.25 GiB | 0.25 | | 0.003951 | 0.003556 |
| DCS Single Node 0.5 GiB | 0.5 | | 0.007902 | 0.007112 |
| DCS Single Node 1 GiB | 1 | | 0.015805 | 0.014225 |
| DCS Single Node 2 GiB | 2 | | 0.037728 | 0.033955 |
| DCS Single Node 4 GiB | 4 | | 0.079527 | 0.071574 |
| DCS Single Node 8 GiB | 8 | | 0.202121 | 0.181909 |
| DCS Single Node 16 GiB | 16 | | 0.453206 | 0.407885 |
| DCS Single Node 24 GiB | 24 | | 0.600992 | 0.540893 |
| DCS Single Node 32 GiB | 32 | | 0.696234 | 0.626611 |
| DCS Single Node 48 GiB | 48 | | 1.07 | 0.963000 |
| DCS Single Node 64 GiB | 64 | | 1.46 | 1.31 |
| DCS Primary Standby 0.125 GiB | 0.125 | h | 0.003457 | 0.003111 |
| DCS Primary Standby 0.25 GiB | 0.25 | | 0.006915 | 0.006224 |
| DCS Primary Standby 0.5 GiB | 0.5 | | 0.013829 | 0.012446 |
| DCS Primary Standby 1 GiB | 1 | | 0.027658 | 0.024892 |
| DCS Primary Standby 2 GiB | 2 | | 0.066024 | 0.059422 |
| DCS Primary Standby 4 GiB | 4 | | 0.139172 | 0.125255 |
| DCS Primary Standby 8 GiB | 8 | | 0.353711 | 0.318340 |
| DCS Primary Standby 16 GiB | 16 | | 0.793110 | 0.713799 |
| DCS Primary Standby 24 GiB | 24 | | 1.05 | 0.945000 |
| DCS Primary Standby 32 GiB | 32 | | 1.22 | 1.10 |
| DCS Primary Standby 48 GiB | 48 | | 1.87 | 1.68 |
| DCS Primary Standby 64 GiB | 64 | | 2.55 | 2.30 |
| DCS Cluster 48 GiB | 48 | h | 2.06 | 1.85 |
| DCS Cluster 64 GiB | 64 | | 2.75 | 2.48 |
| DCS Cluster 96 GiB | 96 | | 4.12 | 3.71 |
| DCS Cluster 128 GiB | 128 | | 5.49 | 4.94 |
| DCS Cluster 192 GiB | 192 | | 8.24 | 7.42 |
| DCS Cluster 256 GiB | 256 | | 10.98 | 9.88 |
| DCS Cluster 512 GiB | 512 | | 21.96 | 19.76 |
| DCS Cluster 1024 GiB | 1024 | | 43.93 | 39.54 |
| DCS Cluster 384 GiB | 348 | | 16.47 | 14.82 |
| DCS Cluster 768 GiB | 768 | | 32.95 | 29.66 |
| DCS Backup Space | n. a. | GiB/month | 0.087206 | 0.078485 |

Back to 3.2.2

# 6.3.2.2 Distributed Cache Service based on Redis 4.x, 5.x, 6.x and 7.x

| Name | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|---|---|
| DCS2 Single Instance 0,125 GiB | 0.125 | h | 0.002173 | 0.001956 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 0,25 GiB | 0.25 | | 0.004346 | 0.003911 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 0,5 GiB | 0.5 | | 0.008693 | 0.007824 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 1 GiB | 1 | | 0.017385 | 0.015647 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 2 GiB | 2 | | 0.034771 | 0.031294 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 4 GiB | 4 | | 0.069541 | 0.062587 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 8 GiB | 8 | | 0.139082 | 0.125174 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 16 GiB | 16 | | 0.278164 | 0.250348 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 24 GiB | 24 | | 0.417247 | 0.375522 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 32 GiB | 32 | | 0.556329 | 0.500696 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 48 GiB | 48 | | 0.834493 | 0.751044 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Single Instance 64 GiB | 64 | | 1.11 | 0.999000 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 2 Replicas 0,125 GiB | 0.125 | h | 0.004149 | 0.003734 | 2.32 | 2.09 | 2.14 | 1.93 |
| DCS2 HA 2 Replicas 0,25 GiB | 0.25 | | 0.008298 | 0.007468 | 4.64 | 4.18 | 4.28 | 3.85 |
| DCS2 HA 2 Replicas 0,5 GiB | 0.5 | | 0.016595 | 0.014936 | 9.28 | 8.35 | 8.55 | 7.70 |
| DCS2 HA 2 Replicas 1 GiB | 1 | | 0.033190 | 0.029871 | 18.57 | 16.71 | 17.10 | 15.39 |
| DCS2 HA 2 Replicas 2 GiB | 2 | | 0.066380 | 0.059742 | 37.13 | 33.42 | 34.20 | 30.78 |
| DCS2 HA 2 Replicas 4 GiB | 4 | | 0.132760 | 0.119484 | 74.27 | 66.84 | 68.41 | 61.57 |
| DCS2 HA 2 Replicas 8 GiB | 8 | | 0.265521 | 0.238969 | 148.54 | 133.69 | 136.81 | 123.13 |
| DCS2 HA 2 Replicas 16 GiB | 16 | | 0.531041 | 0.477937 | 297.00 | 267.30 | 274.00 | 246.60 |
| DCS2 HA 2 Replicas 24 GiB | 24 | | 0.796562 | 0.716906 | 446.00 | 401.40 | 410.00 | 369.00 |
| DCS2 HA 2 Replicas 32 GiB | 32 | | 1.06 | 0.954000 | 594.00 | 534.60 | 547.00 | 492.30 |
| DCS2 HA 2 Replicas 48 GiB | 48 | | 1.59 | 1.43 | 891.00 | 801.90 | 821.00 | 738.90 |
| DCS2 HA 2 Replicas 64 GiB | 64 | | 2.12 | 1.91 | 1,188.00 | 1,069.20 | 1,094.00 | 984.60 |
| DCS2 HA 3 Replicas 0,125 GiB | 0.125 | h | 0.006223 | 0.005601 | 3.48 | 3.13 | 3.21 | 2.89 |
| DCS2 HA 3 Replicas 0,25 GiB | 0.25 | | 0.012446 | 0.011201 | 6.96 | 6.26 | 6.41 | 5.77 |
| DCS2 HA 3 Replicas 0,5 GiB | 0.5 | | 0.024893 | 0.022404 | 13.93 | 12.54 | 12.83 | 11.55 |
| DCS2 HA 3 Replicas 1 GiB | 1 | | 0.049785 | 0.044807 | 27.85 | 25.07 | 25.65 | 23.09 |
| DCS2 HA 3 Replicas 2 GiB | 2 | | 0.099570 | 0.089613 | 55.70 | 50.13 | 51.30 | 46.17 |
| DCS2 HA 3 Replicas 4 GiB | 4 | | 0.199140 | 0.179226 | 111.40 | 100.26 | 102.61 | 92.35 |
| DCS2 HA 3 Replicas 8 GiB | 8 | | 0.398281 | 0.358453 | 223.00 | 200.70 | 205.00 | 184.50 |
| DCS2 HA 3 Replicas 16 GiB | 16 | | 0.796562 | 0.716906 | 446.00 | 401.40 | 410.00 | 369.00 |
| DCS2 HA 3 Replicas 24 GiB | 24 | | 1.19 | 1.07 | 668.00 | 601.20 | 616.00 | 554.40 |
| DCS2 HA 3 Replicas 32 GiB | 32 | | 1.59 | 1.43 | 891.00 | 801.90 | 821.00 | 738.90 |
| DCS2 HA 3 Replicas 48 GiB | 48 | | 2.39 | 2.15 | 1,337.00 | 1,203.30 | 1,231.00 | 1,107.90 |
| DCS2 HA 3 Replicas 64 GiB | 64 | | 3.19 | 2.87 | 1,782.00 | 1,603.80 | 1,642.00 | 1,477.80 |
| DCS2 HA 4 Replicas 0,125 GiB | 0.125 | h | 0.008298 | 0.007468 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 0,25 GiB | 0.25 | | 0.016595 | 0.014936 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 0,5 GiB | 0.5 | | 0.033190 | 0.029871 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 1 GiB | 1 | | 0.066380 | 0.059742 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 2 GiB | 2 | | 0.132760 | 0.119484 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 4 GiB | 4 | | 0.265521 | 0.238969 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 8 GiB | 8 | | 0.531041 | 0.477937 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 16 GiB | 16 | | 1.06 | 0.954000 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 24 GiB | 24 | | 1.59 | 1.43 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 32 GiB | 32 | | 2.12 | 1.91 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 48 GiB | 48 | | 3.19 | 2.87 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 4 Replicas 64 GiB | 64 | | 4.25 | 3.83 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 0,125 GiB | 0.125 | h | 0.010372 | 0.009335 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 0,25 GiB | 0.25 | | 0.020744 | 0.018670 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 0,5 GiB | 0.5 | | 0.041488 | 0.037339 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 1 GiB | 1 | | 0.082975 | 0.074678 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 2 GiB | 2 | | 0.165950 | 0.149355 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 4 GiB | 4 | | 0.331901 | 0.298711 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 8 GiB | 8 | | 0.663802 | 0.597422 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 16 GiB | 16 | | 1.33 | 1.20 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 24 GiB | 24 | | 1.99 | 1.79 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 32 GiB | 32 | | 2.66 | 2.39 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 48 GiB | 48 | | 3.98 | 3.58 | n.a. | n.a. | n.a. | n.a. |
| DCS2 HA 5 Replicas 64 GiB | 64 | | 5.31 | 4.78 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 1 Replica 4 GiB | 4 | h | 0.083449 | 0.075104 | 48.81 | 43.93 | 44.95 | 40.46 |
| DCS2 Cluster 1 Replica 8 GiB | 8 | | 0.166899 | 0.150209 | 97.61 | 87.85 | 89.90 | 80.91 |
| DCS2 Cluster 1 Replica 16 GiB | 16 | | 0.333797 | 0.300417 | 195.22 | 175.70 | 179.81 | 161.83 |
| DCS2 Cluster 1 Replica 24 GiB | 24 | | 0.500696 | 0.450626 | 293.00 | 263.70 | 270.00 | 243.00 |
| DCS2 Cluster 1 Replica 32 GiB | 32 | | 0.667595 | 0.600836 | 390.00 | 351.00 | 360.00 | 324.00 |
| DCS2 Cluster 1 Replica 48 GiB | 48 | | 1.00 | 0.900000 | 586.00 | 527.40 | 539.00 | 485.10 |
| DCS2 Cluster 1 Replica 64 GiB | 64 | | 1.34 | 1.21 | 781.00 | 702.90 | 719.00 | 647.10 |
| DCS2 Cluster 1 Replica 96 GiB | 96 | | 2.00 | 1.80 | 1,171.00 | 1,053.90 | 1,079.00 | 971.10 |
| DCS2 Cluster 1 Replica 128 GiB | 128 | | 2.67 | 2.40 | 1,562.00 | 1,405.80 | 1,438.00 | 1,294.20 |
| DCS2 Cluster 1 Replica 192 GiB | 192 | | 4.01 | 3.61 | 2,343.00 | 2,108.70 | 2,158.00 | 1,942.20 |
| DCS2 Cluster 1 Replica 256 GiB | 256 | | 5.34 | 4.81 | 3,124.00 | 2,811.60 | 2,877.00 | 2,589.30 |
| DCS2 Cluster 1 Replica 384 GiB | 384 | | 8.01 | 7.21 | 4,685.00 | 4,216.50 | 4,315.00 | 3,883.50 |
| DCS2 Cluster 1 Replica 512 GiB | 512 | | 10.68 | 9.61 | 6,247.00 | 5,622.30 | 5,754.00 | 5,178.60 |
| DCS2 Cluster 1 Replica 768 GiB | 768 | | 16.02 | 14.42 | 9,371.00 | 8,433.90 | 8,631.00 | 7,767.90 |
| DCS2 Cluster 1 Replica 1024 GiB | 1024 | | 21.36 | 19.22 | 12,494.00 | 11,244.60 | 11,508.00 | 10,357.20 |

| Name | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|---|---|
| DCS2 Cluster 2 Replicas 4 GiB | 4 | h | 0.166899 | 0.150209 | 97.61 | 87.85 | 89.90 | 80.91 |
| DCS2 Cluster 2 Replicas 8 GiB | 8 | | 0.333797 | 0.300417 | 195.22 | 175.70 | 179.81 | 161.83 |
| DCS2 Cluster 2 Replicas 16 GiB | 16 | | 0.667595 | 0.600836 | 390.00 | 351.00 | 360.00 | 324.00 |
| DCS2 Cluster 2 Replicas 24 GiB | 24 | | 1.00 | 0.900000 | 586.00 | 527.40 | 539.00 | 485.10 |
| DCS2 Cluster 2 Replicas 32 GiB | 32 | | 1.34 | 1.21 | 781.00 | 702.90 | 719.00 | 647.10 |
| DCS2 Cluster 2 Replicas 48 GiB | 48 | | 2.00 | 1.80 | 1,171.00 | 1,053.90 | 1,079.00 | 971.10 |
| DCS2 Cluster 2 Replicas 64 GiB | 64 | | 2.67 | 2.40 | 1,562.00 | 1,405.80 | 1,438.00 | 1,294.20 |
| DCS2 Cluster 2 Replicas 96 GiB | 96 | | 4.01 | 3.61 | 2,343.00 | 2,108.70 | 2,158.00 | 1,942.20 |
| DCS2 Cluster 2 Replicas 128 GiB | 128 | | 5.34 | 4.81 | 3,124.00 | 2,811.60 | 2,877.00 | 2,589.30 |
| DCS2 Cluster 2 Replicas 192 GiB | 192 | | 8.01 | 7.21 | 4,685.00 | 4,216.50 | 4,315.00 | 3,883.50 |
| DCS2 Cluster 2 Replicas 256 GiB | 256 | | 10.68 | 9.61 | 6,247.00 | 5,622.30 | 5,754.00 | 5,178.60 |
| DCS2 Cluster 2 Replicas 384 GiB | 384 | | 16.02 | 14.42 | 9,371.00 | 8,433.90 | 8,631.00 | 7,767.90 |
| DCS2 Cluster 2 Replicas 512 GiB | 512 | | 21.36 | 19.22 | 12,494.00 | 11,244.60 | 11,508.00 | 10,357.20 |
| DCS2 Cluster 2 Replicas 768 GiB | 768 | | 32.04 | 28.84 | 18,741.00 | 16,866.90 | 17,262.00 | 15,535.80 |
| DCS2 Cluster 2 Replicas 1024 GiB | 1024 | | 42.73 | 38.46 | 24,988.00 | 22,489.20 | 23,016.00 | 20,714.40 |
| DCS2 Cluster 3 Replicas 4 GiB | 4 | h | 0.250348 | 0.225313 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 8 GiB | 8 | | 0.500696 | 0.450626 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 16 GiB | 16 | | 1.00 | 0.900000 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 24 GiB | 24 | | 1.50 | 1.35 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 32 GiB | 32 | | 2.00 | 1.80 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 48 GiB | 48 | | 3.00 | 2.70 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 64 GiB | 64 | | 4.01 | 3.61 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 96 GiB | 96 | | 6.01 | 5.41 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 128 GiB | 128 | | 8.01 | 7.21 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 192 GiB | 192 | | 12.02 | 10.82 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 256 GiB | 256 | | 16.02 | 14.42 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 384 GiB | 384 | | 24.03 | 21.63 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 512 GiB | 512 | | 32.04 | 28.84 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 768 GiB | 768 | | 48.07 | 43.26 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 3 Replicas 1024 GiB | 1024 | | 64.09 | 57.68 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 4 GiB | 4 | h | 0.333797 | 0.300417 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 8 GiB | 8 | | 0.667595 | 0.600836 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 16 GiB | 16 | | 1.34 | 1.21 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 24 GiB | 24 | | 2.00 | 1.80 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 32 GiB | 32 | | 2.67 | 2.40 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 48 GiB | 48 | | 4.01 | 3.61 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 64 GiB | 64 | | 5.34 | 4.81 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 96 GiB | 96 | | 8.01 | 7.21 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 128 GiB | 128 | | 10.68 | 9.61 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 192 GiB | 192 | | 16.02 | 14.42 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 256 GiB | 256 | | 21.36 | 19.22 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 384 GiB | 384 | | 32.04 | 28.84 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 512 GiB | 512 | | 42.73 | 38.46 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 768 GiB | 768 | | 64.09 | 57.68 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 4 Replicas 1024 GiB | 1024 | | 85.45 | 76.91 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 4 GiB | 4 | h | 0.417247 | 0.375522 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 8 GiB | 8 | | 0.834493 | 0.751044 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 16 GiB | 16 | | 1.67 | 1.50 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 24 GiB | 24 | | 2.50 | 2.25 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 32 GiB | 32 | | 3.34 | 3.01 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 48 GiB | 48 | | 5.01 | 4.51 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 64 GiB | 64 | | 6.68 | 6.01 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 96 GiB | 96 | | 10.01 | 9.01 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 128 GiB | 128 | | 13.35 | 12.02 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 192 GiB | 192 | | 20.03 | 18.03 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 256 GiB | 256 | | 26.70 | 24.03 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 384 GiB | 384 | | 40.06 | 36.05 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 512 GiB | 512 | | 53.41 | 48.07 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 768 GiB | 768 | | 80.11 | 72.10 | n.a. | n.a. | n.a. | n.a. |
| DCS2 Cluster 5 Replicas 1024 GiB | 1024 | | 106.82 | 96.14 | n.a. | n.a. | n.a. | n.a. |
| Proxy Cluster 4 GiB | 4 | h | 0.300418 | 0.270376 | 175.70 | 158.13 | 161.83 | 145.65 |
| Proxy Cluster 8 GiB | 8 | h | 0.600835 | 0.540752 | 351.00 | 315.90 | 324.00 | 291.60 |
| Proxy Cluster 16 GiB | 16 | h | 1.20 | 1.08 | 703.00 | 632.70 | 647.00 | 582.30 |
| Proxy Cluster 24 GiB | 24 | h | 1.80 | 1.62 | 1,054.00 | 948.60 | 971.00 | 873.90 |
| Proxy Cluster 32 GiB | 32 | h | 2.40 | 2.16 | 1,406.00 | 1,265.40 | 1,295.00 | 1,165.50 |
| Proxy Cluster 48 GiB | 48 | h | 3.61 | 3.25 | 2,108.00 | 1,897.20 | 1,942.00 | 1,747.80 |
| Proxy Cluster 64 GiB | 64 | h | 4.81 | 4.33 | 2,811.00 | 2,529.90 | 2,589.00 | 2,330.10 |
| Proxy Cluster 96 GiB | 96 | h | 7.21 | 6.49 | 4,217.00 | 3,795.30 | 3,884.00 | 3,495.60 |
| Proxy Cluster 128 GiB | 128 | h | 9.61 | 8.65 | 5,622.00 | 5,059.80 | 5,179.00 | 4,661.10 |
| Proxy Cluster 192 GiB | 192 | h | 14.42 | 12.98 | 8,434.00 | 7,590.60 | 7,768.00 | 6,991.20 |
| Proxy Cluster 256 GiB | 256 | h | 19.23 | 17.31 | 11,245.00 | 10,120.50 | 10,357.00 | 9,321.30 |

| Name | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|---|---|
| Proxy Cluster 384 GiB | 384 | h | 28.84 | 25.96 | 16,867.00 | 15,180.30 | 15,536.00 | 13,982.40 |
| Proxy Cluster 512 GiB | 512 | h | 38.45 | 34.61 | 22,490.00 | 20,241.00 | 20,714.00 | 18,642.60 |
| Proxy Cluster 768 GiB | 768 | h | 57.68 | 51.91 | 33,734.00 | 30,360.60 | 31,071.00 | 27,963.90 |
| Proxy Cluster 1024 GiB | 1024 | h | 76.91 | 69.22 | 44,979.00 | 40,481.10 | 41,428.00 | 37,285.20 |
| Read/Write 2 Replicas a 1 GiB | 1 | h | 0.046466 | 0.041819 | 27.18 | 27.18 | 25.03 | 25.03 |
| Read/Write 2 Replicas a 2 GiB | 2 | | 0.092932 | 0.083639 | 54.35 | 54.35 | 50.06 | 50.06 |
| Read/Write 2 Replicas a 4 GiB | 4 | | 0.185864 | 0.167278 | 108.70 | 108.70 | 100.12 | 100.12 |
| Read/Write 2 Replicas a 8 GiB | 8 | | 0.371729 | 0.334556 | 217.00 | 217.00 | 200.00 | 200.00 |
| Read/Write 2 Replicas a 16 GiB | 16 | | 0.743458 | 0.669112 | 435.00 | 435.00 | 400.00 | 400.00 |
| Read/Write 2 Replicas a 32 GiB | 32 | | 1.49 | 1.34 | 870.00 | 870.00 | 801.00 | 801.00 |
| Read/Write 2 Replicas a 64 GiB | 64 | | 2.97 | 2.67 | 1,739.00 | 1,739.00 | 1,602.00 | 1,602.00 |
| Read/Write 3 Replicas a 1 GiB | 1 | h | 0.069699 | 0.062729 | 40.76 | 40.76 | 37.55 | 37.55 |
| Read/Write 3 Replicas a 2 GiB | 2 | | 0.139398 | 0.125458 | 81.53 | 81.53 | 75.09 | 75.09 |
| Read/Write 3 Replicas a 4 GiB | 4 | | 0.278797 | 0.250917 | 163.05 | 163.05 | 150.18 | 150.18 |
| Read/Write 3 Replicas a 8 GiB | 8 | | 0.557593 | 0.501834 | 326.00 | 326.00 | 300.00 | 300.00 |
| Read/Write 3 Replicas a 16 GiB | 16 | | 1.12 | 1.01 | 652.00 | 652.00 | 601.00 | 601.00 |
| Read/Write 3 Replicas a 32 GiB | 32 | | 2.23 | 2.01 | 1,304.00 | 1,304.00 | 1,201.00 | 1,201.00 |
| Read/Write 3 Replicas a 64 GiB | 64 | | 4.46 | 4.01 | 2,609.00 | 2,609.00 | 2,403.00 | 2,403.00 |
| Read/Write 4 Replicas a 1 GiB | 1 | h | 0.092932 | 0.083639 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 2 GiB | 2 | | 0.185864 | 0.167278 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 4 GiB | 4 | | 0.371729 | 0.334556 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 8 GiB | 8 | | 0.743458 | 0.669112 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 16 GiB | 16 | | 1.49 | 1.34 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 32 GiB | 32 | | 2.97 | 2.67 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 4 Replicas a 64 GiB | 64 | | 5.95 | 5.36 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 1 GiB | 1 | h | 0.116165 | 0.104549 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 2 GiB | 2 | | 0.232331 | 0.209098 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 4 GiB | 4 | | 0.464661 | 0.418195 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 8 GiB | 8 | | 0.929322 | 0.836390 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 16 GiB | 16 | | 1.86 | 1.67 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 32 GiB | 32 | | 3.72 | 3.35 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 5 Replicas a 64 GiB | 64 | | 7.43 | 6.69 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 1 GiB | 1 | h | 0.139398 | 0.125458 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 2 GiB | 2 | | 0.278797 | 0.250917 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 4 GiB | 4 | | 0.557593 | 0.501834 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 8 GiB | 8 | | 1.12 | 1.01 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 16 GiB | 16 | | 2.23 | 2.01 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 32 GiB | 32 | | 4.46 | 4.01 | n.a. | n.a. | n.a. | n.a. |
| Read/Write 6 Replicas a 64 GiB | 64 | | 8.92 | 8.03 | n.a. | n.a. | n.a. | n.a. |
| DCS Backup Space | n. a. | GiB/month | 0.087206 | 0.078485 | n.a. | n.a. | n.a. | n.a. |

Back to 3.2.2

## 6.3.3 Document Database Service

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| DDS Node 1 vCPU 4 GiB RAM | 0.063986 | 0.057587 |
| DDS Node 2 vCPU 8 GiB RAM | 0.120696 | 0.108626 |
| DDS Node 4 vCPU 16 GiB RAM | 0.227387 | 0.204648 |
| DDS Node 8 vCPU 32 GiB RAM | 0.440009 | 0.396008 |
| DDS Node 16 vCPU 64 GiB RAM | 0.865251 | 0.778726 |
| DDS Shard 1 vCPU 4 GiB RAM | 0.095979 | 0.086381 |
| DDS Shard 2 vCPU 8 GiB RAM | 0.173281 | 0.155953 |
| DDS Shard 4 vCPU 16 GiB RAM | 0.341080 | 0.306972 |
| DDS Shard 8 vCPU 32 GiB RAM | 0.626674 | 0.564007 |
| DDS Shard 16 vCPU 64 GiB RAM | 1.88 | 1.69 |
| DDS Config 2 vCPU 4 GiB RAM | 0.377829 | 0.340046 |
| DDS Replica 1 vCPU 4 GiB RAM | 0.147660 | 0.132894 |
| DDS Replica 2 vCPU 8 GiB RAM | 0.317790 | 0.286011 |
| DDS Replica 4 vCPU 16 GiB RAM | 0.637862 | 0.574076 |
| DDS Replica 8 vCPU 32 GiB RAM | 1.28 | 1.15 |
| DDS Replica 16 vCPU 64 GiB RAM | 2.55 | 2.30 |
| DDS Single 1 vCPU 4 GiB RAM | 0.095979 | 0.086381 |
| DDS Single 2 vCPU 8 GiB RAM | 0.173281 | 0.155953 |
| DDS Single 4 vCPU 16 GiB RAM | 0.341080 | 0.306972 |
| DDS Single 8 vCPU 32 GiB RAM | 0.626674 | 0.564007 |
| DDS Single 16 vCPU 64 GiB RAM | 1.88 | 1.69 |

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| DDS EVS Config Ultra-high I/O | GiB/month | 0.110000 | 0.099000 |
| DDS EVS Replica Ultra-high I/O | GiB/month | 0.110000 | 0.099000 |
| DDS EVS Shard Ultra-high I/O | GiB/month | 0.110000 | 0.099000 |
| DDS EVS Single Node Ultra-high I/O | GiB/month | 0.110000 | 0.099000 |
| DDS Backup Space | GiB/month | 0.085800 | 0.077220 |

Back to 3.2.3

## 6.3.4 Cloud Search Service

| Name | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|
| CSS Cluster css.medium.8 | 1 | 8 | 0.144556 | 0.130100 |
| CSS Cluster css.large.4 | 2 | 8 | 0.158555 | 0.142700 |
| CSS Cluster css.large.8 | 2 | 16 | 0.220112 | 0.198101 |
| CSS Cluster css.xlarge.2 | 4 | 8 | 0.266746 | 0.240071 |
| CSS Cluster css.xlarge.4 | 4 | 16 | 0.316178 | 0.284560 |
| CSS Cluster css.xlarge.8 | 4 | 32 | 0.440224 | 0.396202 |
| CSS Cluster css.2xlarge.2 | 8 | 16 | 0.533492 | 0.480143 |
| CSS Cluster css.2xlarge.4 | 8 | 32 | 0.633288 | 0.569959 |
| CSS Cluster css.2xlarge.8 | 8 | 64 | 0.880448 | 0.792403 |
| CSS Cluster css.4xlarge.2 | 16 | 32 | 1.07 | 0.963000 |
| CSS Cluster css.4xlarge.4 | 16 | 64 | 1.27 | 1.14 |
| CSS Cluster css.4xlarge.8 | 16 | 128 | 1.76 | 1.58 |
| CSS Cluster css.8xlarge.2 | 32 | 64 | 2.14 | 1.93 |
| CSS Cluster css.8xlarge.4 | 32 | 128 | 2.53 | 2.28 |
| CSS Cluster css.8xlarge.8 | 32 | 256 | 3.52 | 3.17 |

Back to 3.2.4

## 6.3.5 Data Replication Service

The service is free of charge during the first seven days. Thereafter the following prices apply per DRS task:

| Name | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|
| DRS Sync large | 4 | 8 | 0.216600 | 0.194940 |
| DRS Sync Node selfbuilt | 4 | 8 | 0.216600 | 0.194940 |
| DRS selfbuilt node | 4 | 8 | 0.433200 | 0.389880 |
| DRS Backup Restore VM | 4 | 8 | 0.476520 | 0.476520 |
| DRS Sync micro | 2 | 2 | 0.143290 | 0.128961 |
| DRS Sync small | 2 | 4 | 0.151602 | 0.136442 |
| DRS Sync medium | 4 | 4 | 0.294843 | 0.265359 |
| DRS Sync large | 4 | 8 | 0.216600 | 0.194940 |
| DRS Sync ultra large | 8 | 16 | 0.606408 | 0.545767 |
| DRS Sync macro | 16 | 32 | 1.21 | 1.09 |
| DRS Sync micro free | 2 | 2 | 0.000000 | 0.000000 |
| DRS Sync small free | 2 | 4 | 0.000000 | 0.000000 |
| DRS Sync medium free | 4 | 4 | 0.000000 | 0.000000 |
| DRS Sync large free | 4 | 8 | 0.000000 | 0.000000 |
| DRS Sync ultra large free | 8 | 16 | 0.000000 | 0.000000 |
| DRS Sync macro free | 16 | 32 | 0.000000 | 0.000000 |

Back to 3.2.5

## 6.3.6 TaurusDB

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| TaurusDB x86 2 vCPU 8 GiB RAM | h | 0.259027 | n.a. |
| TaurusDB x86 4 vCPU 32 GiB RAM | h | 0.608714 | n.a. |
| TaurusDB x86 8 vCPU 64 GiB RAM | h | 1.22 | n.a. |
| TaurusDB x86 16 vCPU 128 GiB RAM | h | 2.43 | n.a. |
| TaurusDB x86 32 vCPU 256 GiB RAM | h | 4.87 | n.a. |
| TaurusDB x86 64 vCPU 512 GiB RAM | h | 10.91 | n.a. |
| EVS TaurusDB Ultra-high I/O | GiB/month | 0.110000 | n.a. |
| Backup Space TaurusDB | GiB/month | 0.085800 | n.a. |

Back to 3.2.6

## 6.3.7 GeminiDB

### 6.3.7.1 CassandraDB

| Name | vCPU | GiB RAM | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|---|
| GeminiDB Cassandra 4 vCPU 32 GiB RAM | 4 | 32 | h | 0.493345 | n.a. |
| GeminiDB Cassandra 8 vCPU 64 GiB RAM | 8 | 64 | h | 0.986690 | n.a. |
| GeminiDB Cassandra 16 vCPU 128 GiB RAM | 16 | 128 | h | 1.97 | n.a. |
| GeminiDB Cassandra 32 vCPU 256 GiB RAM | 32 | 256 | h | 3.95 | n.a. |
| GeminiDB Cassandra 60 vCPU 480 GiB RAM | 60 | 480 | h | 8.29 | n.a. |
| EVS GeminiDB Cassandra Ultra-high I/O | n. a. | n. a. | GiB/month | 0.110000 | n.a. |
| GeminiDB backup space | n. a. | n. a. | GiB/month | 0.085800 | n.a. |

### 6.3.7.2 InfluxDB

| Name | vCPU | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| GeminiDB Influx 2 vCPU 8 GiB RAM | 2 | 8 | h | 0.164448 | n.a. |
| GeminiDB Influx 4 vCPU 16 GiB RAM | 4 | 16 | h | 0.328897 | n.a. |
| GeminiDB Influx 8 vCPU 32 GiB RAM | 8 | 32 | h | 0.657793 | n.a. |
| GeminiDB Influx 16 vCPU 64 GiB RAM | 16 | 64 | h | 1.32 | n.a. |
| GeminiDB Influx 32 vCPU 128 GiB RAM | 32 | 128 | h | 2.63 | n.a. |
| EVS GeminiDB Influx Ultra-high I/O | n. a. | n. a. | GiB/month | 0.110000 | n.a. |
| GeminiFS Backup Space | n. a. | n. a. | GiB/month | 0.085800 | n.a. |

### 6.3.7.3 DynamoDB

| Name | vCPU | GiB RAM | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|---|
| GeminiDB DynamoDB 2 vCPU 8 GiB RAM | 2 | 8 | h | 0.164448 | n.a. |
| GeminiDB DynamoDB 4 vCPU 16 GiB RAM | 4 | 16 | h | 0.328897 | n.a. |
| GeminiDB DynamoDB 8 vCPU 32 GiB RAM | 8 | 32 | h | 0.657793 | n.a. |
| GeminiDB DynamoDB 16 vCPU 64 GiB RAM | 16 | 64 | h | 1.32 | n.a. |
| GeminiDB DynamoDB 32 vCPU 128 GiB RAM | 32 | 128 | h | 2.63 | n.a. |
| EVS GeminiDB Influx Ultra-high I/O | n. a. | n. a. | GiB/month | 0.110000 | n.a. |
| GeminiFS Backup Space | n. a. | n. a. | GiB/month | 0.085800 | n.a. |

Back to 3.2.7

## 6.3.8 Distributed Database Middleware

| Name | vCPU | GiB RAM | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|---|
| DDM xlarge.4 | 4 | 16 | 0.388481 | n.a. |
| DDM 2xlarge.2 | 8 | 16 | 0.935000 | n.a. |
| DDM 4xlarge.2 | 16 | 32 | 1.89 | n.a. |
| DDM 8xlarge.2 | 32 | 64 | 3.76 | n.a. |

Back to 3.2.8

## 6.3.9 Oracle-optimized

| Name | vCPU | GiB RAM | charging unit | price EU-DE in euro/ month | EU-DE Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|
| Oracle-Optimized oo.xlarge.4 | 4 | 16 | Piece | 800.00 | 720.00 | 680.00 |
| Oracle-Optimized oo.2xlarge.4 | 8 | 32 | Piece | 1,599.00 | 1,439.00 | 1,359.00 |
| Oracle-Optimized oo.2xlarge.8 | 8 | 64 | Piece | 2,056.00 | 1,851.00 | 1,748.00 |
| Oracle-Optimized oo.2xlarge.16 | 8 | 128 | Piece | 2,970.00 | 2,673.00 | 2,525.00 |
| Oracle-Optimized oo.2xlarge.32 | 8 | 256 | Piece | 4,798.00 | 4,318.00 | 4,078.00 |
| Oracle-Optimized oo.3xlarge.5 | 12 | 64 | Piece | 2,627.00 | 2,365.00 | 2,233.00 |
| Oracle-Optimized oo.3xlarge.10 | 12 | 128 | Piece | 3,541.00 | 3,187.00 | 3,010.00 |
| Oracle-Optimized oo.3xlarge.20 | 12 | 256 | Piece | 5,369.00 | 4,832.00 | 4,564.00 |
| Oracle-Optimized oo.4xlarge.4 | 16 | 64 | Piece | 3,199.00 | 2,879.00 | 2,719.00 |
| Oracle-Optimized oo.4xlarge.8 | 16 | 128 | Piece | 4,112.00 | 3,701.00 | 3,496.00 |
| Oracle-Optimized oo.4xlarge.16 | 16 | 256 | Piece | 5,940.00 | 5,346.00 | 5,049.00 |
| Oracle-Optimized oo.6xlarge.10 | 24 | 256 | Piece | 7,083.00 | 6,374.00 | 6,020.00 |
| Oracle-Optimized oo.6xlarge.20 | 24 | 512 | Piece | 10,738.00 | 9,664.00 | 9,128.00 |
| Oracle-Optimized oo.8xlarge.8 | 32 | 256 | Piece | 8,225.00 | 7,402.00 | 6,991.00 |
| Oracle-Optimized oo.8xlarge.16 | 32 | 512 | Piece | 11,881.00 | 10,693.00 | 10,099.00 |

| Name | charging unit | price EU-DE in Euro |
|---|---|---|
| ZFS High Performance Storage | GiB/month | 0.110000 |
| ZFS High Performance II Storage | GiB/month | 0.110000 |

| Name | price EU-DE in Euro |
|---|---|
| Oracle PCA Setup Fee | 8,099.00 |

Back to 3.2.9

# 6.4 Storage

## 6.4.1 Object Storage Service

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| OBS Standard Space | GiB/month | 0 to 5<br>6 to 1,000<br>1,001 to 50,000<br>50,001 to 500,000<br>from 500,001 | 0.000000<br>0.024200<br>0.023980<br>0.023650<br>0.023100 | 0.000000<br>0.016940<br>0.016786<br>0.016555<br>0.016170 |
| OBS Warm Space | GiB/month | 0 to 5<br>6 to 1,000<br>1,001 to 50,000<br>50,001 to 500,000<br>from 500,001 | 0.013200<br>0.012650<br>0.012320<br>0.012100<br>0.011550 | 0.009240<br>0.008855<br>0.008624<br>0.008470<br>0.008085 |
| OBS Cold Space | GiB/month | 0 to 5<br>6 to 1,000<br>1,001 to 50,000<br>50,001 to 500,000<br>from 500,001 | 0.004620<br>0.004620<br>0.004510<br>0.004400<br>0.004290 | 0.003234<br>0.003234<br>0.003157<br>0.003080<br>0.003003 |
| OBS Standard Requests per 1000 | Piece | n. a. | 0.004730 | 0.003311 |
| OBS Warm Requests per 1000 | Piece | n. a. | 0.007700 | 0.005390 |
| OBS Cold Requests per 1000 | Piece | n. a. | 0.056100 | 0.039270 |
| OBS Warm early deletion fee | GiB/month | n. a. | 0.013200 | 0.009240 |
| OBS Cold early deletion fee | GiB/month | n. a. | 0.005170 | 0.003619 |
| OBS Warm Restore Volume | GiB/month | n. a. | 0.009900 | 0.006930 |
| OBS Cold Restore Request Bulk per 1000 | Piece | n. a. | 0.034100 | 0.023870 |
| OBS Cold Restore Request per 1000 | Piece | n. a. | 0.068200 | 0.047740 |

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| OBS Cold Restore Request Expedited per 1000 | Piece | n. a. | 13.78 | 9.65 |
| OBS Cold Restore Volume Bulk | GiB/month | n. a. | 0.003410 | 0.002387 |
| OBS Cold Restore Volume Standard | GiB/month | n. a. | 0.013750 | 0.009625 |
| OBS Cold Restore Volume Expedited | GiB/month | n. a. | 0.041360 | 0.028952 |
| OBS Cold Object Storage Buffer | GiB/month | n. a. | 0.024200 | 0.016940 |
| OBS Standard Data Transfer Inbound Int | GiB/month | n. a. | 0.000000 | 0.000000 |
| OBS Warm Data Inbound | GiB/month | n. a. | n.a. | n.a. |
| OBS Cold Data Inbound | GiB/month | n. a. | n.a. | n.a. |
| OBS Standard Data Transfer Outbound | GiB/month | 0 to 1<br>2 to 1,000<br>1,001 to 10,000<br>10,001 to 50,000<br>50,001 to 150,000<br>150,001 to 500,000<br>500,001 to 1,000,000<br>1,000,001 to 5,000,000<br>from 5,000,001 | 0.000000<br>0.074489<br>0.070351<br>0.066000<br>0.046200<br>0.045100<br>0.042900<br>0.042350<br>0.041800 | 0.000000<br>0.074489<br>0.070351<br>0.066000<br>0.046200<br>0.045100<br>0.042900<br>0.042350<br>0.041800 |
| OBS Cross Region Traffic Inbound | GiB/month | n. a. | 0.000000 | 0.000000 |
| OBS Cross Region Traffic Outbound | GiB/month | n. a. | 0.022000 | 0.022000 |

| Name | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved 36 months in euro/ month | EU-NL Reserved 36 months in euro/ month |
|---|---|---|---|---|---|---|
| OBS Standard Space Reserved 100TiB | n.a. | n.a. | 1,924.00 | n.a. | 1,638.00 | 1,638.00 |
| OBS Standard Space Reserved 1PiB | n.a. | n.a. | 19,026.00 | n.a. | 16,099.00 | 16,099.00 |

Back to 3.3.1

## 6.4.2 Object Storage Service - 1AZ HPC Storage

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| OBS High Performance 1 AZ Space | GiB/month | 0 to 5<br>6 to 1,000<br>1,001 to 50,000<br>50,001 to 500,000<br>from 500,001 | 0.000000<br>0.058433<br>0.057902<br>0.057105<br>0.055777 | n.a. |
| OBS High Performance 1 AZ Requests per 1000 | Piece | n. a. | 0.011421 | n.a. |

The "Object Storage Service - 1AZ HPC Storage" is available in limited quantities. Therefore, we cannot guarantee the availability of capacities. If you are interested, please contact our customer support.

Back to 3.3.1

## 6.4.3 Elastic Volume Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| EVS Common I/O | GiB/month | 0.050600 | n.a. |
| EVS High I/O | GiB/month | 0.066000 | 0.059400 |
| EVS GP SSD | GiB/month | 0.104000 | 0.093600 |
| EVS GP SSD v2 space | GiB/month | 0.082000 | 0.073800 |
| EVS GP SSD v2 IOPS | Piece | 0.005000 | 0.004500 |
| EVS GP SSD v2 MBPS | Piece | 0.040000 | 0.036000 |
| EVS Ultra-High I/O | GiB/month | 0.110000 | 0.099000 |
| EVS Extreme SSD | GiB/month | 0.308000 | 0.277200 |

EVS GP SSD v2 space: Min. 10 GiB

EVS GP SSD v2 IOPS: 3,000 IOPS free and €0.0050 or €0.0045/provisioned IOPS per month over 3,000.

EVS GP SSD v2 MBPS: 125 MiB/s free and €0.040 or €0.036/provisioned MiB/s per month over 125.

Back to 3.3.2

## 6.4.4 Scalable File Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| SFS Common I/O | GiB/month | 0.143000 | n.a. |
| SFS General Purpose | GiB/month | 0.128700 | n.a. |
| SFS Turbo Standard | GiB/month | 0.171600 | 0.154440 |
| SFS Turbo Performance | GiB/month | 0.205920 | 0.185328 |
| SFS Turbo 20 MB/s/TiB | GiB/month | 0.118900 | 0.107010 |
| SFS Turbo 40 MB/s/TiB | | 0.141400 | 0.127260 |
| SFS Turbo 125 MB/s/TiB | | 0.202600 | 0.182340 |
| SFS Turbo 250 MB/s/TiB | | 0.262800 | 0.236520 |
| SFS Turbo 500 MB/s/TiB | | 0.408700 | 0.367830 |
| SFS Turbo 1000 MB/s/TiB | | 0.703100 | 0.632790 |

Back to 3.3.5

## 6.4.5 Storage Disaster Recovery Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Replicated Storage Ultra-High I/O | GiB/month | 0.121000 | n.a. |
| Replicated Storage High I/O | GiB/month | 0.072600 | n.a. |
| Replicated Storage Common I/O | GiB/month | 0.055660 | n.a. |
| Replicated Storage Ultra-High I/O shared | GiB/month | 0.145200 | n.a. |
| Replicated Storage High I/O shared | GiB/month | 0.087120 | n.a. |
| Replicated Storage Common I/O shared | GiB/month | 0.066792 | n.a. |

Back to 3.3.6

## 6.4.6 Backup Services

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| CBR SFS Backup | GiB/month | 0.049500 | 0.044550 |
| CBR Server Backup | GiB/month | 0.049500 | 0.044550 |
| CBR Volume Backup | GiB/month | 0.049500 | 0.044550 |
| Volume Backup Service | GiB/month | 0.135000 | n.a. |
| Cloud Server Backup Service | GiB/month | 0.135000 | n.a. |

The cross- region replication function of the Cloud Backup and Recovery Service, which enables backups to be replicated to another region, is billed via the "OBS Cross Region Traffic Outbound" billing element. Please take a look at the OBS price list 6.4.1.

Back to 3.3.7

# 6.5 Network

## 6.5.1 Virtual Private Cloud

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| Virtual Private Cloud VPN | h | n. a. | 0.041800 | 0.041800 |
| Internet Traffic Inbound | GiB/month | n. a. | 0.000000 | 0.000000 |
| Internet Traffic Outbound | GiB/month | 0 to 1<br>2 to 1,000<br>1,001 to 10,000<br>10,001 to 50,000<br>50,001 to 150,000<br>150,001 to 500,000<br>500,001 to 1,000,000<br>1,000,001 to 5,000,000<br>from 5,000,001 | 0.000000<br>0.074489<br>0.070351<br>0.066000<br>0.046200<br>0.045100<br>0.042900<br>0.042350<br>0.041800 | 0.000000<br>0.074489<br>0.070351<br>0.066000<br>0.046200<br>0.045100<br>0.042900<br>0.042350<br>0.041800 |

Back to 3.4.1

## 6.5.2 Elastic IP

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Elastic IP | h | 0.004400 | 0.004400 |
| Elastic IP for Mail | h | 0.030074 | 0.030074 |

Back to 3.4.2

## 6.5.3 Load Balancer

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| Shared Elastic Loadbalancer | h | n. a. | 0.043010 | n.a. |
| Loadbalancer elastic per LCU | h | n. a. | 0.010000 | 0.010000 |
| Ded. Loadbalancer 1AZ 10 LCU | h | n. a. | 0.045408 | 0.045408 |
| Ded. Loadbalancer 1AZ 20 LCU | | | 0.071808 | 0.071808 |
| Ded. Loadbalancer 1AZ 40 LCU | | | 0.124608 | 0.124608 |
| Ded. Loadbalancer 1AZ 80 LCU | | | 0.230208 | 0.230208 |
| Ded. Loadbalancer 1AZ 100 LCU | | | 0.230208 | 0.230208 |
| Ded. Loadbalancer 1AZ 200 LCU | | | 0.547008 | 0.547008 |
| Ded. Loadbalancer 1AZ 400 LCU | | | 1.08 | 1.08 |
| Ded. Loadbalancer 1AZ 1000 LCU | | | n.a. | 2.70 |
| Ded. Loadbalancer 1AZ 2000 LCU | | | n.a. | 5.40 |
| Ded. Loadbalancer 1AZ 4000 LCU | | | n.a. | 10.80 |
| Ded. Loadbalancer 2AZ 10 LCU | h | n. a. | 0.090816 | 0.090816 |
| Ded. Loadbalancer 2AZ 20 LCU | | | 0.143616 | 0.143616 |
| Ded. Loadbalancer 2AZ 40 LCU | | | 0.249216 | 0.249216 |
| Ded. Loadbalancer 2AZ 80 LCU | | | 0.460416 | 0.460416 |
| Ded. Loadbalancer 2AZ 100 LCU | | | 0.460416 | 0.460416 |
| Ded. Loadbalancer 2AZ 200 LCU | | | 1.09 | 1.09 |
| Ded. Loadbalancer 2AZ 400 LCU | | | 2.15 | 2.15 |
| Ded. Loadbalancer 2AZ 1000 LCU | | | n.a. | 5.38 |
| Ded. Loadbalancer 2AZ 2000 LCU | | | n.a. | 10.75 |
| Ded. Loadbalancer 2AZ 4000 LCU | | | n.a. | 21.50 |
| Ded. Loadbalancer 3AZ 10 LCU | h | n. a. | 0.136224 | 0.136224 |
| Ded. Loadbalancer 3AZ 20 LCU | | | 0.215424 | 0.215424 |
| Ded. Loadbalancer 3AZ 40 LCU | | | 0.373824 | 0.373824 |
| Ded. Loadbalancer 3AZ 80 LCU | | | 0.690624 | 0.690624 |
| Ded. Loadbalancer 3AZ 100 LCU | | | 0.690624 | 0.690624 |
| Ded. Loadbalancer 3AZ 200 LCU | | | 1.64 | 1.64 |
| Ded. Loadbalancer 3AZ 400 LCU | | | 3.23 | 3.23 |
| Ded. Loadbalancer 3AZ 1000 LCU | | | n.a. | 8.08 |
| Ded. Loadbalancer 3AZ 2000 LCU | | | n.a. | 16.15 |
| Ded. Loadbalancer 3AZ 4000 LCU | | | n.a. | 32.30 |

Back to 3.4.3

## 6.5.4 Domain Name Service

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| DNS Hosted Zone public | h | n. a. | 0.000550 | 0.000550 |
| DNS Hosted Zone private | h | n. a. | 0.000550 | 0.000550 |
| DNS Queries public per Million | Piece | 0 to 1,000<br>1,001 to 2,000<br>from 2,001 | 0.336600<br>0.253000<br>0.168300 | 0.336600<br>0.253000<br>0.168300 |

Back to 3.4.4

## 6.5.5 Direct Connect

| Name | charging unit | price in Euro |
|---|---|---|
| Direct Connect Setup EU-DE | Piece | 274.00 |
| Direct Connect Setup EU-NL | Piece | 1,000.00 |

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Direct Connect Port 1 Gbit/s | h | 0.034357 | 1.65 |
| Direct Connect Port 10 Gbit/s | h | 0.062370 | 6.89 |
| Direct Connect Port 100 Gbit/s | h | 0.261954 | 28.90 |
| Direct Connect Bandwidth 10 Mbit/s | h | 0.005764 | 0.000000 |
| Direct Connect Bandwidth 50 Mbit/s | | 0.017292 | 0.000000 |
| Direct Connect Bandwidth 100 Mbit/s | | 0.024057 | 0.000000 |
| Direct Connect Bandwidth 150 Mbit/s | | 0.036086 | 0.000000 |
| Direct Connect Bandwidth 200 Mbit/s | | 0.033132 | 0.000000 |
| Direct Connect Bandwidth 300 Mbit/s | | 0.034100 | 0.000000 |
| Direct Connect Bandwidth 400 Mbit/s | | 0.034650 | 0.000000 |
| Direct Connect Bandwidth 500 Mbit/s | | 0.035063 | 0.000000 |
| Direct Connect Bandwidth 600 Mbit/s | | 0.036300 | 0.000000 |
| Direct Connect Bandwidth 1000 Mbit/s | | 0.047432 | 0.000000 |
| Direct Connect Bandwidth 5000 Mbit/s | | 0.051172 | 0.000000 |
| Direct Connect Bandwidth 10 Gbit/s | | 0.080286 | 0.000000 |

Back to 3.4.5

## 6.5.6 Secure Mailgateway

| Name | charging unit | price in Euro |
|---|---|---|
| Secure Mail GW | Piece | 25.30 |

Back to 3.4.6

## 6.5.7 NAT Gateway

### 6.5.7.1 Public NAT Gateway

The price table includes only the DNAT (dedicated NAT) service.

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| NAT Gateway extra small | 0.000000 | 0.000000 |
| NAT Gateway small | 0.137280 from 01.12.2026: 0.116688 | 0.137280 from 01.12.2026: 0.116688 |
| NAT Gateway medium | 0.503360 from 01.12.2026: 0.172000 | 0.503360 from 01.12.2026: 0.172000 |
| NAT Gateway large | 1.88 from 01.12.2026: 0.340000 | 1.88 from 01.12.2026: 0.340000 |
| NAT Gateway xlarge | 9.20 from 01.12.2026: 0.599000 | 9.20 from 01.12.2026: 0.599000 |

Back to 3.4.7.1

### 6.5.7.2 Private NAT Gateway

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| NAT private small | 0.116688 from 01.12.2026: 0.109103 | n.a. |
| NAT private medium | 0.427856 from 01.12.2026: 0.160820 | n.a. |
| NAT private large | 1.59 from 01.12.2026: 0.317900 | n.a. |
| NAT private xlarge | 7.82 from 01.12.2026: 0.560065 | n.a. |

Back to 3.4.7.2

## 6.5.8 VPC Endpoint

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| VPC Endpoint | 0.011000 | 0.011000 |

Back to 3.4.8

## 6.5.9 Enterprise Router

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| VPN Traffic | GiB/month | 0.016200 | 0.016200 |
| VPC Traffic | GiB/month | 0.016200 | 0.016200 |
| VGW Traffic | GiB/month | 0.016200 | 0.016200 |
| GDGW Traffic | GiB/month | 0.016200 | 0.016200 |
| CAN Traffic | GiB/month | 0.016200 | 0.016200 |
| VPN attachment | h | 0.045000 | 0.045000 |
| VPC attachment | h | 0.045000 | 0.045000 |
| VGW attachment | h | 0.045000 | 0.045000 |
| Peer attachment | h | 0.045000 | 0.045000 |
| GDGW attachment | h | 0.045000 | 0.045000 |
| Connection attachment | h | 0.045000 | 0.045000 |
| CAN attachment | h | 0.045000 | 0.045000 |

back to 3.4.9

## 6.5.10 Enterprise VPN

| Name | charging unit | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|---|
| Enterprise VPN Basic | h | 0.100000 | 0.100000 |
| Enterprise VPN Professional 1 | h | 0.200000 | 0.200000 |
| Enterprise VPN Professional 2 | h | 0.300000 | 0.300000 |

*Per Enterprise VPN Gateway, 10 connection groups are included. After that, each individual connection group is billed at full price. We recommend creating an additional Enterprise VPN Gateway to avoid this.

Back to 3.4.10

# 6.6 Application

## 6.6.1 Distributed Message Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| DMS instance mini | h | 0.415296 | 0.373766 |
| DMS instance small | h | 1.11 | 0.999000 |
| DMS instance medium | h | 2.21 | 1.99 |
| DMS instance high | h | 4.43 | 3.99 |
| DMS cores | h | 0.028000 | 0.025200 |
| DMS rocketmq cores | h | 0.030000 | 0.027000 |
| DMS rocketmq.b1.large.1 | | 0.030000 | 0.027000 |
| DMS rocketmq.b2.large.4 | | 0.390000 | 0.351000 |
| DMS rocketmq.b2.large.8 | | 0.660000 | 0.594000 |
| DMS rocketmq.b2.large.12 | | 0.930000 | 0.837000 |
| DMS storage high | GiB/month | 0.066000 | 0.059400 |
| DMS storage general | GiB/month | 0.104000 | 0.093600 |
| DMS storage ultra high | GiB/month | 0.110000 | 0.099000 |
| DMS storage extreme | GiB/month | 0.308000 | 0.277200 |

Back to 3.5.1

## 6.6.2 API Gateway

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month | EU-DE Reserved Upfront 12 months in euro | EU-NL Reserved Upfront 12 months in euro | EU-DE Reserved Upfront 24 months in euro | EU-NL Reserved Upfront 24 months in euro |
|---|---|---|---|---|---|---|---|---|---|---|
| API Gateway Basic | 0.117000 | 0.117000 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| API Gateway Professional | 4.50 | 4.50 | 2,495.00 | 2,495.00 | 2,298.00 | 2,298.00 | 29,946.00 | 29,946.00 | 55,163.00 | 55,163.00 |
| API Gateway Enterprise | 6.75 | 6.75 | 3,743.00 | 3,743.00 | 3,448.00 | 3,448.00 | 44,919.00 | 44,919.00 | 82,745.00 | 82,745.00 |
| API Gateway Platinum | 11.25 | 11.25 | 6,239.00 | 6,239.00 | 5,746.00 | 5,746.00 | 74,865.00 | 74,865.00 | 137,909.00 | 137,909.00 |

Back to 3.5.2

## 6.6.3 Simple Message Notification

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| SMN SMS Calls | Piece | 0 to 100<br>from 101 | 0.000000<br>0.121737 | 0.000000<br>0.109563 |
| SMN Email Calls | Piece | 0 to 1,000<br>from 1,001 | 0.000000<br>0.000023 | 0.000000<br>0.000021 |
| SMN HTTP Calls | Piece | 0 to 100,000<br>from 100,001 | 0.000000<br>0.000001 | 0.000000<br>0.000001 |

Back to 3.5.3

### 6.6.4 Application Operations Management

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| AOM Monitored Hosts | h | 0.000000 | 0.000000 |
| AOM Events | Piece | 0.110000 | 0.099000 |
| AOM Custom Monitoring Metrics | h | 0.000000 | 0.000000 |

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| AOM 2 Data Storage | GiB/month | n. a. | 0.037000 | 0.033300 |
| AOM 2 Custom Monitoring Metrics per Mio | Piece | 0 to 5,000<br>5,001 to 20,000<br>20,001 to 360,000<br>from 360,001 | 0.100000<br>0.080000<br>0.070000<br>0.060000 | 0.090000<br>0.072000<br>0.063000<br>0.054000 |
| AOM 2 Metric Storage per Mio | Piece | n. a. | 0.060000 | 0.054000 |

Back to 3.5.4

### 6.6.5 Application Performance Management

APM has two editions: Free and Enterprise. After switching from the Free edition to the Enterprise edition, hourly billing will apply. According to the number of purchased Agent instances, billing is based on actual usage time (hourly level).

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| APM trial Instance per hour | 0.000000 | n.a. |
| APM enterprise Instance per hour | 0.048000 | n.a. |

Back to 3.5.5

## 6.7 Management & Deployment

### 6.7.1 Cloud Eye

This service is free of charge. Back to 3.6.1

### 6.7.2 Cloud Trace Service

This service is free of charge. Back to 3.6.2

## 6.7.3 Tag Management Service

This service is free of charge.

Back to 3.6.3

## 6.7.4 Config (former Resource Management Service)

This service is free of charge.

Back to 3.6.4

## 6.7.5 Identity and Access Management

This service is free of charge.

Back to 3.6.5

## 6.7.6 Log Tank Service

The new pricing of LTS offers a free tier for all 3 pricing elements, Storage, Traffic and Indexing of 500 MB/month.

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| LTS Log Storage Data Ingested | GiB/month | 0.099000 | 0.089100 |
| LTS Log read write Traffic | GiB/month | 0.073745 | 0.066371 |
| LTS Log index Traffic | GiB/month | 0.073745 | 0.066371 |

Back to 3.6.6

## 6.7.7 Resource Formation Service

This service is free of charge.

Back to 3.6.7

## 6.7.8 OpenStack Projects

This service is free of charge.

Back to 3.6.8

### 6.7.9 Enterprise Project Management Service

This service is free of charge.

Back to 3.6.9

## 6.8 Container

### 6.8.1 Cloud Container Engine

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| CCE VM Cluster small | 0.000000 | 0.000000 |
| CCE VM Cluster medium | 0.133395 | 0.114720 |
| CCE VM Cluster small (HA) | 0.380181 | 0.326956 |
| CCE VM Cluster medium (HA) | 0.400185 | 0.344159 |
| CCE VM Cluster large (HA) | 0.460255 | 0.395819 |
| CCE VM Cluster xlarge (HA) | 0.920510 | 0.791639 |

Back to 3.7.1

### 6.8.2 Cloud Container Instance

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| CCI CPU amount | 0.047300 | n.a. |
| CCI RAM amount | 0.005170 | n.a. |

Back to 3.12.2

### 6.8.3 Software Repository for Container

This service is free of charge.

Back to 3.7.2

### 6.8.4 Application Service Mesh

This service is free of charge.

Back to 3.7.3

### 6.8.5 Ubiquitous Cloud Native Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| UCS CPU amount in cluster outside Tenant | h | 0.008190 | n.a. |
| UCS CPU amount in cluster inside Tenant | h | 0.008190 | n.a. |

Back to 3.7.4

# 6.9 Data analysis

## 6.9.1 MapReduce Service

The listed prices are in addition to the Elastic Cloud Server prices of the respective Flavor.

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| MRS c3.xlarge.4 | 0.062700 | 0.056430 |
| MRS c3.xlarge.2 | 0.282150 | 0.253935 |
| MRS c3.2xlarge.2 | 0.109725 | 0.098753 |
| MRS c3.2xlarge.4 | 0.282150 | 0.253935 |
| MRS c3.4xlarge.2 | 0.219450 | 0.197505 |
| MRS c3.4xlarge.4 | 0.282150 | 0.253935 |
| MRS c3.8xlarge.4 | 0.282150 | 0.253935 |
| MRS c3.15xlarge.4 | 0.282150 | 0.253935 |
| MRS d2.xlarge.8 | 0.180785 | 0.162707 |
| MRS d2.2xlarge.8 | 0.282150 | 0.253935 |
| MRS d2.4xlarge.8 | 0.282150 | 0.253935 |
| MRS d2.6xlarge.8 | 0.282150 | 0.253935 |
| MRS d2.8xlarge.8 | 0.282150 | 0.253935 |
| MRS m3.2xlarge.8 | 0.282150 | 0.253935 |
| MRS m3.4xlarge.8 | 0.282150 | 0.253935 |
| MRS m3.8xlarge.8 | 0.282150 | 0.253935 |
| MRS m3.15xlarge.8 | 0.282150 | 0.253935 |
| MRS m4.2xlarge.8 | 0.282150 | 0.253935 |
| MRS m4.4xlarge.8 | 0.282150 | 0.253935 |
| MRS m4.8xlarge.8 | 0.282150 | 0.253935 |
| MRS m4.16xlarge.8 | 0.282150 | 0.253935 |
| MRS m3n.8xlarge.8 | 0.282150 | 0.253935 |
| MRS c4.xlarge.4 | 0.062700 | 0.056430 |
| MRS c4.2xlarge.2 | 0.109725 | 0.098753 |
| MRS c4.2xlarge.4 | 0.282150 | 0.253935 |
| MRS c4.4xlarge.2 | 0.219450 | 0.197505 |
| MRS c4.4xlarge.4 | 0.282150 | 0.253935 |
| MRS c4.8xlarge.2 | 0.282150 | 0.253935 |
| MRS c4.8xlarge.4 | 0.282150 | 0.253935 |
| MRS c4.16xlarge.4 | 0.282150 | 0.253935 |
| MRS s3.2xlarge.4 | 0.282150 | 0.253935 |
| MRS s3.4xlarge.2 | 0.282150 | 0.253935 |
| MRS s3.4xlarge.4 | 0.282150 | 0.253935 |
| MRS s2.2xlarge.2 | 0.282150 | 0.253935 |
| MRS s2.4xlarge.2 | 0.282150 | 0.253935 |
| MRS m7n.2xlarge.8 | 0.282150 | 0.253935 |
| MRS m7n.4xlarge.8 | 0.282150 | 0.253935 |
| MRS m7n.8xlarge.8 | 0.282150 | 0.253935 |
| MRS m7n.16xlarge.8 | 0.282150 | 0.253935 |

Back to 3.8.1

## 6.9.2 Data Warehouse Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|---|
| DWS Node dws.m3.xl | h | 0.463478 | n.a. | 237.00 | n.a. | 210.00 | n.a. |
| DWS Node dws2.m6.4xl | h | 1.94 | n.a. | 990.00 | n.a. | 877.00 | n.a. |
| DWS Node dws.m6.8xl | h | 3.88 | n.a. | 1,981.00 | n.a. | 1,754.00 | n.a. |
| DWS Node dws.m6.16xl | h | 7.75 | n.a. | 3,962.00 | n.a. | 3,509.00 | n.a. |
| DWS Node m7n.xlarge.8 | h | 0.556174 | n.a. | n.a. | n.a. | n.a. | n.a. |
| DWS Node m7n.2xlarge.8 | h | 1.11 | n.a. | n.a. | n.a. | n.a. | n.a. |
| DWS Node m7n.4xlarge.8 | h | 2.22 | n.a. | n.a. | n.a. | n.a. | n.a. |
| DWS Node m7n.8xlarge.8 | h | 4.45 | n.a. | n.a. | n.a. | n.a. | n.a. |
| DWS Node m7n.16xlarge.8 | h | 8.90 | n.a. | n.a. | n.a. | n.a. | n.a. |
| DWS Backup Space | GiB/month | 0.024200 | n.a. | n.a. | n.a. | n.a. | n.a. |

Back to 3.8.2

## 6.9.3 ModelArts

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| MA 2vCPU/8GiB RAM | 0.149160 | n.a. |
| MA 8vCPU/32GiB RAM | 0.596640 | n.a. |
| MA 8vCPU/64GiB RAM 1*V100 GPU | 3.11 | n.a. |
| MA 16vCPU/128GiB RAM 2*V100 GPU | 6.23 | n.a. |
| MA 32vCPU/256GiB RAM 4*V100 GPU | 12.45 | n.a. |
| MA 8vCPU/32GiB RAM 1*T4 GPU | 3.06 | n.a. |
| MA 24vCPU/96GiB RAM 1*SNT9 GPU | 3.68 | n.a. |
| MA 48vCPU/192GiB RAM 2*SNT9 GPU | 7.35 | n.a. |
| MA 96vCPU/384GiB RAM 4*SNT9 GPU | 14.71 | n.a. |
| MA 192vCPU/768GiB RAM 8*SNT9 GPU | 29.42 | n.a. |
| MA 192vCPU/768GiB RAM 8*SNT9 GPU ded | 32.36 | n.a. |

Back to 3.8.3

## 6.9.4 Data Lake Insight

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| DLI ondemand flink job per cu | h | 0.062563 | n.a. |
| DLI ondemand per cu | h | 0.062563 | n.a. |
| DLI storage | GiB/month | 0.057200 | n.a. |
| DLI scan | GiB/month | 0.005500 | n.a. |
| DLI elastic resource pool | h | 0.062563 | n.a. |

Please keep in mind that 1 Compute Unit(CU) consists of 1 vCPU and 4 GiB memory

Back to 3.8.4

## 6.9.5 DataArts Studio

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| DataArts Studio Starter | 0.935000 | n.a. |
| DataArts Studio Enterprise | 4.73 | n.a. |
| CDM 8U 16GiB | 1.10 | n.a. |
| CDM 16U 32GiB | 2.20 | n.a. |
| CDM 64U 128GiB | 8.80 | n.a. |
| DLM basic | n.a. | n.a. |
| DLM advance | n.a. | n.a. |
| DLM professional | n.a. | n.a. |

Back to 3.8.5

## 6.9.6 Optical Character Recognition

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Table recognition per 1000 | Piece | 1.19 | n.a. |
| Text recognition per 1000 | Piece | 1.19 | n.a. |
| Document Recognition per 1000 | Piece | 3.96 | n.a. |

Back to 3.8.6

# 6.10 Security

## 6.10.1 Anti-DDoS

This service is free of charge.

Zurück zu 3.9.1

## 6.10.2 Key Management Service

For KMS Customer Masterkey, additional costs per automatic key rotation apply.

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| KMS Default Masterkey | h | n. a. | 0.000000 | 0.000000 |
| KMS Customer Masterkey | h | n. a. | 0.001513 | 0.001362 |
| KMS API Calls | Piece | 0 to 20,000<br>from 20,001 | 0.000000<br>0.000003 | 0.000000<br>0.000003 |

Note:

The charge is the same for symmetric keys, asymmetric keys, HMAC keys and keys with imported key material (BYOK).

KMS CMKs are billed per active key version. For KMS CMK keys that are rotated (automatically or on demand), an additional version is generated and billed.

Although the creation and storage of KMS Default Master Keys (DMKs) is not billed, fees apply for each API request beyond the free tier.

Back to 3.9.2

## 6.10.3 Web Application Firewall (Classic Mode)

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| WAF Domain | h | 0 to 2,000<br>2,001 to 5,000<br>from 5,001 | 0.226050<br>0.188320<br>0.150700 | 0.203445<br>0.169488<br>0.135630 |
| WAF Requests per million | Piece | n. a. | 0.660000 | 0.594000 |

Back to 3.9.3

## 6.10.4 Web Application Firewall (Cloud Mode)

| Name | charging unit | Tier | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|---|
| Cloud WAF Domain | h | 0 to 730<br>from 731 | 0.247500<br>0.013860 | 0.225225<br>0.012613 |
| Cloud WAF Rules | h | n. a. | 0.001386 | 0.001261 |
| Cloud WAF Requests per million | Piece | n. a. | 0.594000 | 0.540540 |

Back to 3.9.4

## 6.10.5 Web Application Firewall (Dedicated)

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| WAF Instance Professional | 0.300000 | 0.300000 |
| WAF Instance Enterprise | 1.00 | 1.00 |

Back to 3.9.5

## 6.10.6 Database Security Service

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour |
|---|---|---|
| DBSS Basic | 0.977760 | n.a. |
| DBSS Pro | 1.82 | n.a. |
| DBSS Advanced | 6.09 | n.a. |

Back to 3.9.7

## 6.10.7 Host Security Service (HSS)

| Name | EU-DE Open Elastic in Euro/hour | EU-NL Open Elastic in Euro/hour | EU-DE Reserved 12 months in euro/ month | EU-NL Reserved 12 months in euro/ month | EU-DE Reserved 24 months in euro/ month | EU-NL Reserved 24 months in euro/ month |
|---|---|---|---|---|---|---|
| HSS Enterprise Edition per Asset | 0.027000 | 0.027000 | n.a. | n.a. | n.a. | n.a. |
| HSS Premium Edition per Asset | 0.054000 | 0.054000 | 37.50 | 37.50 | 35.40 | 35.40 |
| HSS WTP Edition per Asset | 0.288000 | 0.288000 | n.a. | n.a. | n.a. | n.a. |
| HSS Container Edition per Asset | 0.054000 | 0.054000 | 37.50 | 37.50 | 35.40 | 35.40 |

Back to 3.9.8

## 6.10.8 Cloud Secret Management Service

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| CSMS Secret | h | 0.000560 | n.a. |
| CSMS API calls per 10k | Piece | 0.050000 | n.a. |

Back to 3.9.9

## 6.10.9 Cloud Firewall

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| CFW instance | h | 1.25 | 1.25 |
| CFW analyzed traffic | GiB/month | 0.060000 | 0.060000 |

Back to 3.9.10

# 6.11 Optional services

## 6.11.1 Financial Dashboard (former Enterprise Dashboard)

| Name | charging unit | price in Euro |
|---|---|---|
| Financial Dashboard Medium | Piece | 100.00 |
| Financial Dashboard Large | Piece | 250.00 |

Back to 3.11.4

## 6.11.2 Consulting Services

| Name | price in Euro |
|---|---|
| Service Request 15 min | 44.95 |

Back to 3.11.5

## 6.11.3 Cloud Create (former Cloud Topology Designer)

This service is free of charge.

Back to 3.11.6

# 6.12 Preview- und Beta-Versions

## 6.12.1 Alert Service

Alert Service is per default available for all commercial admins, no extra costs or bookings included.

Back to 3.12.3

## 6.12.2 Data Admin Service

With the general availability (GA) of the Data Admin Service, the pricing components "DAS Cloud DBA" and "DAS Cloud DBA storage" will be billed, and the remaining billing components will be deactivated. Use of the Development Tool is then free of charge. The storage log includes 5 GB of free storage per instance.

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| DAS standard 40 Instances | h | n.a. | n.a. |
| DAS standard 80 Instances | | n.a. | n.a. |
| DAS standard 160 Instances | | n.a. | n.a. |
| DAS standard 320 Instances | | n.a. | n.a. |
| DAS standard 500 Instances | | n.a. | n.a. |
| DAS cloud DBA | h | 0.220000 | 0.220000 |
| DAS cloud DBA storage | GiB/month | 0.110000 | 0.110000 |

Back to 3.12.4

## 6.12.3 Cloud Connect

Cloud Connect will be provided free of charge during the beta phase.

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Cloud Connect per Mbit | h | 0.002800 | n.a. |

Back to 3.12.6

## 6.12.4 Enterprise Switch

Enterprise Switch is available free of charge during the beta phase.

| Name | charging unit | price EU-DE in Euro | price EU-NL in Euro |
|---|---|---|---|
| Enterprise switch small | h | 2.50 | n.a. |
| Enterprise switch medium | h | 7.50 | n.a. |
| Enterprise switch large | h | 15.00 | n.a. |

Back to 3.12.5

# 7 Termination/minimum lease periods

## 7.1 Termination of individual services

Individual services with no minimum term can be terminated at any time by the customer and Telekom. Services with a minimum term will end automatically without requiring notice of termination. When individual services end, the terminated customer resources will be erased and released.

## 7.2 Special conditions for migration under the Data Act

These special conditions shall take effect if the Customer (a) wishes to migrate from the services (hereinafter called “Data Processing Services”) to the services of another service provider, (b) wishes to export all their customer content from the data processing services in order to transfer them to their own ICT infrastructure (e.g., PC or their mobile end devices) or (c) wishes to delete their customer content. The scenarios described in (a) and (b) are each hereinafter described as “Migration”.

### 7.2.1 Exportable data

The Customer can export any customer content, including during a migration. A more detailed description of the relevant customer content for the data processing in question can be found at https:// www.public.t- cloud.com/ en/ support/switching-your-cloud-provider

“Customer Content” includes any data that the Customer or their users upload, save, create, or otherwise process in data processing services, provided that they are listed under https:// public.t-cloud.com/ docs or https:// www.public.t-cloud.com/de/produkte-services/core-services.

### 7.2.2 Announcing a migration

Generally, the Customer is not obliged to inform Telekom that they intend to migrate. Notwithstanding any other contractual provisions, the Customer always has access to their customer content and may delete or export them at any time, including in case of a migration. These rights shall not be affected by these special conditions. These special conditions shall likewise not affect the Customer’s contractual or legal customer rights. The applicable contractual rights regarding the consequences of a premature cancellation by the Customer, such as indemnity payments or price adjustments, shall likewise remain unaffected.

However, if the Customer wishes to assert the additional rights set forth in these special terms and conditions, they must notify this to Telekom by completing and sending the migration form to https:// www.public.t- cloud.com/ en/ support/ switching- your- cloud- provider . In this notice or in a separate notice before the start of the subsequent transition time period, Telekom’s Customer may notify that they wish to exercise one of the following options:

1. Migrate to another service provider

2. Export all customer data in order to transfer it to their own ICT infrastructure.

    - a. The Customer themselves is responsible for exporting customer data. Notification is not necessary if technical conditions were to make exporting impossible. Please also check the information on https://www.public.t-cloud.com/en/support/switching-your-cloud-provider

3. Deleting their customer content by deleting their tenant (see 7.3)

### 7.2.3 Transition time period

Using the https://www.public.t-cloud.com/en/support/switching-your-cloud-provider migration form, the Customer notifies Telekom about the migration and defines the start of the "transition time period" in the form. This migration notification must be received at least 30 days before the start of the transition time period. Herein, the start of a 30-day "transition time period" is defined, where special provisions apply to the benefit of the Customer, as described in further detail in Clauses 7.2.4 to 7.2.7.

- The Customer may extend the transition period once by one time period that they deem reasonable for the purpose of their migration. Such an extension shall take effect only if the Customer notifies Telekom thereof in text form no later than 30 days before expiry of the original transition time period, preferably by notifying support@t-cloud-public.com and with the subject line "Migration: Transition time period extension".

- If a transition of the extension time period is required due to technical feasibility reasons, Telekom shall notify the Customer thereof within 14 business days after receiving the migration notification, together with a justification and the duration of the extension (the transition time period shall not exceed seven months under any circumstances).

According to applicable contractual provisions, an extension of the transition time period may result in the contract persisting at the stipulated terms and conditions during the transition time period. This may also result in a contractually stipulated extension option taking effect, thereby causing an extension of the contract. The Customer's migration and termination rights according to these special terms and conditions shall hereby remain unaffected.

### 7.2.4 Special support services during an announced migration

If Telekom's customer announces a migration according to these special conditions, the customer shall be assisted with their migration during the transition time period as follows:

1. The Customer or their verifiably authorized third party may request reasonable assistance with the migration. Telekom shall then send it to potential service providers. Alternatively, you may also search for migration service providers in the MarketPlace via https://marketplace.otc.t-systems.com/. These services shall be invoiced to you by the corresponding service providers.

2. To support the customer's exit strategy for data processing services, you can find valuable information in the documentation for the utilized service in question https://public.t-cloud.com/docs/ or you can obtain information directly via the information page https://www.public.t-cloud.com/en/support/switching-your-cloud-provider. If information is otherwise not available, you may alternatively request available information via the service desk as well.

### 7.2.5 Due diligence obligations

In case of a migration, Telekom shall act with the necessary diligence to provide data processing services even during the migration and thereby support the customer in maintaining the continuity of business operations. However, Telekom hereby notifies that the Customer themselves is responsible for performing the migration, particularly for exporting their customer content, the availability of an internet connection with sufficient bandwidth, the transfer of their customer content to their own ICT infrastructure or to the infrastructure or systems of another service provider, and for choosing and configuring this service provider's services. Telekom shall explicitly assume no liability for the success of the migration.

## 7.2.6 Migration costs

Telekom shall not request any separate remuneration for the migration. This shall also explicitly apply to the aforementioned support services, but not for additional services that the customer separately commissions from Telekom, in which Telekom assumes activities, on the Customer's behalf, that are associated with the migration and fall under the Customer's area of responsibility.

In order that the Customer does not have to pay any pro- rata, separate remuneration for costs arising from data processing services or other services that are directly related to the migration, it is necessary for the Customer to inform Telekom about the migration in a timely manner. This occurs in the method described in 7.2.3. This method must be followed in order to ensure a smooth process.

Please find attached a list of items that are affected by the Data Act and how these will be handled.

### 7.2.6.1 Data traffic to the internet – "Internet traffic outbound"

What are known as "Egress" costs denote data traffic to the internet, e.g., the transfer of customer content from the customer environment via the internet. (See 6.5.1 Virtual Private Cloud – Internet Traffic Outbound & 6.4.1 Object Storage Service – OBS Standard Data Transfer Outbound.) Any other costs incurred shall be credited to the customer during a migration as per the Data Act.

### 7.2.6.2 Reserved packages & continuing obligations

Reserved packages and continuing obligations are services that must be consumed or accepted over a period of time. Should the customer use the optional contractual option of a minimum term via, e.g., reserved packages and terminate them before expiry of the stipulated minimum term duration, the Customer shall be obliged to pay a pro rata compensation payment. This compensation payment shall be calculated based on the residual term of the continuing obligation duration. The exact amount is calculated from half of the sum of the payments to be made. In case of a prepayment (reserved upfront), the pro- rata residual value of the prepayment shall be used as the basis for the calculation.

Any compensation payment or credit (reserved upfront) shall be due on the next payment.

## 7.2.7 Contract cancellation upon notification of a migration

A migration or deletion of customer content shall not oblige the customer to terminate the contract and shall not result in an automatic contract termination either. Likewise, the expiry of the transition time period shall not automatically result in a termination of the agreement. However, the Customer may also declare a termination of the contract for the data processing services according to the provisions of the contractual conditions. The customer may also invoke a contract termination by informing Telekom before expiry of the transition time period (see 7.3 – Tenant Termination, Grace Period).

## 7.2.8 Customer's duty to cooperate

The customer shall collaborate with Telekom in good faith so that the change is effectively made, customer data can be sent in a timely manner, and the continuity of the data processing services can be maintained. This particularly includes that the customer shall:

1. Follow any Telekom information or guidelines on the necessary service settings or configurations

2. Comply with predefined activities for migration activities and issue statements as well as all the required information in a timely and complete manner

3. Create and implement reasonable security and redundancy concepts for their customer content within their area of responsibility

4. Take data validation, data cleansing, data formatting, etc. measures in data processing services that the customer may deem necessary in preparation for a data export.

5. Initiate the export or deletion of data by making the corresponding inputs and settings in the data processing services

6. Monitor the progress of an ongoing data export or ongoing data deletion, and

7. Be responsible for the activities of the service provider to which they switch and for any service provider that the Customer may use during the migration process, and they must coordinate their activities themselves.

### 7.2.9 Security

The contractually stipulated provisions regarding the security of customer content shall also apply in case of a migration and thus, during the transition time period as well.

### 7.2.10 Risks during a migration

Telekom indicates that a migration is particularly associated with typical risks that arise from the termination of data processing services and that specifically stem from data processing services.

It is up to the customer to inform themselves about the risks of using their ICT infrastructure of the services of another service provider, including a migration to this service provider.

### 7.2.11 Measures against government access to data

https:// www.public.t- cloud.com/ en/ support/ switching- your- cloud- provider describes Telekom's measures against unauthorized government access to non-personal customer content.

## 7.3 Termination of the Tenant, Grace Period

The customer tenant can be terminated in text form contacting the Support Center with a notice period of four weeks to the end of the month or to the end of the last service with a minimum term. Two weeks before the termination of the Tenant takes effect, the Tenant is frozen (grace period). It is no longer possible to use the Tenant's resources or save data. No costs are incurred for a Tenant during the grace period.

The customer can revoke his termination of a Tenant in text form to the Support Center no later than two days before the termination takes effect. After the cancellation of the Grace Period has been confirmed the customer may restart and use the resources of the Tenant again. When the termination of the Tenant becomes effective, all of the customer's options to access the T Cloud Public service will be deactivated and all of the customer's resources will be erased and released.

The right of both parties to extraordinary termination remains unaffected. A reason for extraordinary termination exists in particular if Telekom can no longer provide its services as agreed due to a change in the law or an official or judicial decision.

## 7.4 Suspending of Services

If Telekom is entitled to block the customer's tenant, it deactivates the using possibility of the resources assigned to the tenant. Login is still possible. Telekom informs the customer about the blocking or unblocking of his tenant via the email he has provided.

## 7.5 Data backup upon termination

The customer must back up its application data independently and under its own responsibility before the grace period comes into effect. In the event of any questions, the customer may contact the Support Center to enquire about data backup options.

# List of abbreviations/glossary

| Term | Description |
|---|---|
| ACL | Access Control List |
| API | Application Programming Interface – typeically used for automatic control and/ or integration into higher-level orchestration |
| BGP | Border Gateway Protocol |
| Buckets | Container for objects in the object storage service |
| CET/CEST | Central European Time/Central European Summer Time |
| CLI | Command Line Interface |
| CORS | Cross-Origin Resource Sharing |
| D/R | Disaster recovery (protection against the failure of a whole data center, e.g., in the event of a disaster) |
| DBaaS | Database as a Service |
| DDoS | Distributed Denial of Service |
| DHCP | Dynamic Host Configuration Protocol |
| DNS | Domain Name Service |
| DNS Record | Record of a Domain Name Service zone |
| DNS zone | Part of the domain hierarchy which is managed by a name server |
| ELB | Elastic Load Balancer |
| EU-DE | Europe-Germany |
| EU-NL | Europe-Netherlands |
| EVS | Elastic Volume Service |
| Flavor | Synonym for an Elastic Cloud Server type |
| Expected to be available from | Expected to be available from describes the date from which a service is expected to be available. The exact availability will be announced via release notes. |
| GB | Gigabyte |
| Gbit/s | Gigabits per second |
| GUI | Graphical User Interface |
| HA | High Availability |
| HDFS | Hadoop Distributed File System |
| HTTP | Hypertext Transfer Protocol |
| HTTPS | Hypertext Transfer Protocol Secure |
| Hypervisor | Virtualization layer between hardware and operating system |
| I/O | Input/Output |
| IaaS | Infrastructure-as-a-Service |
| Inbound | Incoming connection |
| Instance | Virtual Machine |
| IOPS | Input/Output Operationen pro Sekunde |
| IP | Internet Protocol |

| Term | Description |
|---|---|
| IPsec | Internet Protocol Security |
| ISV | Independent Software Vendor |
| AI | Artificial Intelligence |
| MB | Megabyte |
| Mbit/s | Megabits per second |
| MPLS | Multiprotocol Label Switching |
| ms | Milliseconds |
| NAS | Network Attached Storage |
| NAT | Network Address Translation |
| n. a. | not available (e.g., Feature / Flavor is in a Region) |
| Outbound | Outgoing connection |
| PB | Petabyte |
| PLAS | Private Link Access Service |
| Quota | Virtual resource limit per Tenant or OpenStack project |
| RAM | Random Access Memory |
| RDS | Relational Database Service |
| Release Notes | These are the changes/ innovations on the T Cloud Public that can be viewed at https://public.t-cloud.com/en/support/release-notes |
| Ressourcen | Resources refer to all services created by the customer via the T Cloud Public Console or API. E.g. all Elastic Cloud servers, OBS buckets, network services or databases. |
| REST | Representational State Transfer |
| RHEL | Red Hat Enterprise Linux |
| SAS | Serial Attached SCSI |
| Scale in/out | Horizontal scaling |
| SATA | Serial Advanced Technology Attachment |
| SCSI | Small Computer System Interface |
| SFS | Scalable File Service |
| SLES | SUSE Enterprise Linux |
| SMS | Short Message Service |
| SMTP | Simple Mail Transfer Protocol |
| SNAT | Source Network Address Translation |
| SPAM | Mass unsolicited sending of electronic messages |
| SSD | Solid State Disk |
| Tag | Categorization of resources |
| Separator | Technical: English spelling (thousands separated by comma (e.g., 1,100)) Euro amounts: thousands separated by comma (e.g., € 1,100.53) |
| TB | Terabyte |
| Twin-Core | Redundant data center at a minimum distance of 10 km for DR scenarios |
| URL | Uniform Resource Locator |
| vCPU | Virtual Central Processing Unit |
| vGPU | Virtual Graphics Processing Unit |

| Term | Description |
|---|---|
| VM | Virtual Machine |
| VNC | Virtual Network Computing |
| VPC | Virtual Private Cloud |
| VPN | Virtual Private Network (typeically via IPsec and Site2Site scenario) – enables secure communication via insecure connection paths such as the Internet |
| LCU | Loadbalancer Capacity Unit |
| ETL | Extract, Transform, Load |